

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| ALL CAUSES | | | | | | | | | | | | | |
| ALL RACES, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 2,403,351 | 28,035 | 4,979 | 7,413 | 31,307 | 40,451 | 89,798 | 160,341 | 240,846 | 441,209 | 700,445 | 658,171 | 356 |
| 1999..... | 2,391,399 | 27,937 | 5,249 | 7,595 | 30,656 | 41,066 | 89,256 | 152,974 | 238,979 | 452,600 | 698,590 | 646,141 | 356 |
| ALL RACES, MALE | | | | | | | | | | | | | |
| 2000..... | 1,177,578 | 15,718 | 2,824 | 4,401 | 23,071 | 27,890 | 57,297 | 100,398 | 143,321 | 247,408 | 340,219 | 214,742 | 289 |
| 1999..... | 1,175,460 | 15,646 | 2,975 | 4,492 | 22,414 | 28,276 | 57,118 | 95,659 | 142,724 | 254,920 | 340,970 | 209,989 | 277 |
| ALL RACES, FEMALE | | | | | | | | | | | | | |
| 2000..... | 1,225,773 | 12,317 | 2,155 | 3,012 | 8,236 | 12,561 | 32,501 | 59,943 | 97,525 | 193,801 | 360,226 | 443,429 | 67 |
| 1999..... | 1,215,939 | 12,291 | 2,274 | 3,103 | 8,242 | 12,790 | 32,138 | 57,315 | 96,255 | 197,680 | 357,620 | 436,152 | 79 |
| WHITE, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 2,071,287 | 18,144 | 3,494 | 5,450 | 23,018 | 28,719 | 66,496 | 122,674 | 195,541 | 376,986 | 627,729 | 602,761 | 275 |
| 1999..... | 2,061,348 | 18,067 | 3,690 | 5,493 | 22,352 | 29,400 | 65,607 | 117,011 | 193,582 | 387,437 | 626,489 | 591,949 | 271 |
| WHITE, MALE | | | | | | | | | | | | | |
| 2000..... | 1,007,191 | 10,177 | 2,004 | 3,255 | 16,868 | 20,140 | 43,378 | 77,866 | 117,114 | 213,379 | 306,370 | 196,409 | 231 |
| 1999..... | 1,005,335 | 10,197 | 2,084 | 3,228 | 16,203 | 20,549 | 42,914 | 73,908 | 116,537 | 220,442 | 307,450 | 191,610 | 213 |
| WHITE, FEMALE | | | | | | | | | | | | | |
| 2000..... | 1,064,096 | 7,967 | 1,490 | 2,195 | 6,150 | 8,579 | 23,118 | 44,808 | 78,427 | 163,607 | 321,359 | 406,352 | 44 |
| 1999..... | 1,056,013 | 7,870 | 1,606 | 2,265 | 6,149 | 8,851 | 22,693 | 43,103 | 77,045 | 166,995 | 319,039 | 400,339 | 58 |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, SEX AND YEAR

| | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--------------------------------|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| ALL CAUSES | | | | | | | | | | | | | |
| BLACK, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 285,826 | 8,771 | 1,248 | 1,643 | 7,049 | 10,239 | 20,557 | 33,289 | 39,281 | 55,195 | 61,444 | 47,038 | 72 |
| 1999..... | 285,064 | 8,822 | 1,311 | 1,789 | 7,066 | 10,115 | 21,041 | 31,759 | 39,476 | 56,122 | 61,201 | 46,285 | 77 |
| BLACK, MALE | | | | | | | | | | | | | |
| 2000..... | 145,184 | 4,901 | 692 | 974 | 5,318 | 6,750 | 12,251 | 19,913 | 22,678 | 29,071 | 28,026 | 14,560 | 50 |
| 1999..... | 145,703 | 4,897 | 746 | 1,096 | 5,348 | 6,723 | 12,567 | 19,298 | 22,769 | 29,594 | 27,839 | 14,768 | 58 |
| BLACK, FEMALE | | | | | | | | | | | | | |
| 2000..... | 140,642 | 3,870 | 556 | 669 | 1,731 | 3,489 | 8,306 | 13,376 | 16,603 | 26,124 | 33,418 | 32,478 | 22 |
| 1999..... | 139,361 | 3,925 | 565 | 693 | 1,718 | 3,392 | 8,474 | 12,461 | 16,707 | 26,528 | 33,362 | 31,517 | 19 |
| AMERICAN INDIAN 1/, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 11,363 | 323 | 91 | 113 | 519 | 596 | 1,081 | 1,354 | 1,698 | 2,141 | 2,062 | 1,382 | 3 |
| 1999..... | 11,312 | 343 | 82 | 105 | 540 | 645 | 1,027 | 1,328 | 1,674 | 2,164 | 2,064 | 1,339 | 1 |
| AMERICAN INDIAN 1/, MALE | | | | | | | | | | | | | |
| 2000..... | 6,185 | 193 | 49 | 61 | 369 | 410 | 675 | 858 | 964 | 1,113 | 989 | 501 | 3 |
| 1999..... | 6,092 | 180 | 48 | 55 | 396 | 418 | 645 | 845 | 920 | 1,148 | 987 | 449 | 1 |
| AMERICAN INDIAN 1/, FEMALE | | | | | | | | | | | | | |
| 2000..... | 5,178 | 130 | 42 | 52 | 150 | 186 | 406 | 496 | 734 | 1,028 | 1,073 | 881 | - |
| 1999..... | 5,220 | 163 | 34 | 50 | 144 | 227 | 382 | 483 | 754 | 1,016 | 1,077 | 890 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|

ALL CAUSES

ASIAN OR PACIFIC ISLANDER 2/, BOTH SEX

| | | | | | | | | | | | | | |
|-----------|--------|-----|-----|-----|-----|-----|-------|-------|-------|-------|-------|-------|---|
| 2000..... | 34,875 | 797 | 146 | 207 | 721 | 897 | 1,664 | 3,024 | 4,326 | 6,887 | 9,210 | 6,990 | 6 |
| 1999..... | 33,675 | 705 | 166 | 208 | 698 | 906 | 1,581 | 2,876 | 4,247 | 6,877 | 8,836 | 6,568 | 7 |

ASIAN OR PACIFIC ISLANDER 2/, MALE

| | | | | | | | | | | | | | |
|-----------|--------|-----|----|-----|-----|-----|-----|-------|-------|-------|-------|-------|---|
| 2000..... | 19,018 | 447 | 79 | 111 | 516 | 590 | 993 | 1,761 | 2,565 | 3,845 | 4,834 | 3,272 | 5 |
| 1999..... | 18,330 | 372 | 97 | 113 | 467 | 586 | 992 | 1,608 | 2,498 | 3,736 | 4,694 | 3,162 | 5 |

ASIAN OR PACIFIC ISLANDER 2/, FEMALE

| | | | | | | | | | | | | | |
|-----------|--------|-----|----|----|-----|-----|-----|-------|-------|-------|-------|-------|---|
| 2000..... | 15,857 | 350 | 67 | 96 | 205 | 307 | 671 | 1,263 | 1,761 | 3,042 | 4,376 | 3,718 | 1 |
| 1999..... | 15,345 | 333 | 69 | 95 | 231 | 320 | 589 | 1,268 | 1,749 | 3,141 | 4,142 | 3,406 | 2 |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Salmonella infections (A01-A02) | | | | | | | | | | | | | |
| ALL RACES, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 28 | 3 | 2 | - | 1 | 1 | - | 4 | 2 | 7 | 5 | 3 | - |
| 1999..... | 38 | 3 | - | - | 2 | - | 2 | 2 | 3 | 7 | 12 | 7 | - |
| ALL RACES, MALE | | | | | | | | | | | | | |
| 2000..... | 15 | 2 | - | - | 1 | 1 | - | 2 | 2 | 5 | 1 | 1 | - |
| 1999..... | 21 | 2 | - | - | 2 | - | 1 | 2 | 2 | 5 | 5 | 2 | - |
| ALL RACES, FEMALE | | | | | | | | | | | | | |
| 2000..... | 13 | 1 | 2 | - | - | - | - | 2 | - | 2 | 4 | 2 | - |
| 1999..... | 17 | 1 | - | - | - | - | 1 | - | 1 | 2 | 7 | 5 | - |
| WHITE, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 25 | 2 | 2 | - | - | 1 | - | 4 | 2 | 6 | 5 | 3 | - |
| 1999..... | 32 | 3 | - | - | 1 | - | 2 | 2 | 2 | 5 | 10 | 7 | - |
| WHITE, MALE | | | | | | | | | | | | | |
| 2000..... | 13 | 1 | - | - | - | 1 | - | 2 | 2 | 5 | 1 | 1 | - |
| 1999..... | 16 | 2 | - | - | 1 | - | 1 | 2 | 1 | 3 | 4 | 2 | - |
| WHITE, FEMALE | | | | | | | | | | | | | |
| 2000..... | 12 | 1 | 2 | - | - | - | - | 2 | - | 1 | 4 | 2 | - |
| 1999..... | 16 | 1 | - | - | - | - | 1 | - | 1 | 2 | 6 | 5 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION

| OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|---|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
|---|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|

Salmonella infections (A01-A02)

BLACK, BOTH SEXES

| | | | | | | | | | | | | | |
|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2000..... | 2 | 1 | - | - | 1 | - | - | - | - | - | - | - | - |
| 1999..... | 4 | - | - | - | 1 | - | - | - | - | 1 | 2 | - | - |

BLACK, MALE

| | | | | | | | | | | | | | |
|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2000..... | 2 | 1 | - | - | 1 | - | - | - | - | - | - | - | - |
| 1999..... | 3 | - | - | - | 1 | - | - | - | - | 1 | 1 | - | - |

BLACK, FEMALE

[illegible]

AMERICAN INDIAN 1/, BOTH SEXES

AMERICAN INDIAN 1/, MALE

AMERICAN INDIAN 1/, FEMALE

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

[illegible]

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|

Shigellosis and amebiasis (A03,A06)

ALL RACES, BOTH SEXES

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|---|---|---|---|---|---|---|
| 2000..... | 12 | - | - | - | - | - | 1 | 1 | 1 | 1 | 7 | 1 | - |
| 1999..... | 10 | - | 1 | 1 | - | - | 1 | - | 1 | 1 | 1 | 4 | - |

ALL RACES, MALE

| | | | | | | | | | | | | | |
|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2000..... | 5 | - | - | - | - | - | 1 | - | 1 | - | 3 | - | - |
| 1999..... | 6 | - | 1 | 1 | - | - | 1 | - | 1 | 1 | - | 1 | - |

ALL RACES, FEMALE

| | | | | | | | | | | | | | |
|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2000..... | 7 | - | - | - | - | - | - | 1 | - | 1 | 4 | 1 | - |
| 1999..... | 4 | - | - | - | - | - | - | - | - | - | 1 | 3 | - |

WHITE, BOTH SEXES

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|---|---|---|---|---|---|---|
| 2000..... | 10 | - | - | - | - | - | - | 1 | 1 | - | 7 | 1 | - |
| 1999..... | 10 | - | 1 | 1 | - | - | 1 | - | 1 | 1 | 1 | 4 | - |

WHITE, MALE

| | | | | | | | | | | | | | |
|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2000..... | 4 | - | - | - | - | - | - | - | 1 | - | 3 | - | - |
| 1999..... | 6 | - | 1 | 1 | - | - | 1 | - | 1 | 1 | - | 1 | - |

WHITE, FEMALE

| | | | | | | | | | | | | | |
|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2000..... | 6 | - | - | - | - | - | - | 1 | - | - | 4 | 1 | - |
| 1999..... | 4 | - | - | - | - | - | - | - | - | - | 1 | 3 | - |

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

[illegible]

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

[illegible]

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|

Certain other intestinal infections (A04,A07-A09)

ALL RACES, BOTH SEXES

| | | | | | | | | | | | | | |
|-----------|-------|----|----|---|---|---|----|----|----|-----|-----|-----|---|
| 2000..... | 1,328 | 13 | 10 | - | 1 | 3 | 19 | 29 | 70 | 222 | 462 | 499 | - |
| 1999..... | 1,108 | 12 | 8 | 3 | 5 | 6 | 7 | 23 | 49 | 176 | 390 | 429 | - |

ALL RACES, MALE

| | | | | | | | | | | | | | |
|-----------|-----|----|---|---|---|---|----|----|----|-----|-----|-----|---|
| 2000..... | 524 | 10 | 6 | - | - | 3 | 10 | 16 | 39 | 105 | 195 | 140 | - |
| 1999..... | 420 | 8 | 4 | 3 | 3 | 5 | 4 | 11 | 26 | 74 | 169 | 113 | - |

ALL RACES, FEMALE

| | | | | | | | | | | | | | |
|-----------|-----|---|---|---|---|---|---|----|----|-----|-----|-----|---|
| 2000..... | 804 | 3 | 4 | - | 1 | - | 9 | 13 | 31 | 117 | 267 | 359 | - |
| 1999..... | 688 | 4 | 4 | - | 2 | 1 | 3 | 12 | 23 | 102 | 221 | 316 | - |

WHITE, BOTH SEXES

| | | | | | | | | | | | | | |
|-----------|-------|---|---|---|---|---|----|----|----|-----|-----|-----|---|
| 2000..... | 1,224 | 8 | 7 | - | 1 | 2 | 11 | 22 | 62 | 202 | 441 | 468 | - |
| 1999..... | 1,026 | 8 | 7 | 1 | 4 | 6 | 4 | 18 | 41 | 162 | 364 | 411 | - |

WHITE, MALE

| | | | | | | | | | | | | | |
|-----------|-----|---|---|---|---|---|---|----|----|----|-----|-----|---|
| 2000..... | 478 | 6 | 5 | - | - | 2 | 7 | 12 | 34 | 96 | 184 | 132 | - |
| 1999..... | 389 | 6 | 3 | 1 | 3 | 5 | 3 | 7 | 22 | 72 | 160 | 107 | - |

WHITE, FEMALE

| | | | | | | | | | | | | | |
|-----------|-----|---|---|---|---|---|---|----|----|-----|-----|-----|---|
| 2000..... | 746 | 2 | 2 | - | 1 | - | 4 | 10 | 28 | 106 | 257 | 336 | - |
| 1999..... | 637 | 2 | 4 | - | 1 | 1 | 1 | 11 | 19 | 90 | 204 | 304 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|

Certain other intestinal infections (A04,A07-A09)

BLACK, BOTH SEXES

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|---|---|---|----|----|----|---|
| 2000..... | 84 | 4 | 2 | - | - | 1 | 6 | 7 | 6 | 15 | 17 | 26 | - |
| 1999..... | 74 | 4 | - | 2 | 1 | - | 3 | 3 | 6 | 14 | 25 | 16 | - |

BLACK, MALE

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|---|---|---|---|---|---|---|
| 2000..... | 37 | 3 | 1 | - | - | 1 | 2 | 4 | 4 | 6 | 9 | 7 | - |
| 1999..... | 25 | 2 | - | 2 | - | - | 1 | 2 | 2 | 2 | 9 | 5 | - |

BLACK, FEMALE

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|---|---|---|----|----|----|---|
| 2000..... | 47 | 1 | 1 | - | - | - | 4 | 3 | 2 | 9 | 8 | 19 | - |
| 1999..... | 49 | 2 | - | - | 1 | - | 2 | 1 | 4 | 12 | 16 | 11 | - |

AMERICAN INDIAN 1/, BOTH SEXES

| | | | | | | | | | | | | | |
|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2000..... | 6 | - | - | - | - | - | 2 | - | 2 | 1 | - | 1 | - |
| 1999..... | 3 | - | - | - | - | - | - | 1 | 1 | - | 1 | - | - |

AMERICAN INDIAN 1/, MALE

| | | | | | | | | | | | | | |
|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2000..... | 3 | - | - | - | - | - | 1 | - | 1 | 1 | - | - | - |
| 1999..... | 2 | - | - | - | - | - | - | 1 | 1 | - | - | - | - |

AMERICAN INDIAN 1/, FEMALE

| | | | | | | | | | | | | | |
|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2000..... | 3 | - | - | - | - | - | 1 | - | 1 | - | - | 1 | - |
| 1999..... | 1 | - | - | - | - | - | - | - | - | - | 1 | - | - |

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

[illegible]

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Tuberculosis (A16-A19) | | | | | | | | | | | | | |
| ALL RACES, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 776 | 1 | 6 | 1 | 11 | 20 | 42 | 91 | 81 | 155 | 252 | 115 | 1 |
| 1999..... | 930 | 2 | 2 | 3 | 11 | 19 | 57 | 106 | 130 | 173 | 253 | 173 | 1 |
| ALL RACES, MALE | | | | | | | | | | | | | |
| 2000..... | 468 | - | 1 | - | 7 | 14 | 28 | 76 | 59 | 87 | 139 | 56 | 1 |
| 1999..... | 584 | - | 2 | 2 | 4 | 11 | 43 | 87 | 96 | 116 | 137 | 85 | 1 |
| ALL RACES, FEMALE | | | | | | | | | | | | | |
| 2000..... | 308 | 1 | 5 | 1 | 4 | 6 | 14 | 15 | 22 | 68 | 113 | 59 | - |
| 1999..... | 346 | 2 | - | 1 | 7 | 8 | 14 | 19 | 34 | 57 | 116 | 88 | - |
| WHITE, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 439 | - | 4 | 1 | 6 | 11 | 13 | 44 | 33 | 87 | 155 | 85 | - |
| 1999..... | 564 | 1 | - | 1 | 5 | 5 | 25 | 52 | 73 | 108 | 172 | 122 | - |
| WHITE, MALE | | | | | | | | | | | | | |
| 2000..... | 253 | - | - | - | 4 | 7 | 11 | 34 | 24 | 53 | 78 | 42 | - |
| 1999..... | 348 | - | - | 1 | 4 | 4 | 19 | 46 | 52 | 73 | 91 | 58 | - |
| WHITE, FEMALE | | | | | | | | | | | | | |
| 2000..... | 186 | - | 4 | 1 | 2 | 4 | 2 | 10 | 9 | 34 | 77 | 43 | - |
| 1999..... | 216 | 1 | - | - | 1 | 1 | 6 | 6 | 21 | 35 | 81 | 64 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Tuberculosis (A16-A19) | | | | | | | | | | | | | |
| BLACK, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 244 | - | 2 | - | 2 | 7 | 25 | 42 | 34 | 52 | 60 | 19 | 1 |
| 1999..... | 245 | 1 | 2 | 1 | 4 | 9 | 25 | 42 | 40 | 43 | 50 | 27 | 1 |
| BLACK, MALE | | | | | | | | | | | | | |
| 2000..... | 161 | - | 1 | - | 1 | 5 | 14 | 37 | 26 | 28 | 40 | 8 | 1 |
| 1999..... | 159 | - | 2 | - | - | 4 | 19 | 34 | 32 | 29 | 25 | 13 | 1 |
| BLACK, FEMALE | | | | | | | | | | | | | |
| 2000..... | 83 | - | 1 | - | 1 | 2 | 11 | 5 | 8 | 24 | 20 | 11 | - |
| 1999..... | 86 | 1 | - | 1 | 4 | 5 | 6 | 8 | 8 | 14 | 25 | 14 | - |
| AMERICAN INDIAN 1/, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 20 | 1 | - | - | - | - | - | 2 | 6 | 5 | 5 | 1 | - |
| 1999..... | 20 | - | - | - | - | 1 | 1 | 4 | 2 | 6 | 1 | 5 | - |
| AMERICAN INDIAN 1/, MALE | | | | | | | | | | | | | |
| 2000..... | 12 | - | - | - | - | - | - | 2 | 4 | 3 | 3 | - | - |
| 1999..... | 11 | - | - | - | - | - | 1 | 3 | 1 | 3 | - | 3 | - |
| AMERICAN INDIAN 1/, FEMALE | | | | | | | | | | | | | |
| 2000..... | 8 | 1 | - | - | - | - | - | - | 2 | 2 | 2 | 1 | - |
| 1999..... | 9 | - | - | - | - | 1 | - | 1 | 1 | 3 | 1 | 2 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|

Tuberculosis (A16-A19)

ASIAN OR PACIFIC ISLANDER 2/, BOTH SEX

| | | | | | | | | | | | | | |
|-----------|-----|---|---|---|---|---|---|---|----|----|----|----|---|
| 2000..... | 73 | - | - | - | 3 | 2 | 4 | 3 | 8 | 11 | 32 | 10 | - |
| 1999..... | 101 | - | - | 1 | 2 | 4 | 6 | 8 | 15 | 16 | 30 | 19 | - |

ASIAN OR PACIFIC ISLANDER 2/, MALE

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|---|---|----|----|----|----|---|
| 2000..... | 42 | - | - | - | 2 | 2 | 3 | 3 | 5 | 3 | 18 | 6 | - |
| 1999..... | 66 | - | - | 1 | - | 3 | 4 | 4 | 11 | 11 | 21 | 11 | - |

ASIAN OR PACIFIC ISLANDER 2/, FEMALE

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|---|---|---|---|----|---|---|
| 2000..... | 31 | - | - | - | 1 | - | 1 | - | 3 | 8 | 14 | 4 | - |
| 1999..... | 35 | - | - | - | 2 | 1 | 2 | 4 | 4 | 5 | 9 | 8 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Respiratory tuberculosis (A16) | | | | | | | | | | | | | |
| ALL RACES, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 615 | - | 3 | - | 7 | 11 | 35 | 72 | 60 | 119 | 209 | 98 | 1 |
| 1999..... | 764 | 1 | 1 | 1 | 8 | 14 | 45 | 76 | 109 | 139 | 216 | 153 | 1 |
| ALL RACES, MALE | | | | | | | | | | | | | |
| 2000..... | 393 | - | 1 | - | 4 | 8 | 26 | 64 | 50 | 73 | 116 | 50 | 1 |
| 1999..... | 486 | - | 1 | 1 | 2 | 8 | 33 | 64 | 83 | 97 | 120 | 76 | 1 |
| ALL RACES, FEMALE | | | | | | | | | | | | | |
| 2000..... | 222 | - | 2 | - | 3 | 3 | 9 | 8 | 10 | 46 | 93 | 48 | - |
| 1999..... | 278 | 1 | - | - | 6 | 6 | 12 | 12 | 26 | 42 | 96 | 77 | - |
| WHITE, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 351 | - | 1 | - | 4 | 5 | 11 | 35 | 26 | 66 | 131 | 72 | - |
| 1999..... | 472 | - | - | - | 3 | 3 | 20 | 40 | 61 | 87 | 145 | 113 | - |
| WHITE, MALE | | | | | | | | | | | | | |
| 2000..... | 216 | - | - | - | 3 | 4 | 11 | 30 | 20 | 43 | 67 | 38 | - |
| 1999..... | 296 | - | - | - | 2 | 2 | 15 | 36 | 45 | 61 | 79 | 56 | - |
| WHITE, FEMALE | | | | | | | | | | | | | |
| 2000..... | 135 | - | 1 | - | 1 | 1 | - | 5 | 6 | 23 | 64 | 34 | - |
| 1999..... | 176 | - | - | - | 1 | 1 | 5 | 4 | 16 | 26 | 66 | 57 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Respiratory tuberculosis (A16) | | | | | | | | | | | | | |
| BLACK, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 192 | - | 2 | - | 1 | 6 | 20 | 32 | 22 | 43 | 48 | 17 | 1 |
| 1999..... | 199 | 1 | 1 | - | 4 | 8 | 20 | 29 | 36 | 33 | 43 | 23 | 1 |
| BLACK, MALE | | | | | | | | | | | | | |
| 2000..... | 134 | - | 1 | - | - | 4 | 12 | 29 | 22 | 26 | 32 | 7 | 1 |
| 1999..... | 126 | - | 1 | - | - | 3 | 14 | 24 | 29 | 22 | 22 | 10 | 1 |
| BLACK, FEMALE | | | | | | | | | | | | | |
| 2000..... | 58 | - | 1 | - | 1 | 2 | 8 | 3 | - | 17 | 16 | 10 | - |
| 1999..... | 73 | 1 | - | - | 4 | 5 | 6 | 5 | 7 | 11 | 21 | 13 | - |
| AMERICAN INDIAN 1/, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 12 | - | - | - | - | - | - | 2 | 5 | 2 | 3 | - | - |
| 1999..... | 10 | - | - | - | - | - | - | 1 | 1 | 5 | 1 | 2 | - |
| AMERICAN INDIAN 1/, MALE | | | | | | | | | | | | | |
| 2000..... | 8 | - | - | - | - | - | - | 2 | 4 | 1 | 1 | - | - |
| 1999..... | 5 | - | - | - | - | - | - | 1 | - | 3 | - | 1 | - |
| AMERICAN INDIAN 1/, FEMALE | | | | | | | | | | | | | |
| 2000..... | 4 | - | - | - | - | - | - | - | 1 | 1 | 2 | - | - |
| 1999..... | 5 | - | - | - | - | - | - | - | 1 | 2 | 1 | 1 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|

Respiratory tuberculosis (A16)

ASIAN OR PACIFIC ISLANDER 2/, BOTH SEX

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|---|---|----|----|----|----|---|
| 2000..... | 60 | - | - | - | 2 | - | 4 | 3 | 7 | 8 | 27 | 9 | - |
| 1999..... | 83 | - | - | 1 | 1 | 3 | 5 | 6 | 11 | 14 | 27 | 15 | - |

ASIAN OR PACIFIC ISLANDER 2/, MALE

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|---|---|---|----|----|---|---|
| 2000..... | 35 | - | - | - | 1 | - | 3 | 3 | 4 | 3 | 16 | 5 | - |
| 1999..... | 59 | - | - | 1 | - | 3 | 4 | 3 | 9 | 11 | 19 | 9 | - |

ASIAN OR PACIFIC ISLANDER 2/, FEMALE

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|---|---|---|---|----|---|---|
| 2000..... | 25 | - | - | - | 1 | - | 1 | - | 3 | 5 | 11 | 4 | - |
| 1999..... | 24 | - | - | - | 1 | - | 1 | 3 | 2 | 3 | 8 | 6 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Other tuberculosis (A17-A19) | | | | | | | | | | | | | |
| ALL RACES, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 161 | 1 | 3 | 1 | 4 | 9 | 7 | 19 | 21 | 36 | 43 | 17 | - |
| 1999..... | 166 | 1 | 1 | 2 | 3 | 5 | 12 | 30 | 21 | 34 | 37 | 20 | - |
| ALL RACES, MALE | | | | | | | | | | | | | |
| 2000..... | 75 | - | - | - | 3 | 6 | 2 | 12 | 9 | 14 | 23 | 6 | - |
| 1999..... | 98 | - | 1 | 1 | 2 | 3 | 10 | 23 | 13 | 19 | 17 | 9 | - |
| ALL RACES, FEMALE | | | | | | | | | | | | | |
| 2000..... | 86 | 1 | 3 | 1 | 1 | 3 | 5 | 7 | 12 | 22 | 20 | 11 | - |
| 1999..... | 68 | 1 | - | 1 | 1 | 2 | 2 | 7 | 8 | 15 | 20 | 11 | - |
| WHITE, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 88 | - | 3 | 1 | 2 | 6 | 2 | 9 | 7 | 21 | 24 | 13 | - |
| 1999..... | 92 | 1 | - | 1 | 2 | 2 | 5 | 12 | 12 | 21 | 27 | 9 | - |
| WHITE, MALE | | | | | | | | | | | | | |
| 2000..... | 37 | - | - | - | 1 | 3 | - | 4 | 4 | 10 | 11 | 4 | - |
| 1999..... | 52 | - | - | 1 | 2 | 2 | 4 | 10 | 7 | 12 | 12 | 2 | - |
| WHITE, FEMALE | | | | | | | | | | | | | |
| 2000..... | 51 | - | 3 | 1 | 1 | 3 | 2 | 5 | 3 | 11 | 13 | 9 | - |
| 1999..... | 40 | 1 | - | - | - | - | 1 | 2 | 5 | 9 | 15 | 7 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Other tuberculosis (A17-A19) | | | | | | | | | | | | | |
| BLACK, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 52 | - | - | - | 1 | 1 | 5 | 10 | 12 | 9 | 12 | 2 | - |
| 1999..... | 46 | - | 1 | 1 | - | 1 | 5 | 13 | 4 | 10 | 7 | 4 | - |
| BLACK, MALE | | | | | | | | | | | | | |
| 2000..... | 27 | - | - | - | 1 | 1 | 2 | 8 | 4 | 2 | 8 | 1 | - |
| 1999..... | 33 | - | 1 | - | - | 1 | 5 | 10 | 3 | 7 | 3 | 3 | - |
| BLACK, FEMALE | | | | | | | | | | | | | |
| 2000..... | 25 | - | - | - | - | - | 3 | 2 | 8 | 7 | 4 | 1 | - |
| 1999..... | 13 | - | - | 1 | - | - | - | 3 | 1 | 3 | 4 | 1 | - |
| AMERICAN INDIAN 1/, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 8 | 1 | - | - | - | - | - | - | 1 | 3 | 2 | 1 | - |
| 1999..... | 10 | - | - | - | - | 1 | 1 | 3 | 1 | 1 | - | 3 | - |
| AMERICAN INDIAN 1/, MALE | | | | | | | | | | | | | |
| 2000..... | 4 | - | - | - | - | - | - | - | - | 2 | 2 | - | - |
| 1999..... | 6 | - | - | - | - | - | 1 | 2 | 1 | - | - | 2 | - |
| AMERICAN INDIAN 1/, FEMALE | | | | | | | | | | | | | |
| 2000..... | 4 | 1 | - | - | - | - | - | - | 1 | 1 | - | 1 | - |
| 1999..... | 4 | - | - | - | - | 1 | - | 1 | - | 1 | - | 1 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|

Other tuberculosis (A17-A19)

ASIAN OR PACIFIC ISLANDER 2/, BOTH SEX

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|---|---|---|---|---|---|---|
| 2000..... | 13 | - | - | - | 1 | 2 | - | - | 1 | 3 | 5 | 1 | - |
| 1999..... | 18 | - | - | - | 1 | 1 | 1 | 2 | 4 | 2 | 3 | 4 | - |

ASIAN OR PACIFIC ISLANDER 2/, MALE

| | | | | | | | | | | | | | |
|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2000..... | 7 | - | - | - | 1 | 2 | - | - | 1 | - | 2 | 1 | - |
| 1999..... | 7 | - | - | - | - | - | - | 1 | 2 | - | 2 | 2 | - |

ASIAN OR PACIFIC ISLANDER 2/, FEMALE

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|---|---|---|---|---|---|---|
| 2000..... | 6 | - | - | - | - | - | - | - | - | 3 | 3 | - | - |
| 1999..... | 11 | - | - | - | 1 | 1 | 1 | 1 | 2 | 2 | 1 | 2 | - |

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

[illegible]

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

[illegible]

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

[illegible]

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|

Scarlet fever and erysipelas (A38,A46)

ALL RACES, BOTH SEXES

| | | | | | | | | | | | | | |
|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2000..... | 2 | - | - | - | - | - | - | 1 | - | - | 1 | - | - |
| 1999..... | 5 | - | - | - | - | - | - | - | - | 2 | 1 | 2 | - |

ALL RACES, MALE

| | | | | | | | | | | | | | |
|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2000..... | 1 | - | - | - | - | - | - | - | - | - | 1 | - | - |
| 1999..... | - | - | - | - | - | - | - | - | - | - | - | - | - |

ALL RACES, FEMALE

| | | | | | | | | | | | | | |
|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2000..... | 1 | - | - | - | - | - | - | 1 | - | - | - | - | - |
| 1999..... | 5 | - | - | - | - | - | - | - | - | 2 | 1 | 2 | - |

WHITE, BOTH SEXES

| | | | | | | | | | | | | | |
|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2000..... | 2 | - | - | - | - | - | - | 1 | - | - | 1 | - | - |
| 1999..... | 4 | - | - | - | - | - | - | - | - | 1 | 1 | 2 | - |

WHITE, MALE

| | | | | | | | | | | | | | |
|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2000..... | 1 | - | - | - | - | - | - | - | - | - | 1 | - | - |
| 1999..... | - | - | - | - | - | - | - | - | - | - | - | - | - |

WHITE, FEMALE

| | | | | | | | | | | | | | |
|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2000..... | 1 | - | - | - | - | - | - | 1 | - | - | - | - | - |
| 1999..... | 4 | - | - | - | - | - | - | - | - | 1 | 1 | 2 | - |

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

[illegible]

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

[illegible]

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Meningococcal infection (A39) | | | | | | | | | | | | | |
| ALL RACES, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 211 | 22 | 19 | 18 | 56 | 15 | 13 | 29 | 9 | 8 | 15 | 7 | - |
| 1999..... | 227 | 32 | 30 | 25 | 39 | 23 | 27 | 17 | 4 | 9 | 13 | 8 | - |
| ALL RACES, MALE | | | | | | | | | | | | | |
| 2000..... | 106 | 14 | 12 | 7 | 35 | 6 | 9 | 11 | 2 | 2 | 7 | 1 | - |
| 1999..... | 101 | 14 | 19 | 13 | 19 | 12 | 9 | 4 | - | 5 | 4 | 2 | - |
| ALL RACES, FEMALE | | | | | | | | | | | | | |
| 2000..... | 105 | 8 | 7 | 11 | 21 | 9 | 4 | 18 | 7 | 6 | 8 | 6 | - |
| 1999..... | 126 | 18 | 11 | 12 | 20 | 11 | 18 | 13 | 4 | 4 | 9 | 6 | - |
| WHITE, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 161 | 19 | 14 | 10 | 45 | 10 | 7 | 19 | 8 | 7 | 15 | 7 | - |
| 1999..... | 184 | 30 | 26 | 18 | 29 | 14 | 19 | 15 | 4 | 9 | 12 | 8 | - |
| WHITE, MALE | | | | | | | | | | | | | |
| 2000..... | 75 | 11 | 8 | 4 | 28 | 2 | 5 | 5 | 2 | 2 | 7 | 1 | - |
| 1999..... | 79 | 14 | 17 | 9 | 13 | 6 | 6 | 3 | - | 5 | 4 | 2 | - |
| WHITE, FEMALE | | | | | | | | | | | | | |
| 2000..... | 86 | 8 | 6 | 6 | 17 | 8 | 2 | 14 | 6 | 5 | 8 | 6 | - |
| 1999..... | 105 | 16 | 9 | 9 | 16 | 8 | 13 | 12 | 4 | 4 | 8 | 6 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|

Meningococcal infection (A39)

BLACK, BOTH SEXES

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|---|---|---|---|---|---|---|
| 2000..... | 44 | 3 | 5 | 8 | 7 | 4 | 6 | 9 | 1 | 1 | - | - | - |
| 1999..... | 39 | 2 | 4 | 6 | 9 | 8 | 8 | 2 | - | - | - | - | - |

BLACK, MALE

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|---|---|---|---|---|---|---|
| 2000..... | 27 | 3 | 4 | 3 | 5 | 3 | 4 | 5 | - | - | - | - | - |
| 1999..... | 20 | - | 2 | 3 | 6 | 5 | 3 | 1 | - | - | - | - | - |

BLACK, FEMALE

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|---|---|---|---|---|---|---|
| 2000..... | 17 | - | 1 | 5 | 2 | 1 | 2 | 4 | 1 | 1 | - | - | - |
| 1999..... | 19 | 2 | 2 | 3 | 3 | 3 | 5 | 1 | - | - | - | - | - |

AMERICAN INDIAN 1/, BOTH SEXES

| | | | | | | | | | | | | | |
|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2000..... | 1 | - | - | - | 1 | - | - | - | - | - | - | - | - |
| 1999..... | 2 | - | - | 1 | - | - | - | - | - | - | 1 | - | - |

AMERICAN INDIAN 1/, MALE

| | | | | | | | | | | | | | |
|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2000..... | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 1999..... | 1 | - | - | 1 | - | - | - | - | - | - | - | - | - |

AMERICAN INDIAN 1/, FEMALE

| | | | | | | | | | | | | | |
|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2000..... | 1 | - | - | - | 1 | - | - | - | - | - | - | - | - |
| 1999..... | 1 | - | - | - | - | - | - | - | - | - | 1 | - | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Septicemia (A40-A41) | | | | | | | | | | | | | |
| ALL RACES, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 31,224 | 274 | 99 | 63 | 100 | 280 | 877 | 1,845 | 2,899 | 5,704 | 9,938 | 9,144 | 1 |
| 1999..... | 30,680 | 283 | 87 | 77 | 121 | 275 | 812 | 1,685 | 2,714 | 5,750 | 9,710 | 9,166 | - |
| ALL RACES, MALE | | | | | | | | | | | | | |
| 2000..... | 13,537 | 139 | 53 | 38 | 60 | 158 | 451 | 1,039 | 1,513 | 2,867 | 4,482 | 2,736 | 1 |
| 1999..... | 13,395 | 175 | 48 | 36 | 67 | 147 | 460 | 919 | 1,412 | 2,919 | 4,426 | 2,786 | - |
| ALL RACES, FEMALE | | | | | | | | | | | | | |
| 2000..... | 17,687 | 135 | 46 | 25 | 40 | 122 | 426 | 806 | 1,386 | 2,837 | 5,456 | 6,408 | - |
| 1999..... | 17,285 | 108 | 39 | 41 | 54 | 128 | 352 | 766 | 1,302 | 2,831 | 5,284 | 6,380 | - |
| WHITE, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 24,804 | 169 | 66 | 49 | 60 | 165 | 578 | 1,219 | 2,066 | 4,418 | 8,223 | 7,790 | 1 |
| 1999..... | 24,287 | 164 | 60 | 55 | 79 | 182 | 510 | 1,107 | 1,928 | 4,411 | 8,035 | 7,756 | - |
| WHITE, MALE | | | | | | | | | | | | | |
| 2000..... | 10,716 | 88 | 35 | 30 | 39 | 95 | 311 | 693 | 1,097 | 2,264 | 3,737 | 2,326 | 1 |
| 1999..... | 10,489 | 106 | 32 | 28 | 49 | 102 | 294 | 607 | 983 | 2,247 | 3,695 | 2,346 | - |
| WHITE, FEMALE | | | | | | | | | | | | | |
| 2000..... | 14,088 | 81 | 31 | 19 | 21 | 70 | 267 | 526 | 969 | 2,154 | 4,486 | 5,464 | - |
| 1999..... | 13,798 | 58 | 28 | 27 | 30 | 80 | 216 | 500 | 945 | 2,164 | 4,340 | 5,410 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Septicemia (A40-A41) | | | | | | | | | | | | | |
| BLACK, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 5,928 | 101 | 26 | 11 | 33 | 108 | 272 | 575 | 768 | 1,189 | 1,590 | 1,255 | - |
| 1999..... | 5,826 | 107 | 17 | 14 | 33 | 85 | 282 | 525 | 722 | 1,223 | 1,525 | 1,293 | - |
| BLACK, MALE | | | | | | | | | | | | | |
| 2000..... | 2,587 | 50 | 13 | 6 | 18 | 59 | 125 | 319 | 387 | 555 | 684 | 371 | - |
| 1999..... | 2,623 | 61 | 11 | 7 | 14 | 41 | 155 | 283 | 394 | 614 | 656 | 387 | - |
| BLACK, FEMALE | | | | | | | | | | | | | |
| 2000..... | 3,341 | 51 | 13 | 5 | 15 | 49 | 147 | 256 | 381 | 634 | 906 | 884 | - |
| 1999..... | 3,203 | 46 | 6 | 7 | 19 | 44 | 127 | 242 | 328 | 609 | 869 | 906 | - |
| AMERICAN INDIAN 1/, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 162 | 1 | 3 | 1 | 2 | 3 | 13 | 21 | 29 | 33 | 34 | 22 | - |
| 1999..... | 169 | 3 | 1 | 3 | 4 | 3 | 12 | 26 | 29 | 33 | 32 | 23 | - |
| AMERICAN INDIAN 1/, MALE | | | | | | | | | | | | | |
| 2000..... | 74 | 1 | 2 | 1 | 1 | 2 | 7 | 12 | 14 | 15 | 14 | 5 | - |
| 1999..... | 81 | 3 | - | - | 2 | 2 | 7 | 15 | 13 | 18 | 14 | 7 | - |
| AMERICAN INDIAN 1/, FEMALE | | | | | | | | | | | | | |
| 2000..... | 88 | - | 1 | - | 1 | 1 | 6 | 9 | 15 | 18 | 20 | 17 | - |
| 1999..... | 88 | - | 1 | 3 | 2 | 1 | 5 | 11 | 16 | 15 | 18 | 16 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Septicemia (A40-A41) | | | | | | | | | | | | | |

ASIAN OR PACIFIC ISLANDER 2/, BOTH SEX

| | | | | | | | | | | | | | |
|-----------|-----|---|---|---|---|---|----|----|----|----|-----|----|---|
| 2000..... | 330 | 3 | 4 | 2 | 5 | 4 | 14 | 30 | 36 | 64 | 91 | 77 | - |
| 1999..... | 398 | 9 | 9 | 5 | 5 | 5 | 8 | 27 | 35 | 83 | 118 | 94 | - |

ASIAN OR PACIFIC ISLANDER 2/, MALE

| | | | | | | | | | | | | | |
|-----------|-----|---|---|---|---|---|---|----|----|----|----|----|---|
| 2000..... | 160 | - | 3 | 1 | 2 | 2 | 8 | 15 | 15 | 33 | 47 | 34 | - |
| 1999..... | 202 | 5 | 5 | 1 | 2 | 2 | 4 | 14 | 22 | 40 | 61 | 46 | - |

ASIAN OR PACIFIC ISLANDER 2/, FEMALE

| | | | | | | | | | | | | | |
|-----------|-----|---|---|---|---|---|---|----|----|----|----|----|---|
| 2000..... | 170 | 3 | 1 | 1 | 3 | 2 | 6 | 15 | 21 | 31 | 44 | 43 | - |
| 1999..... | 196 | 4 | 4 | 4 | 3 | 3 | 4 | 13 | 13 | 43 | 57 | 48 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Syphilis (A50-A53) | | | | | | | | | | | | | |
| ALL RACES, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 41 | 1 | - | - | - | 1 | - | 6 | 3 | 7 | 13 | 10 | - |
| 1999..... | 33 | 2 | - | - | - | 1 | 1 | 5 | 4 | 6 | 10 | 4 | - |
| ALL RACES, MALE | | | | | | | | | | | | | |
| 2000..... | 24 | 1 | - | - | - | 1 | - | 5 | 3 | 2 | 7 | 5 | - |
| 1999..... | 13 | - | - | - | - | 1 | - | 3 | 3 | 5 | - | 1 | - |
| ALL RACES, FEMALE | | | | | | | | | | | | | |
| 2000..... | 17 | - | - | - | - | - | - | 1 | - | 5 | 6 | 5 | - |
| 1999..... | 20 | 2 | - | - | - | - | 1 | 2 | 1 | 1 | 10 | 3 | - |
| WHITE, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 21 | - | - | - | - | 1 | - | 2 | - | 3 | 7 | 8 | - |
| 1999..... | 20 | 2 | - | - | - | 1 | 1 | 5 | 3 | 3 | 4 | 1 | - |
| WHITE, MALE | | | | | | | | | | | | | |
| 2000..... | 7 | - | - | - | - | 1 | - | 1 | - | - | 2 | 3 | - |
| 1999..... | 8 | - | - | - | - | 1 | - | 3 | 2 | 2 | - | - | - |
| WHITE, FEMALE | | | | | | | | | | | | | |
| 2000..... | 14 | - | - | - | - | - | - | 1 | - | 3 | 5 | 5 | - |
| 1999..... | 12 | 2 | - | - | - | - | 1 | 2 | 1 | 1 | 4 | 1 | - |

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

[illegible]

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

[illegible]

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

[illegible]

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

[illegible]

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

[illegible]

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

[illegible]

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

[illegible]

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

[illegible]

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Measles (B05) | | | | | | | | | | | | | |
| ALL RACES, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 1 | 1 | - | - | - | - | - | - | - | - | - | - | - |
| 1999..... | 2 | 1 | - | - | - | - | - | - | 1 | - | - | - | - |
| ALL RACES, MALE | | | | | | | | | | | | | |
| 2000..... | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 1999..... | - | - | - | - | - | - | - | - | - | - | - | - | - |
| ALL RACES, FEMALE | | | | | | | | | | | | | |
| 2000..... | 1 | 1 | - | - | - | - | - | - | - | - | - | - | - |
| 1999..... | 2 | 1 | - | - | - | - | - | - | 1 | - | - | - | - |
| WHITE, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 1 | 1 | - | - | - | - | - | - | - | - | - | - | - |
| 1999..... | 1 | - | - | - | - | - | - | - | 1 | - | - | - | - |
| WHITE, MALE | | | | | | | | | | | | | |
| 2000..... | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 1999..... | - | - | - | - | - | - | - | - | - | - | - | - | - |
| WHITE, FEMALE | | | | | | | | | | | | | |
| 2000..... | 1 | 1 | - | - | - | - | - | - | - | - | - | - | - |
| 1999..... | 1 | - | - | - | - | - | - | - | 1 | - | - | - | - |

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

[illegible]

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

[illegible]

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Viral hepatitis (B15-B19) | | | | | | | | | | | | | |
| ALL RACES, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 5,357 | 6 | 1 | 2 | 18 | 79 | 779 | 1,894 | 904 | 845 | 660 | 168 | 1 |
| 1999..... | 4,853 | 2 | 3 | 3 | 14 | 88 | 722 | 1,506 | 786 | 881 | 651 | 197 | - |
| ALL RACES, MALE | | | | | | | | | | | | | |
| 2000..... | 3,381 | 2 | 1 | 1 | 11 | 46 | 540 | 1,425 | 577 | 396 | 311 | 70 | 1 |
| 1999..... | 3,043 | 2 | 2 | 2 | 10 | 53 | 520 | 1,138 | 491 | 426 | 317 | 82 | - |
| ALL RACES, FEMALE | | | | | | | | | | | | | |
| 2000..... | 1,976 | 4 | - | 1 | 7 | 33 | 239 | 469 | 327 | 449 | 349 | 98 | - |
| 1999..... | 1,810 | - | 1 | 1 | 4 | 35 | 202 | 368 | 295 | 455 | 334 | 115 | - |
| WHITE, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 4,216 | 3 | - | 2 | 8 | 51 | 625 | 1,462 | 665 | 678 | 572 | 149 | 1 |
| 1999..... | 3,835 | 1 | 3 | 2 | 9 | 68 | 571 | 1,164 | 592 | 694 | 561 | 170 | - |
| WHITE, MALE | | | | | | | | | | | | | |
| 2000..... | 2,686 | 1 | - | 1 | 6 | 30 | 439 | 1,123 | 432 | 317 | 273 | 63 | 1 |
| 1999..... | 2,436 | 1 | 2 | 1 | 7 | 41 | 419 | 872 | 384 | 354 | 285 | 70 | - |
| WHITE, FEMALE | | | | | | | | | | | | | |
| 2000..... | 1,530 | 2 | - | 1 | 2 | 21 | 186 | 339 | 233 | 361 | 299 | 86 | - |
| 1999..... | 1,399 | - | 1 | 1 | 2 | 27 | 152 | 292 | 208 | 340 | 276 | 100 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Viral hepatitis (B15-B19) | | | | | | | | | | | | | |
| BLACK, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 793 | 3 | - | - | 10 | 21 | 118 | 336 | 143 | 94 | 57 | 11 | - |
| 1999..... | 731 | 1 | - | 1 | 4 | 17 | 121 | 279 | 120 | 113 | 55 | 20 | - |
| BLACK, MALE | | | | | | | | | | | | | |
| 2000..... | 501 | 1 | - | - | 5 | 11 | 78 | 241 | 88 | 48 | 25 | 4 | - |
| 1999..... | 443 | 1 | - | 1 | 2 | 9 | 81 | 217 | 66 | 40 | 17 | 9 | - |
| BLACK, FEMALE | | | | | | | | | | | | | |
| 2000..... | 292 | 2 | - | - | 5 | 10 | 40 | 95 | 55 | 46 | 32 | 7 | - |
| 1999..... | 288 | - | - | - | 2 | 8 | 40 | 62 | 54 | 73 | 38 | 11 | - |
| AMERICAN INDIAN 1/, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 63 | - | - | - | - | 4 | 15 | 25 | 10 | 5 | 3 | 1 | - |
| 1999..... | 37 | - | - | - | 1 | 1 | 8 | 14 | 4 | 3 | 5 | 1 | - |
| AMERICAN INDIAN 1/, MALE | | | | | | | | | | | | | |
| 2000..... | 33 | - | - | - | - | 2 | 8 | 16 | 5 | 1 | 1 | - | - |
| 1999..... | 22 | - | - | - | 1 | 1 | 3 | 12 | 2 | 1 | 2 | - | - |
| AMERICAN INDIAN 1/, FEMALE | | | | | | | | | | | | | |
| 2000..... | 30 | - | - | - | - | 2 | 7 | 9 | 5 | 4 | 2 | 1 | - |
| 1999..... | 15 | - | - | - | - | - | 5 | 2 | 2 | 2 | 3 | 1 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|

Viral hepatitis (B15-B19)

ASIAN OR PACIFIC ISLANDER 2/, BOTH SEX

| | | | | | | | | | | | | | |
|-----------|-----|---|---|---|---|---|----|----|----|----|----|---|---|
| 2000..... | 285 | - | 1 | - | - | 3 | 21 | 71 | 86 | 68 | 28 | 7 | - |
| 1999..... | 250 | - | - | - | - | 2 | 22 | 49 | 70 | 71 | 30 | 6 | - |

ASIAN OR PACIFIC ISLANDER 2/, MALE

| | | | | | | | | | | | | | |
|-----------|-----|---|---|---|---|---|----|----|----|----|----|---|---|
| 2000..... | 161 | - | 1 | - | - | 3 | 15 | 45 | 52 | 30 | 12 | 3 | - |
| 1999..... | 142 | - | - | - | - | 2 | 17 | 37 | 39 | 31 | 13 | 3 | - |

ASIAN OR PACIFIC ISLANDER 2/, FEMALE

| | | | | | | | | | | | | | |
|-----------|-----|---|---|---|---|---|---|----|----|----|----|---|---|
| 2000..... | 124 | - | - | - | - | - | 6 | 26 | 34 | 38 | 16 | 4 | - |
| 1999..... | 108 | - | - | - | - | - | 5 | 12 | 31 | 40 | 17 | 3 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Human immunodeficiency virus (HIV) disease (B20-B24) | | | | | | | | | | | | | |
| ALL RACES, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 14,478 | 10 | 14 | 46 | 179 | 2,437 | 5,919 | 4,142 | 1,239 | 397 | 85 | 9 | 1 |
| 1999..... | 14,802 | 14 | 24 | 66 | 198 | 2,729 | 6,232 | 3,907 | 1,149 | 398 | 70 | 14 | 1 |
| ALL RACES, MALE | | | | | | | | | | | | | |
| 2000..... | 10,868 | 8 | 6 | 22 | 99 | 1,602 | 4,441 | 3,296 | 1,013 | 313 | 65 | 2 | 1 |
| 1999..... | 11,234 | 9 | 16 | 36 | 95 | 1,914 | 4,706 | 3,134 | 948 | 317 | 50 | 8 | 1 |
| ALL RACES, FEMALE | | | | | | | | | | | | | |
| 2000..... | 3,610 | 2 | 8 | 24 | 80 | 835 | 1,478 | 846 | 226 | 84 | 20 | 7 | - |
| 1999..... | 3,568 | 5 | 8 | 30 | 103 | 815 | 1,526 | 773 | 201 | 81 | 20 | 6 | - |
| WHITE, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 6,498 | 1 | 1 | 21 | 53 | 983 | 2,785 | 1,856 | 588 | 166 | 40 | 3 | 1 |
| 1999..... | 6,752 | 4 | 7 | 25 | 63 | 1,202 | 2,951 | 1,765 | 519 | 171 | 37 | 8 | - |
| WHITE, MALE | | | | | | | | | | | | | |
| 2000..... | 5,360 | 1 | - | 9 | 38 | 749 | 2,300 | 1,590 | 499 | 140 | 33 | - | 1 |
| 1999..... | 5,613 | 3 | 5 | 13 | 40 | 956 | 2,449 | 1,510 | 461 | 145 | 29 | 2 | - |
| WHITE, FEMALE | | | | | | | | | | | | | |
| 2000..... | 1,138 | - | 1 | 12 | 15 | 234 | 485 | 266 | 89 | 26 | 7 | 3 | - |
| 1999..... | 1,139 | 1 | 2 | 12 | 23 | 246 | 502 | 255 | 58 | 26 | 8 | 6 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Human immunodeficiency virus (HIV) disease (B20-B24) | | | | | | | | | | | | | |
| BLACK, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 7,848 | 9 | 12 | 23 | 125 | 1,432 | 3,080 | 2,257 | 636 | 224 | 44 | 6 | - |
| 1999..... | 7,893 | 10 | 17 | 41 | 133 | 1,497 | 3,206 | 2,103 | 625 | 222 | 33 | 5 | 1 |
| BLACK, MALE | | | | | | | | | | | | | |
| 2000..... | 5,400 | 7 | 6 | 12 | 60 | 835 | 2,096 | 1,682 | 501 | 168 | 31 | 2 | - |
| 1999..... | 5,493 | 6 | 11 | 23 | 54 | 935 | 2,194 | 1,592 | 483 | 168 | 21 | 5 | 1 |
| BLACK, FEMALE | | | | | | | | | | | | | |
| 2000..... | 2,448 | 2 | 6 | 11 | 65 | 597 | 984 | 575 | 135 | 56 | 13 | 4 | - |
| 1999..... | 2,400 | 4 | 6 | 18 | 79 | 562 | 1,012 | 511 | 142 | 54 | 12 | - | - |
| AMERICAN INDIAN 1/, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 57 | - | 1 | 1 | - | 8 | 24 | 18 | 1 | 3 | 1 | - | - |
| 1999..... | 68 | - | - | - | - | 17 | 34 | 13 | 2 | 2 | - | - | - |
| AMERICAN INDIAN 1/, MALE | | | | | | | | | | | | | |
| 2000..... | 43 | - | - | - | - | 5 | 20 | 14 | - | 3 | 1 | - | - |
| 1999..... | 54 | - | - | - | - | 13 | 27 | 11 | 1 | 2 | - | - | - |
| AMERICAN INDIAN 1/, FEMALE | | | | | | | | | | | | | |
| 2000..... | 14 | - | 1 | 1 | - | 3 | 4 | 4 | 1 | - | - | - | - |
| 1999..... | 14 | - | - | - | - | 4 | 7 | 2 | 1 | - | - | - | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|

Human immunodeficiency virus (HIV) disease (B20-B24)

ASIAN OR PACIFIC ISLANDER 2/, BOTH SEX

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|----|----|----|----|---|---|---|---|
| 2000..... | 75 | - | - | 1 | 1 | 14 | 30 | 11 | 14 | 4 | - | - | - |
| 1999..... | 89 | - | - | - | 2 | 13 | 41 | 26 | 3 | 3 | - | 1 | - |

ASIAN OR PACIFIC ISLANDER 2/, MALE

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|----|----|----|----|---|---|---|---|
| 2000..... | 65 | - | - | 1 | 1 | 13 | 25 | 10 | 13 | 2 | - | - | - |
| 1999..... | 74 | - | - | - | 1 | 10 | 36 | 21 | 3 | 2 | - | 1 | - |

ASIAN OR PACIFIC ISLANDER 2/, FEMALE

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|---|---|---|---|---|---|---|
| 2000..... | 10 | - | - | - | - | 1 | 5 | 1 | 1 | 2 | - | - | - |
| 1999..... | 15 | - | - | - | 1 | 3 | 5 | 5 | - | 1 | - | - | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Malaria (B50-B54) | | | | | | | | | | | | | |
| ALL RACES, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 3 | - | - | - | 1 | - | - | 1 | - | - | 1 | - | - |
| 1999..... | 7 | 1 | - | - | - | 2 | 1 | - | 1 | 2 | - | - | - |
| ALL RACES, MALE | | | | | | | | | | | | | |
| 2000..... | 2 | - | - | - | - | - | - | 1 | - | - | 1 | - | - |
| 1999..... | 4 | 1 | - | - | - | 1 | - | - | 1 | 1 | - | - | - |
| ALL RACES, FEMALE | | | | | | | | | | | | | |
| 2000..... | 1 | - | - | - | 1 | - | - | - | - | - | - | - | - |
| 1999..... | 3 | - | - | - | - | 1 | 1 | - | - | 1 | - | - | - |
| WHITE, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 1 | - | - | - | 1 | - | - | - | - | - | - | - | - |
| 1999..... | 4 | - | - | - | - | 1 | 1 | - | 1 | 1 | - | - | - |
| WHITE, MALE | | | | | | | | | | | | | |
| 2000..... | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 1999..... | 3 | - | - | - | - | 1 | - | - | 1 | 1 | - | - | - |
| WHITE, FEMALE | | | | | | | | | | | | | |
| 2000..... | 1 | - | - | - | 1 | - | - | - | - | - | - | - | - |
| 1999..... | 1 | - | - | - | - | - | 1 | - | - | - | - | - | - |

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

[illegible]

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

[illegible]

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Other and unspecified infectious and parasitic diseases and their sequelae (A00,A05,A20-A36,A42-A44,A48-A49,A54-A79,A81-A82,A85.0-A85.1,A85.8,A86-B04,B06-B09,B25-B49,B55-B99) | | | | | | | | | | | | | |
| ALL RACES, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 5,532 | 167 | 71 | 67 | 96 | 141 | 350 | 585 | 707 | 1,074 | 1,375 | 899 | - |
| 1999..... | 7,279 | 203 | 81 | 79 | 90 | 242 | 545 | 836 | 898 | 1,443 | 1,739 | 1,123 | - |
| ALL RACES, MALE | | | | | | | | | | | | | |
| 2000..... | 2,861 | 94 | 41 | 35 | 54 | 75 | 220 | 358 | 383 | 597 | 665 | 339 | - |
| 1999..... | 3,655 | 119 | 51 | 44 | 49 | 131 | 333 | 478 | 482 | 760 | 827 | 381 | - |
| ALL RACES, FEMALE | | | | | | | | | | | | | |
| 2000..... | 2,671 | 73 | 30 | 32 | 42 | 66 | 130 | 227 | 324 | 477 | 710 | 560 | - |
| 1999..... | 3,624 | 84 | 30 | 35 | 41 | 111 | 212 | 358 | 416 | 683 | 912 | 742 | - |
| WHITE, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 4,550 | 101 | 50 | 52 | 71 | 84 | 242 | 444 | 560 | 913 | 1,226 | 807 | - |
| 1999..... | 5,794 | 135 | 56 | 56 | 64 | 144 | 353 | 580 | 691 | 1,208 | 1,510 | 997 | - |
| WHITE, MALE | | | | | | | | | | | | | |
| 2000..... | 2,334 | 59 | 27 | 25 | 41 | 48 | 153 | 274 | 311 | 511 | 587 | 298 | - |
| 1999..... | 2,910 | 85 | 37 | 31 | 34 | 78 | 239 | 345 | 377 | 644 | 710 | 330 | - |
| WHITE, FEMALE | | | | | | | | | | | | | |
| 2000..... | 2,216 | 42 | 23 | 27 | 30 | 36 | 89 | 170 | 249 | 402 | 639 | 509 | - |
| 1999..... | 2,884 | 50 | 19 | 25 | 30 | 66 | 114 | 235 | 314 | 564 | 800 | 667 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN
REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, SEX AND YEAR

| | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Other and unspecified infectious and parasitic diseases and their sequelae (A00,A05,A20-A36,A42-A44,A48-A49,A54-A79,A81-A82,A85.0-A85.1,A85.8,A86-B04,B06-B09,B25-B49,B55-B99) | | | | | | | | | | | | | |
| BLACK, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 826 | 61 | 14 | 10 | 22 | 50 | 95 | 127 | 119 | 129 | 122 | 77 | - |
| 1999..... | 1,260 | 60 | 23 | 17 | 20 | 89 | 172 | 221 | 171 | 194 | 186 | 107 | - |
| BLACK, MALE | | | | | | | | | | | | | |
| 2000..... | 432 | 31 | 10 | 5 | 10 | 22 | 58 | 76 | 62 | 70 | 60 | 28 | - |
| 1999..... | 624 | 31 | 14 | 10 | 12 | 48 | 83 | 115 | 83 | 95 | 94 | 39 | - |
| BLACK, FEMALE | | | | | | | | | | | | | |
| 2000..... | 394 | 30 | 4 | 5 | 12 | 28 | 37 | 51 | 57 | 59 | 62 | 49 | - |
| 1999..... | 636 | 29 | 9 | 7 | 8 | 41 | 89 | 106 | 88 | 99 | 92 | 68 | - |
| AMERICAN INDIAN 1/, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 34 | 2 | 2 | - | - | 1 | 5 | 5 | 12 | 3 | 3 | 1 | - |
| 1999..... | 53 | 4 | 1 | 1 | 1 | - | 7 | 7 | 9 | 13 | 7 | 3 | - |
| AMERICAN INDIAN 1/, MALE | | | | | | | | | | | | | |
| 2000..... | 13 | 1 | - | - | - | - | 2 | 5 | 3 | - | 1 | 1 | - |
| 1999..... | 20 | 1 | - | - | - | - | 3 | 1 | 3 | 7 | 3 | 2 | - |
| AMERICAN INDIAN 1/, FEMALE | | | | | | | | | | | | | |
| 2000..... | 21 | 1 | 2 | - | - | 1 | 3 | - | 9 | 3 | 2 | - | - |
| 1999..... | 33 | 3 | 1 | 1 | 1 | - | 4 | 6 | 6 | 6 | 4 | 1 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AGE NOT AND OVER | STATED |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|---------------------------|--------|
| Other and unspecified infectious and parasitic diseases and their sequelae (A00,A05,A20-A36,A42-A44,A48-A49,A54-A79,A81-A82,A85.0-A85.1,A85.8,A86-B04,B06-B09,B25-B49,B55-B99) | | | | | | | | | | | | | |
| ASIAN OR PACIFIC ISLANDER 2/, BOTH SEX | | | | | | | | | | | | | |
| 2000..... | 122 | 3 | 5 | 5 | 3 | 6 | 8 | 9 | 16 | 29 | 24 | 14 | - |
| 1999..... | 172 | 4 | 1 | 5 | 5 | 9 | 13 | 28 | 27 | 28 | 36 | 16 | - |
| ASIAN OR PACIFIC ISLANDER 2/, MALE | | | | | | | | | | | | | |
| 2000..... | 82 | 3 | 4 | 5 | 3 | 5 | 7 | 3 | 7 | 16 | 17 | 12 | - |
| 1999..... | 101 | 2 | - | 3 | 3 | 5 | 8 | 17 | 19 | 14 | 20 | 10 | - |
| ASIAN OR PACIFIC ISLANDER 2/, FEMALE | | | | | | | | | | | | | |
| 2000..... | 40 | - | 1 | - | - | 1 | 1 | 6 | 9 | 13 | 7 | 2 | - |
| 1999..... | 71 | 2 | 1 | 2 | 2 | 4 | 5 | 11 | 8 | 14 | 16 | 6 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Malignant neoplasms (C00-C97) | | | | | | | | | | | | | |
| ALL RACES, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 553,091 | 92 | 420 | 1,014 | 1,713 | 3,916 | 16,520 | 48,034 | 89,005 | 150,131 | 165,099 | 77,136 | 11 |
| 1999..... | 549,838 | 68 | 418 | 1,012 | 1,724 | 4,005 | 16,732 | 46,681 | 89,067 | 152,338 | 162,770 | 75,014 | 9 |
| ALL RACES, MALE | | | | | | | | | | | | | |
| 2000..... | 286,082 | 50 | 233 | 569 | 1,022 | 1,854 | 7,344 | 24,215 | 48,427 | 83,191 | 85,907 | 33,260 | 10 |
| 1999..... | 285,832 | 36 | 227 | 555 | 1,023 | 1,959 | 7,471 | 23,634 | 48,833 | 84,544 | 85,060 | 32,484 | 6 |
| ALL RACES, FEMALE | | | | | | | | | | | | | |
| 2000..... | 267,009 | 42 | 187 | 445 | 691 | 2,062 | 9,176 | 23,819 | 40,578 | 66,940 | 79,192 | 43,876 | 1 |
| 1999..... | 264,006 | 32 | 191 | 457 | 701 | 2,046 | 9,261 | 23,047 | 40,234 | 67,794 | 77,710 | 42,530 | 3 |
| WHITE, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 480,011 | 75 | 330 | 818 | 1,333 | 3,072 | 12,764 | 38,478 | 74,759 | 130,570 | 148,126 | 69,679 | 7 |
| 1999..... | 477,238 | 53 | 353 | 780 | 1,327 | 3,147 | 13,060 | 37,489 | 74,568 | 132,703 | 146,009 | 67,742 | 7 |
| WHITE, MALE | | | | | | | | | | | | | |
| 2000..... | 247,403 | 42 | 190 | 456 | 798 | 1,500 | 5,739 | 19,353 | 40,457 | 72,284 | 76,714 | 29,863 | 7 |
| 1999..... | 247,396 | 31 | 194 | 434 | 784 | 1,561 | 5,934 | 18,839 | 40,768 | 73,679 | 76,066 | 29,102 | 4 |
| WHITE, FEMALE | | | | | | | | | | | | | |
| 2000..... | 232,608 | 33 | 140 | 362 | 535 | 1,572 | 7,025 | 19,125 | 34,302 | 58,286 | 71,412 | 39,816 | - |
| 1999..... | 229,842 | 22 | 159 | 346 | 543 | 1,586 | 7,126 | 18,650 | 33,800 | 59,024 | 69,943 | 38,640 | 3 |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Malignant neoplasms (C00-C97) | | | | | | | | | | | | | |
| BLACK, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 61,945 | 11 | 70 | 150 | 301 | 649 | 3,108 | 8,147 | 12,119 | 16,636 | 14,361 | 6,390 | 3 |
| 1999..... | 61,951 | 11 | 49 | 183 | 318 | 671 | 3,080 | 7,830 | 12,433 | 16,764 | 14,312 | 6,299 | 1 |
| BLACK, MALE | | | | | | | | | | | | | |
| 2000..... | 32,817 | 4 | 34 | 87 | 179 | 262 | 1,309 | 4,192 | 6,829 | 9,321 | 7,767 | 2,831 | 2 |
| 1999..... | 32,850 | 3 | 26 | 96 | 184 | 297 | 1,267 | 4,144 | 6,993 | 9,314 | 7,674 | 2,851 | 1 |
| BLACK, FEMALE | | | | | | | | | | | | | |
| 2000..... | 29,128 | 7 | 36 | 63 | 122 | 387 | 1,799 | 3,955 | 5,290 | 7,315 | 6,594 | 3,559 | 1 |
| 1999..... | 29,101 | 8 | 23 | 87 | 134 | 374 | 1,813 | 3,686 | 5,440 | 7,450 | 6,638 | 3,448 | - |
| AMERICAN INDIAN 1/, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 1,914 | 2 | 3 | 8 | 13 | 26 | 105 | 220 | 417 | 539 | 412 | 169 | - |
| 1999..... | 1,836 | 1 | 4 | 6 | 13 | 26 | 85 | 217 | 406 | 535 | 405 | 138 | - |
| AMERICAN INDIAN 1/, MALE | | | | | | | | | | | | | |
| 2000..... | 997 | 2 | 2 | 4 | 7 | 13 | 49 | 116 | 226 | 291 | 213 | 74 | - |
| 1999..... | 949 | - | 1 | 5 | 7 | 14 | 35 | 113 | 205 | 292 | 208 | 69 | - |
| AMERICAN INDIAN 1/, FEMALE | | | | | | | | | | | | | |
| 2000..... | 917 | - | 1 | 4 | 6 | 13 | 56 | 104 | 191 | 248 | 199 | 95 | - |
| 1999..... | 887 | 1 | 3 | 1 | 6 | 12 | 50 | 104 | 201 | 243 | 197 | 69 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|

Malignant neoplasms (C00-C97)

ASIAN OR PACIFIC ISLANDER 2/, BOTH SEX

| | | | | | | | | | | | | | |
|-----------|-------|---|----|----|----|-----|-----|-------|-------|-------|-------|-----|---|
| 2000..... | 9,221 | 4 | 17 | 38 | 66 | 169 | 543 | 1,189 | 1,710 | 2,386 | 2,200 | 898 | 1 |
| 1999..... | 8,813 | 3 | 12 | 43 | 66 | 161 | 507 | 1,145 | 1,660 | 2,336 | 2,044 | 835 | 1 |

ASIAN OR PACIFIC ISLANDER 2/, MALE

| | | | | | | | | | | | | | |
|-----------|-------|---|---|----|----|----|-----|-----|-----|-------|-------|-----|---|
| 2000..... | 4,865 | 2 | 7 | 22 | 38 | 79 | 247 | 554 | 915 | 1,295 | 1,213 | 492 | 1 |
| 1999..... | 4,637 | 2 | 6 | 20 | 48 | 87 | 235 | 538 | 867 | 1,259 | 1,112 | 462 | 1 |

ASIAN OR PACIFIC ISLANDER 2/, FEMALE

| | | | | | | | | | | | | | |
|-----------|-------|---|----|----|----|----|-----|-----|-----|-------|-----|-----|---|
| 2000..... | 4,356 | 2 | 10 | 16 | 28 | 90 | 296 | 635 | 795 | 1,091 | 987 | 406 | - |
| 1999..... | 4,176 | 1 | 6 | 23 | 18 | 74 | 272 | 607 | 793 | 1,077 | 932 | 373 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Malignant neoplasms of lip, oral cavity and pharynx (C00-C14) | | | | | | | | | | | | | |
| ALL RACES, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 7,492 | - | - | 4 | 26 | 50 | 293 | 1,068 | 1,642 | 1,959 | 1,626 | 824 | - |
| 1999..... | 7,486 | - | 2 | 6 | 27 | 43 | 291 | 1,061 | 1,616 | 1,896 | 1,744 | 800 | - |
| ALL RACES, MALE | | | | | | | | | | | | | |
| 2000..... | 4,952 | - | - | 4 | 13 | 28 | 215 | 825 | 1,270 | 1,326 | 939 | 332 | - |
| 1999..... | 4,944 | - | 1 | 3 | 20 | 27 | 204 | 820 | 1,231 | 1,308 | 1,007 | 323 | - |
| ALL RACES, FEMALE | | | | | | | | | | | | | |
| 2000..... | 2,540 | - | - | - | 13 | 22 | 78 | 243 | 372 | 633 | 687 | 492 | - |
| 1999..... | 2,542 | - | 1 | 3 | 7 | 16 | 87 | 241 | 385 | 588 | 737 | 477 | - |
| WHITE, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 6,135 | - | - | 2 | 18 | 35 | 198 | 766 | 1,255 | 1,644 | 1,461 | 756 | - |
| 1999..... | 6,116 | - | 2 | 4 | 14 | 30 | 194 | 717 | 1,248 | 1,603 | 1,560 | 744 | - |
| WHITE, MALE | | | | | | | | | | | | | |
| 2000..... | 3,942 | - | - | 2 | 7 | 20 | 138 | 580 | 966 | 1,096 | 827 | 306 | - |
| 1999..... | 3,955 | - | 1 | 2 | 9 | 17 | 134 | 555 | 948 | 1,108 | 886 | 295 | - |
| WHITE, FEMALE | | | | | | | | | | | | | |
| 2000..... | 2,193 | - | - | - | 11 | 15 | 60 | 186 | 289 | 548 | 634 | 450 | - |
| 1999..... | 2,161 | - | 1 | 2 | 5 | 13 | 60 | 162 | 300 | 495 | 674 | 449 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Malignant neoplasms of lip, oral cavity and pharynx (C00-C14) | | | | | | | | | | | | | |
| BLACK, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 1,102 | - | - | 2 | 7 | 7 | 61 | 252 | 330 | 256 | 138 | 49 | - |
| 1999..... | 1,145 | - | - | 2 | 8 | 8 | 67 | 290 | 322 | 250 | 153 | 45 | - |
| BLACK, MALE | | | | | | | | | | | | | |
| 2000..... | 833 | - | - | 2 | 5 | 4 | 47 | 206 | 265 | 193 | 95 | 16 | - |
| 1999..... | 828 | - | - | 1 | 6 | 6 | 47 | 227 | 246 | 171 | 103 | 21 | - |
| BLACK, FEMALE | | | | | | | | | | | | | |
| 2000..... | 269 | - | - | - | 2 | 3 | 14 | 46 | 65 | 63 | 43 | 33 | - |
| 1999..... | 317 | - | - | 1 | 2 | 2 | 20 | 63 | 76 | 79 | 50 | 24 | - |
| AMERICAN INDIAN 1/, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 41 | - | - | - | - | - | 4 | 4 | 10 | 17 | 3 | 3 | - |
| 1999..... | 33 | - | - | - | - | 1 | 1 | 10 | 7 | 11 | 2 | 1 | - |
| AMERICAN INDIAN 1/, MALE | | | | | | | | | | | | | |
| 2000..... | 27 | - | - | - | - | - | 4 | 3 | 5 | 12 | 2 | 1 | - |
| 1999..... | 22 | - | - | - | - | 1 | 1 | 7 | 5 | 7 | - | 1 | - |
| AMERICAN INDIAN 1/, FEMALE | | | | | | | | | | | | | |
| 2000..... | 14 | - | - | - | - | - | - | 1 | 5 | 5 | 1 | 2 | - |
| 1999..... | 11 | - | - | - | - | - | - | 3 | 2 | 4 | 2 | - | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|

Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)

ASIAN OR PACIFIC ISLANDER 2/, BOTH SEX

| | | | | | | | | | | | | | |
|-----------|-----|---|---|---|---|---|----|----|----|----|----|----|---|
| 2000..... | 214 | - | - | - | 1 | 8 | 30 | 46 | 47 | 42 | 24 | 16 | - |
| 1999..... | 192 | - | - | - | 5 | 4 | 29 | 44 | 39 | 32 | 29 | 10 | - |

ASIAN OR PACIFIC ISLANDER 2/, MALE

| | | | | | | | | | | | | | |
|-----------|-----|---|---|---|---|---|----|----|----|----|----|---|---|
| 2000..... | 150 | - | - | - | 1 | 4 | 26 | 36 | 34 | 25 | 15 | 9 | - |
| 1999..... | 139 | - | - | - | 5 | 3 | 22 | 31 | 32 | 22 | 18 | 6 | - |

ASIAN OR PACIFIC ISLANDER 2/, FEMALE

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|---|----|----|----|----|---|---|
| 2000..... | 64 | - | - | - | - | 4 | 4 | 10 | 13 | 17 | 9 | 7 | - |
| 1999..... | 53 | - | - | - | - | 1 | 7 | 13 | 7 | 10 | 11 | 4 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Malignant neoplasm of esophagus (C15) | | | | | | | | | | | | | |
| ALL RACES, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 12,232 | 1 | - | - | 3 | 39 | 297 | 1,348 | 2,610 | 3,671 | 3,163 | 1,100 | - |
| 1999..... | 11,918 | - | - | - | - | 37 | 293 | 1,262 | 2,531 | 3,694 | 2,986 | 1,114 | 1 |
| ALL RACES, MALE | | | | | | | | | | | | | |
| 2000..... | 9,279 | 1 | - | - | 2 | 31 | 265 | 1,161 | 2,169 | 2,831 | 2,233 | 586 | - |
| 1999..... | 9,094 | - | - | - | - | 29 | 255 | 1,094 | 2,081 | 2,925 | 2,136 | 573 | 1 |
| ALL RACES, FEMALE | | | | | | | | | | | | | |
| 2000..... | 2,953 | - | - | - | 1 | 8 | 32 | 187 | 441 | 840 | 930 | 514 | - |
| 1999..... | 2,824 | - | - | - | - | 8 | 38 | 168 | 450 | 769 | 850 | 541 | - |
| WHITE, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 10,406 | - | - | - | 3 | 38 | 249 | 1,051 | 2,082 | 3,146 | 2,817 | 1,020 | - |
| 1999..... | 10,079 | - | - | - | - | 32 | 229 | 979 | 2,009 | 3,139 | 2,666 | 1,025 | - |
| WHITE, MALE | | | | | | | | | | | | | |
| 2000..... | 7,986 | - | - | - | 2 | 31 | 229 | 929 | 1,766 | 2,466 | 2,016 | 547 | - |
| 1999..... | 7,740 | - | - | - | - | 24 | 203 | 865 | 1,678 | 2,530 | 1,922 | 518 | - |
| WHITE, FEMALE | | | | | | | | | | | | | |
| 2000..... | 2,420 | - | - | - | 1 | 7 | 20 | 122 | 316 | 680 | 801 | 473 | - |
| 1999..... | 2,339 | - | - | - | - | 8 | 26 | 114 | 331 | 609 | 744 | 507 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Malignant neoplasm of esophagus (C15) | | | | | | | | | | | | | |
| BLACK, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 1,655 | 1 | - | - | - | 1 | 44 | 280 | 483 | 466 | 309 | 71 | - |
| 1999..... | 1,648 | - | - | - | - | 3 | 54 | 265 | 477 | 491 | 282 | 75 | 1 |
| BLACK, MALE | | | | | | | | | | | | | |
| 2000..... | 1,170 | 1 | - | - | - | - | 32 | 219 | 371 | 321 | 193 | 33 | - |
| 1999..... | 1,203 | - | - | - | - | 3 | 45 | 212 | 369 | 344 | 185 | 44 | 1 |
| BLACK, FEMALE | | | | | | | | | | | | | |
| 2000..... | 485 | - | - | - | - | 1 | 12 | 61 | 112 | 145 | 116 | 38 | - |
| 1999..... | 445 | - | - | - | - | - | 9 | 53 | 108 | 147 | 97 | 31 | - |
| AMERICAN INDIAN 1/, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 43 | - | - | - | - | - | 2 | 6 | 11 | 13 | 9 | 2 | - |
| 1999..... | 38 | - | - | - | - | - | 1 | 4 | 14 | 11 | 8 | - | - |
| AMERICAN INDIAN 1/, MALE | | | | | | | | | | | | | |
| 2000..... | 36 | - | - | - | - | - | 2 | 6 | 9 | 12 | 6 | 1 | - |
| 1999..... | 31 | - | - | - | - | - | 1 | 4 | 10 | 11 | 5 | - | - |
| AMERICAN INDIAN 1/, FEMALE | | | | | | | | | | | | | |
| 2000..... | 7 | - | - | - | - | - | - | - | 2 | 1 | 3 | 1 | - |
| 1999..... | 7 | - | - | - | - | - | - | - | 4 | - | 3 | - | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|

Malignant neoplasm of esophagus (C15)

ASIAN OR PACIFIC ISLANDER 2/, BOTH SEX

| | | | | | | | | | | | | | |
|-----------|-----|---|---|---|---|---|---|----|----|----|----|----|---|
| 2000..... | 128 | - | - | - | - | - | 2 | 11 | 34 | 46 | 28 | 7 | - |
| 1999..... | 153 | - | - | - | - | 2 | 9 | 14 | 31 | 53 | 30 | 14 | - |

ASIAN OR PACIFIC ISLANDER 2/, MALE

| | | | | | | | | | | | | | |
|-----------|-----|---|---|---|---|---|---|----|----|----|----|----|---|
| 2000..... | 87 | - | - | - | - | - | 2 | 7 | 23 | 32 | 18 | 5 | - |
| 1999..... | 120 | - | - | - | - | 2 | 6 | 13 | 24 | 40 | 24 | 11 | - |

ASIAN OR PACIFIC ISLANDER 2/, FEMALE

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|---|---|----|----|----|---|---|
| 2000..... | 41 | - | - | - | - | - | - | 4 | 11 | 14 | 10 | 2 | - |
| 1999..... | 33 | - | - | - | - | - | 3 | 1 | 7 | 13 | 6 | 3 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Malignant neoplasm of stomach (C16) | | | | | | | | | | | | | |
| ALL RACES, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 12,645 | - | - | 1 | 14 | 124 | 484 | 1,097 | 1,804 | 3,054 | 3,833 | 2,234 | - |
| 1999..... | 12,711 | - | - | 1 | 13 | 136 | 505 | 1,101 | 1,860 | 3,152 | 3,860 | 2,083 | - |
| ALL RACES, MALE | | | | | | | | | | | | | |
| 2000..... | 7,328 | - | - | - | 6 | 69 | 284 | 703 | 1,228 | 1,966 | 2,144 | 928 | - |
| 1999..... | 7,459 | - | - | 1 | 6 | 76 | 283 | 746 | 1,252 | 2,005 | 2,239 | 851 | - |
| ALL RACES, FEMALE | | | | | | | | | | | | | |
| 2000..... | 5,317 | - | - | 1 | 8 | 55 | 200 | 394 | 576 | 1,088 | 1,689 | 1,306 | - |
| 1999..... | 5,252 | - | - | - | 7 | 60 | 222 | 355 | 608 | 1,147 | 1,621 | 1,232 | - |
| WHITE, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 9,723 | - | - | 1 | 9 | 78 | 318 | 777 | 1,352 | 2,336 | 3,036 | 1,816 | - |
| 1999..... | 9,779 | - | - | - | 8 | 88 | 321 | 771 | 1,348 | 2,459 | 3,098 | 1,686 | - |
| WHITE, MALE | | | | | | | | | | | | | |
| 2000..... | 5,688 | - | - | - | 3 | 45 | 181 | 503 | 936 | 1,534 | 1,722 | 764 | - |
| 1999..... | 5,786 | - | - | - | 4 | 55 | 182 | 534 | 923 | 1,593 | 1,811 | 684 | - |
| WHITE, FEMALE | | | | | | | | | | | | | |
| 2000..... | 4,035 | - | - | 1 | 6 | 33 | 137 | 274 | 416 | 802 | 1,314 | 1,052 | - |
| 1999..... | 3,993 | - | - | - | 4 | 33 | 139 | 237 | 425 | 866 | 1,287 | 1,002 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Malignant neoplasm of stomach (C16) | | | | | | | | | | | | | |
| BLACK, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 2,176 | - | - | - | 4 | 36 | 118 | 240 | 338 | 529 | 586 | 325 | - |
| 1999..... | 2,203 | - | - | 1 | 3 | 36 | 127 | 240 | 378 | 512 | 585 | 321 | - |
| BLACK, MALE | | | | | | | | | | | | | |
| 2000..... | 1,218 | - | - | - | 2 | 20 | 78 | 155 | 225 | 319 | 301 | 118 | - |
| 1999..... | 1,263 | - | - | 1 | 1 | 19 | 72 | 159 | 245 | 313 | 327 | 126 | - |
| BLACK, FEMALE | | | | | | | | | | | | | |
| 2000..... | 958 | - | - | - | 2 | 16 | 40 | 85 | 113 | 210 | 285 | 207 | - |
| 1999..... | 940 | - | - | - | 2 | 17 | 55 | 81 | 133 | 199 | 258 | 195 | - |
| AMERICAN INDIAN 1/, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 73 | - | - | - | - | - | 4 | 5 | 16 | 25 | 15 | 8 | - |
| 1999..... | 67 | - | - | - | 1 | 1 | 5 | 5 | 11 | 23 | 16 | 5 | - |
| AMERICAN INDIAN 1/, MALE | | | | | | | | | | | | | |
| 2000..... | 41 | - | - | - | - | - | 3 | 4 | 9 | 13 | 8 | 4 | - |
| 1999..... | 44 | - | - | - | - | 1 | 3 | 3 | 7 | 15 | 11 | 4 | - |
| AMERICAN INDIAN 1/, FEMALE | | | | | | | | | | | | | |
| 2000..... | 32 | - | - | - | - | - | 1 | 1 | 7 | 12 | 7 | 4 | - |
| 1999..... | 23 | - | - | - | 1 | - | 2 | 2 | 4 | 8 | 5 | 1 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Malignant neoplasm of stomach (C16) | | | | | | | | | | | | | |
| ASIAN OR PACIFIC ISLANDER 2/, BOTH SEX | | | | | | | | | | | | | |
| 2000..... | 673 | - | - | - | 1 | 10 | 44 | 75 | 98 | 164 | 196 | 85 | - |
| 1999..... | 662 | - | - | - | 1 | 11 | 52 | 85 | 123 | 158 | 161 | 71 | - |
| ASIAN OR PACIFIC ISLANDER 2/, MALE | | | | | | | | | | | | | |
| 2000..... | 381 | - | - | - | 1 | 4 | 22 | 41 | 58 | 100 | 113 | 42 | - |
| 1999..... | 366 | - | - | - | 1 | 1 | 26 | 50 | 77 | 84 | 90 | 37 | - |
| ASIAN OR PACIFIC ISLANDER 2/, FEMALE | | | | | | | | | | | | | |
| 2000..... | 292 | - | - | - | - | 6 | 22 | 34 | 40 | 64 | 83 | 43 | - |
| 1999..... | 296 | - | - | - | - | 10 | 26 | 35 | 46 | 74 | 71 | 34 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Malignant neoplasms of colon, rectum and anus (C18-C21) | | | | | | | | | | | | | |
| ALL RACES, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 57,477 | - | - | 3 | 40 | 272 | 1,369 | 4,237 | 7,940 | 14,101 | 18,053 | 11,462 | - |
| 1999..... | 57,155 | 1 | - | 1 | 49 | 283 | 1,333 | 4,057 | 7,967 | 14,249 | 17,929 | 11,286 | - |
| ALL RACES, MALE | | | | | | | | | | | | | |
| 2000..... | 28,462 | - | - | 2 | 24 | 153 | 759 | 2,359 | 4,608 | 7,924 | 8,760 | 3,873 | - |
| 1999..... | 28,240 | - | - | 1 | 27 | 160 | 678 | 2,250 | 4,621 | 7,883 | 8,754 | 3,866 | - |
| ALL RACES, FEMALE | | | | | | | | | | | | | |
| 2000..... | 29,015 | - | - | 1 | 16 | 119 | 610 | 1,878 | 3,332 | 6,177 | 9,293 | 7,589 | - |
| 1999..... | 28,915 | 1 | - | - | 22 | 123 | 655 | 1,807 | 3,346 | 6,366 | 9,175 | 7,420 | - |
| WHITE, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 49,488 | - | - | 3 | 31 | 201 | 1,015 | 3,300 | 6,489 | 12,085 | 16,032 | 10,332 | - |
| 1999..... | 49,374 | - | - | 1 | 32 | 212 | 1,020 | 3,199 | 6,537 | 12,228 | 15,944 | 10,201 | - |
| WHITE, MALE | | | | | | | | | | | | | |
| 2000..... | 24,517 | - | - | 2 | 16 | 119 | 567 | 1,874 | 3,788 | 6,861 | 7,817 | 3,473 | - |
| 1999..... | 24,539 | - | - | 1 | 16 | 118 | 540 | 1,811 | 3,828 | 6,891 | 7,832 | 3,502 | - |
| WHITE, FEMALE | | | | | | | | | | | | | |
| 2000..... | 24,971 | - | - | 1 | 15 | 82 | 448 | 1,426 | 2,701 | 5,224 | 8,215 | 6,859 | - |
| 1999..... | 24,835 | - | - | - | 16 | 94 | 480 | 1,388 | 2,709 | 5,337 | 8,112 | 6,699 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Malignant neoplasms of colon, rectum and anus (C18-C21) | | | | | | | | | | | | | |
| BLACK, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 6,867 | - | - | - | 6 | 54 | 293 | 823 | 1,225 | 1,732 | 1,743 | 991 | - |
| 1999..... | 6,777 | 1 | - | - | 16 | 56 | 273 | 719 | 1,256 | 1,746 | 1,750 | 960 | - |
| BLACK, MALE | | | | | | | | | | | | | |
| 2000..... | 3,326 | - | - | - | 5 | 26 | 161 | 431 | 681 | 899 | 796 | 327 | - |
| 1999..... | 3,196 | - | - | - | 10 | 31 | 125 | 377 | 698 | 861 | 795 | 299 | - |
| BLACK, FEMALE | | | | | | | | | | | | | |
| 2000..... | 3,541 | - | - | - | 1 | 28 | 132 | 392 | 544 | 833 | 947 | 664 | - |
| 1999..... | 3,581 | 1 | - | - | 6 | 25 | 148 | 342 | 558 | 885 | 955 | 661 | - |
| AMERICAN INDIAN 1/, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 194 | - | - | - | - | 3 | 13 | 18 | 42 | 51 | 43 | 24 | - |
| 1999..... | 170 | - | - | - | 1 | 2 | 7 | 25 | 30 | 37 | 46 | 22 | - |
| AMERICAN INDIAN 1/, MALE | | | | | | | | | | | | | |
| 2000..... | 110 | - | - | - | - | 1 | 8 | 9 | 30 | 30 | 22 | 10 | - |
| 1999..... | 87 | - | - | - | 1 | 2 | 2 | 12 | 17 | 20 | 24 | 9 | - |
| AMERICAN INDIAN 1/, FEMALE | | | | | | | | | | | | | |
| 2000..... | 84 | - | - | - | - | 2 | 5 | 9 | 12 | 21 | 21 | 14 | - |
| 1999..... | 83 | - | - | - | - | - | 5 | 13 | 13 | 17 | 22 | 13 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|

Malignant neoplasms of colon, rectum and anus (C18-C21)

ASIAN OR PACIFIC ISLANDER 2/, BOTH SEX

| | | | | | | | | | | | | | |
|-----------|-----|---|---|---|---|----|----|-----|-----|-----|-----|-----|---|
| 2000..... | 928 | - | - | - | 3 | 14 | 48 | 96 | 184 | 233 | 235 | 115 | - |
| 1999..... | 834 | - | - | - | - | 13 | 33 | 114 | 144 | 238 | 189 | 103 | - |

ASIAN OR PACIFIC ISLANDER 2/, MALE

| | | | | | | | | | | | | | |
|-----------|-----|---|---|---|---|---|----|----|-----|-----|-----|----|---|
| 2000..... | 509 | - | - | - | 3 | 7 | 23 | 45 | 109 | 134 | 125 | 63 | - |
| 1999..... | 418 | - | - | - | - | 9 | 11 | 50 | 78 | 111 | 103 | 56 | - |

ASIAN OR PACIFIC ISLANDER 2/, FEMALE

| | | | | | | | | | | | | | |
|-----------|-----|---|---|---|---|---|----|----|----|-----|-----|----|---|
| 2000..... | 419 | - | - | - | - | 7 | 25 | 51 | 75 | 99 | 110 | 52 | - |
| 1999..... | 416 | - | - | - | - | 4 | 22 | 64 | 66 | 127 | 86 | 47 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN
REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, SEX AND YEAR

| | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Malignant neoplasms of liver and intrahepatic bile ducts (C22) | | | | | | | | | | | | | |
| ALL RACES, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 12,916 | 2 | 23 | 20 | 30 | 86 | 429 | 1,686 | 2,256 | 3,439 | 3,558 | 1,387 | - |
| 1999..... | 12,382 | 8 | 29 | 11 | 43 | 78 | 444 | 1,492 | 2,091 | 3,491 | 3,425 | 1,270 | - |
| ALL RACES, MALE | | | | | | | | | | | | | |
| 2000..... | 8,176 | 1 | 14 | 8 | 20 | 59 | 297 | 1,324 | 1,607 | 2,246 | 2,052 | 548 | - |
| 1999..... | 7,689 | 5 | 20 | 9 | 24 | 48 | 318 | 1,161 | 1,465 | 2,284 | 1,877 | 478 | - |
| ALL RACES, FEMALE | | | | | | | | | | | | | |
| 2000..... | 4,740 | 1 | 9 | 12 | 10 | 27 | 132 | 362 | 649 | 1,193 | 1,506 | 839 | - |
| 1999..... | 4,693 | 3 | 9 | 2 | 19 | 30 | 126 | 331 | 626 | 1,207 | 1,548 | 792 | - |
| WHITE, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 10,304 | 1 | 17 | 13 | 20 | 44 | 261 | 1,164 | 1,680 | 2,784 | 3,093 | 1,227 | - |
| 1999..... | 9,986 | 6 | 26 | 6 | 29 | 36 | 283 | 1,049 | 1,554 | 2,872 | 2,998 | 1,127 | - |
| WHITE, MALE | | | | | | | | | | | | | |
| 2000..... | 6,447 | 1 | 11 | 7 | 13 | 27 | 179 | 901 | 1,183 | 1,833 | 1,814 | 478 | - |
| 1999..... | 6,151 | 3 | 18 | 5 | 17 | 21 | 200 | 799 | 1,094 | 1,898 | 1,658 | 438 | - |
| WHITE, FEMALE | | | | | | | | | | | | | |
| 2000..... | 3,857 | - | 6 | 6 | 7 | 17 | 82 | 263 | 497 | 951 | 1,279 | 749 | - |
| 1999..... | 3,835 | 3 | 8 | 1 | 12 | 15 | 83 | 250 | 460 | 974 | 1,340 | 689 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Malignant neoplasms of liver and intrahepatic bile ducts (C22) | | | | | | | | | | | | | |
| BLACK, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 1,598 | 1 | 2 | 2 | 6 | 21 | 102 | 365 | 344 | 391 | 263 | 101 | - |
| 1999..... | 1,507 | 1 | 3 | 4 | 7 | 21 | 91 | 293 | 315 | 398 | 266 | 108 | - |
| BLACK, MALE | | | | | | | | | | | | | |
| 2000..... | 1,061 | - | 1 | - | 5 | 15 | 66 | 290 | 256 | 255 | 131 | 42 | - |
| 1999..... | 947 | 1 | 2 | 3 | 2 | 14 | 65 | 240 | 212 | 248 | 134 | 26 | - |
| BLACK, FEMALE | | | | | | | | | | | | | |
| 2000..... | 537 | 1 | 1 | 2 | 1 | 6 | 36 | 75 | 88 | 136 | 132 | 59 | - |
| 1999..... | 560 | - | 1 | 1 | 5 | 7 | 26 | 53 | 103 | 150 | 132 | 82 | - |
| AMERICAN INDIAN 1/, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 98 | - | - | 1 | - | 2 | 4 | 20 | 23 | 21 | 17 | 10 | - |
| 1999..... | 76 | - | - | - | 1 | 1 | 3 | 11 | 18 | 20 | 17 | 5 | - |
| AMERICAN INDIAN 1/, MALE | | | | | | | | | | | | | |
| 2000..... | 65 | - | - | 1 | - | 1 | 4 | 17 | 15 | 16 | 8 | 3 | - |
| 1999..... | 42 | - | - | - | 1 | - | 2 | 8 | 13 | 8 | 9 | 1 | - |
| AMERICAN INDIAN 1/, FEMALE | | | | | | | | | | | | | |
| 2000..... | 33 | - | - | - | - | 1 | - | 3 | 8 | 5 | 9 | 7 | - |
| 1999..... | 34 | - | - | - | - | 1 | 1 | 3 | 5 | 12 | 8 | 4 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|

Malignant neoplasms of liver and intrahepatic bile ducts (C22)

ASIAN OR PACIFIC ISLANDER 2/, BOTH SEX

| | | | | | | | | | | | | | |
|-----------|-----|---|---|---|---|----|----|-----|-----|-----|-----|----|---|
| 2000..... | 916 | - | 4 | 4 | 4 | 19 | 62 | 137 | 209 | 243 | 185 | 49 | - |
| 1999..... | 813 | 1 | - | 1 | 6 | 20 | 67 | 139 | 204 | 201 | 144 | 30 | - |

ASIAN OR PACIFIC ISLANDER 2/, MALE

| | | | | | | | | | | | | | |
|-----------|-----|---|---|---|---|----|----|-----|-----|-----|----|----|---|
| 2000..... | 603 | - | 2 | - | 2 | 16 | 48 | 116 | 153 | 142 | 99 | 25 | - |
| 1999..... | 549 | 1 | - | 1 | 4 | 13 | 51 | 114 | 146 | 130 | 76 | 13 | - |

ASIAN OR PACIFIC ISLANDER 2/, FEMALE

| | | | | | | | | | | | | | |
|-----------|-----|---|---|---|---|---|----|----|----|-----|----|----|---|
| 2000..... | 313 | - | 2 | 4 | 2 | 3 | 14 | 21 | 56 | 101 | 86 | 24 | - |
| 1999..... | 264 | - | - | - | 2 | 7 | 16 | 25 | 58 | 71 | 68 | 17 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Malignant neoplasm of pancreas (C25) | | | | | | | | | | | | | |
| ALL RACES, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 29,332 | 2 | 1 | 1 | 5 | 55 | 548 | 2,362 | 4,708 | 8,103 | 9,459 | 4,087 | 1 |
| 1999..... | 29,082 | 1 | - | - | 3 | 55 | 594 | 2,353 | 4,707 | 8,293 | 8,933 | 4,142 | 1 |
| ALL RACES, MALE | | | | | | | | | | | | | |
| 2000..... | 14,238 | 1 | 1 | - | 3 | 33 | 324 | 1,486 | 2,749 | 4,189 | 4,189 | 1,262 | 1 |
| 1999..... | 14,176 | - | - | - | 1 | 33 | 369 | 1,482 | 2,721 | 4,347 | 3,940 | 1,283 | - |
| ALL RACES, FEMALE | | | | | | | | | | | | | |
| 2000..... | 15,094 | 1 | - | 1 | 2 | 22 | 224 | 876 | 1,959 | 3,914 | 5,270 | 2,825 | - |
| 1999..... | 14,906 | 1 | - | - | 2 | 22 | 225 | 871 | 1,986 | 3,946 | 4,993 | 2,859 | 1 |
| WHITE, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 25,301 | 2 | 1 | 1 | 4 | 45 | 429 | 1,927 | 3,925 | 6,944 | 8,389 | 3,633 | 1 |
| 1999..... | 25,086 | - | - | - | 2 | 40 | 468 | 1,913 | 3,897 | 7,140 | 7,913 | 3,712 | 1 |
| WHITE, MALE | | | | | | | | | | | | | |
| 2000..... | 12,392 | 1 | 1 | - | 3 | 27 | 258 | 1,224 | 2,317 | 3,658 | 3,767 | 1,135 | 1 |
| 1999..... | 12,273 | - | - | - | 1 | 25 | 297 | 1,204 | 2,265 | 3,795 | 3,527 | 1,159 | - |
| WHITE, FEMALE | | | | | | | | | | | | | |
| 2000..... | 12,909 | 1 | - | 1 | 1 | 18 | 171 | 703 | 1,608 | 3,286 | 4,622 | 2,498 | - |
| 1999..... | 12,813 | - | - | - | 1 | 15 | 171 | 709 | 1,632 | 3,345 | 4,386 | 2,553 | 1 |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Malignant neoplasm of pancreas (C25) | | | | | | | | | | | | | |
| BLACK, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 3,419 | - | - | - | 1 | 9 | 97 | 382 | 672 | 978 | 897 | 383 | - |
| 1999..... | 3,391 | 1 | - | - | - | 12 | 112 | 390 | 673 | 979 | 852 | 372 | - |
| BLACK, MALE | | | | | | | | | | | | | |
| 2000..... | 1,561 | - | - | - | - | 5 | 54 | 231 | 373 | 450 | 353 | 95 | - |
| 1999..... | 1,611 | - | - | - | - | 8 | 63 | 246 | 387 | 462 | 347 | 98 | - |
| BLACK, FEMALE | | | | | | | | | | | | | |
| 2000..... | 1,858 | - | - | - | 1 | 4 | 43 | 151 | 299 | 528 | 544 | 288 | - |
| 1999..... | 1,780 | 1 | - | - | - | 4 | 49 | 144 | 286 | 517 | 505 | 274 | - |
| AMERICAN INDIAN 1/, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 91 | - | - | - | - | - | 8 | 9 | 25 | 24 | 18 | 7 | - |
| 1999..... | 84 | - | - | - | - | 1 | 2 | 9 | 19 | 21 | 22 | 10 | - |
| AMERICAN INDIAN 1/, MALE | | | | | | | | | | | | | |
| 2000..... | 46 | - | - | - | - | - | 5 | 5 | 16 | 12 | 6 | 2 | - |
| 1999..... | 40 | - | - | - | - | - | 1 | 5 | 9 | 14 | 9 | 2 | - |
| AMERICAN INDIAN 1/, FEMALE | | | | | | | | | | | | | |
| 2000..... | 45 | - | - | - | - | - | 3 | 4 | 9 | 12 | 12 | 5 | - |
| 1999..... | 44 | - | - | - | - | 1 | 1 | 4 | 10 | 7 | 13 | 8 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|

Malignant neoplasm of pancreas (C25)

ASIAN OR PACIFIC ISLANDER 2/, BOTH SEX

| | | | | | | | | | | | | | |
|-----------|-----|---|---|---|---|---|----|----|-----|-----|-----|----|---|
| 2000..... | 521 | - | - | - | - | 1 | 14 | 44 | 86 | 157 | 155 | 64 | - |
| 1999..... | 521 | - | - | - | 1 | 2 | 12 | 41 | 118 | 153 | 146 | 48 | - |

ASIAN OR PACIFIC ISLANDER 2/, MALE

| | | | | | | | | | | | | | |
|-----------|-----|---|---|---|---|---|---|----|----|----|----|----|---|
| 2000..... | 239 | - | - | - | - | 1 | 7 | 26 | 43 | 69 | 63 | 30 | - |
| 1999..... | 252 | - | - | - | - | - | 8 | 27 | 60 | 76 | 57 | 24 | - |

ASIAN OR PACIFIC ISLANDER 2/, FEMALE

| | | | | | | | | | | | | | |
|-----------|-----|---|---|---|---|---|---|----|----|----|----|----|---|
| 2000..... | 282 | - | - | - | - | - | 7 | 18 | 43 | 88 | 92 | 34 | - |
| 1999..... | 269 | - | - | - | 1 | 2 | 4 | 14 | 58 | 77 | 89 | 24 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Malignant neoplasm of larynx (C32) | | | | | | | | | | | | | |
| ALL RACES, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 3,861 | - | - | 2 | 1 | 4 | 64 | 426 | 873 | 1,219 | 996 | 276 | - |
| 1999..... | 3,815 | - | - | - | - | 6 | 78 | 405 | 904 | 1,239 | 892 | 291 | - |
| ALL RACES, MALE | | | | | | | | | | | | | |
| 2000..... | 3,041 | - | - | - | - | 2 | 49 | 340 | 726 | 945 | 765 | 214 | - |
| 1999..... | 2,992 | - | - | - | - | 5 | 64 | 346 | 735 | 948 | 681 | 213 | - |
| ALL RACES, FEMALE | | | | | | | | | | | | | |
| 2000..... | 820 | - | - | 2 | 1 | 2 | 15 | 86 | 147 | 274 | 231 | 62 | - |
| 1999..... | 823 | - | - | - | - | 1 | 14 | 59 | 169 | 291 | 211 | 78 | - |
| WHITE, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 3,096 | - | - | 2 | 1 | 4 | 49 | 299 | 643 | 987 | 859 | 252 | - |
| 1999..... | 3,106 | - | - | - | - | 4 | 45 | 284 | 691 | 1,035 | 794 | 253 | - |
| WHITE, MALE | | | | | | | | | | | | | |
| 2000..... | 2,426 | - | - | - | - | 2 | 35 | 237 | 530 | 763 | 664 | 195 | - |
| 1999..... | 2,419 | - | - | - | - | 3 | 38 | 245 | 562 | 789 | 601 | 181 | - |
| WHITE, FEMALE | | | | | | | | | | | | | |
| 2000..... | 670 | - | - | 2 | 1 | 2 | 14 | 62 | 113 | 224 | 195 | 57 | - |
| 1999..... | 687 | - | - | - | - | 1 | 7 | 39 | 129 | 246 | 193 | 72 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Malignant neoplasm of larynx (C32) | | | | | | | | | | | | | |
| BLACK, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 719 | - | - | - | - | - | 15 | 123 | 219 | 211 | 129 | 22 | - |
| 1999..... | 663 | - | - | - | - | 2 | 32 | 117 | 205 | 190 | 91 | 26 | - |
| BLACK, MALE | | | | | | | | | | | | | |
| 2000..... | 578 | - | - | - | - | - | 14 | 100 | 187 | 166 | 94 | 17 | - |
| 1999..... | 536 | - | - | - | - | 2 | 25 | 97 | 169 | 148 | 74 | 21 | - |
| BLACK, FEMALE | | | | | | | | | | | | | |
| 2000..... | 141 | - | - | - | - | - | 1 | 23 | 32 | 45 | 35 | 5 | - |
| 1999..... | 127 | - | - | - | - | - | 7 | 20 | 36 | 42 | 17 | 5 | - |
| AMERICAN INDIAN 1/, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 16 | - | - | - | - | - | - | 1 | 6 | 8 | 1 | - | - |
| 1999..... | 12 | - | - | - | - | - | - | 2 | 3 | 4 | - | 3 | - |
| AMERICAN INDIAN 1/, MALE | | | | | | | | | | | | | |
| 2000..... | 11 | - | - | - | - | - | - | 1 | 4 | 5 | 1 | - | - |
| 1999..... | 10 | - | - | - | - | - | - | 2 | 2 | 3 | - | 3 | - |
| AMERICAN INDIAN 1/, FEMALE | | | | | | | | | | | | | |
| 2000..... | 5 | - | - | - | - | - | - | - | 2 | 3 | - | - | - |
| 1999..... | 2 | - | - | - | - | - | - | - | 1 | 1 | - | - | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|

Malignant neoplasm of larynx (C32)

ASIAN OR PACIFIC ISLANDER 2/, BOTH SEX

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|---|---|---|----|---|---|---|
| 2000..... | 30 | - | - | - | - | - | - | 3 | 5 | 13 | 7 | 2 | - |
| 1999..... | 34 | - | - | - | - | - | 1 | 2 | 5 | 10 | 7 | 9 | - |

ASIAN OR PACIFIC ISLANDER 2/, MALE

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|---|---|---|----|---|---|---|
| 2000..... | 26 | - | - | - | - | - | - | 2 | 5 | 11 | 6 | 2 | - |
| 1999..... | 27 | - | - | - | - | - | 1 | 2 | 2 | 8 | 6 | 8 | - |

ASIAN OR PACIFIC ISLANDER 2/, FEMALE

| | | | | | | | | | | | | | |
|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2000..... | 4 | - | - | - | - | - | - | 1 | - | 2 | 1 | - | - |
| 1999..... | 7 | - | - | - | - | - | - | - | 3 | 2 | 1 | 1 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Malignant neoplasms of trachea, bronchus and lung (C33-C34) | | | | | | | | | | | | | |
| ALL RACES, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 155,521 | 2 | 2 | 1 | 22 | 197 | 2,756 | 11,915 | 29,721 | 52,258 | 45,836 | 12,806 | 5 |
| 1999..... | 152,156 | - | - | 5 | 20 | 179 | 2,724 | 11,434 | 29,344 | 51,848 | 44,261 | 12,339 | 2 |
| ALL RACES, MALE | | | | | | | | | | | | | |
| 2000..... | 90,469 | 2 | 1 | - | 14 | 102 | 1,542 | 7,123 | 17,937 | 31,382 | 25,966 | 6,395 | 5 |
| 1999..... | 89,453 | - | - | 4 | 13 | 97 | 1,474 | 6,851 | 18,013 | 31,287 | 25,397 | 6,315 | 2 |
| ALL RACES, FEMALE | | | | | | | | | | | | | |
| 2000..... | 65,052 | - | 1 | 1 | 8 | 95 | 1,214 | 4,792 | 11,784 | 20,876 | 19,870 | 6,411 | - |
| 1999..... | 62,703 | - | - | 1 | 7 | 82 | 1,250 | 4,583 | 11,331 | 20,561 | 18,864 | 6,024 | - |
| WHITE, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 136,912 | 1 | 2 | 1 | 14 | 155 | 2,093 | 9,537 | 25,487 | 46,208 | 41,726 | 11,685 | 3 |
| 1999..... | 133,752 | - | - | 3 | 11 | 149 | 2,128 | 9,147 | 25,090 | 45,840 | 40,131 | 11,252 | 1 |
| WHITE, MALE | | | | | | | | | | | | | |
| 2000..... | 78,747 | 1 | 1 | - | 10 | 82 | 1,136 | 5,594 | 15,179 | 27,534 | 23,415 | 5,792 | 3 |
| 1999..... | 77,846 | - | - | 2 | 7 | 81 | 1,138 | 5,365 | 15,201 | 27,450 | 22,864 | 5,737 | 1 |
| WHITE, FEMALE | | | | | | | | | | | | | |
| 2000..... | 58,165 | - | 1 | 1 | 4 | 73 | 957 | 3,943 | 10,308 | 18,674 | 18,311 | 5,893 | - |
| 1999..... | 55,906 | - | - | 1 | 4 | 68 | 990 | 3,782 | 9,889 | 18,390 | 17,267 | 5,515 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Malignant neoplasms of trachea, bronchus and lung (C33-C34) | | | | | | | | | | | | | |
| BLACK, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 16,066 | 1 | - | - | 5 | 32 | 584 | 2,132 | 3,726 | 5,226 | 3,438 | 921 | 1 |
| 1999..... | 15,963 | - | - | 2 | 8 | 20 | 533 | 2,056 | 3,770 | 5,148 | 3,515 | 911 | - |
| BLACK, MALE | | | | | | | | | | | | | |
| 2000..... | 10,153 | 1 | - | - | 2 | 15 | 362 | 1,384 | 2,437 | 3,341 | 2,122 | 488 | 1 |
| 1999..... | 10,135 | - | - | 2 | 5 | 11 | 303 | 1,359 | 2,521 | 3,294 | 2,150 | 490 | - |
| BLACK, FEMALE | | | | | | | | | | | | | |
| 2000..... | 5,913 | - | - | - | 3 | 17 | 222 | 748 | 1,289 | 1,885 | 1,316 | 433 | - |
| 1999..... | 5,828 | - | - | - | 3 | 9 | 230 | 697 | 1,249 | 1,854 | 1,365 | 421 | - |
| AMERICAN INDIAN 1/, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 480 | - | - | - | - | 1 | 11 | 45 | 126 | 165 | 106 | 26 | - |
| 1999..... | 497 | - | - | - | - | - | 8 | 40 | 142 | 183 | 103 | 21 | - |
| AMERICAN INDIAN 1/, MALE | | | | | | | | | | | | | |
| 2000..... | 270 | - | - | - | - | 1 | 5 | 24 | 76 | 83 | 68 | 13 | - |
| 1999..... | 285 | - | - | - | - | - | 3 | 25 | 79 | 109 | 55 | 14 | - |
| AMERICAN INDIAN 1/, FEMALE | | | | | | | | | | | | | |
| 2000..... | 210 | - | - | - | - | - | 6 | 21 | 50 | 82 | 38 | 13 | - |
| 1999..... | 212 | - | - | - | - | - | 5 | 15 | 63 | 74 | 48 | 7 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|

Malignant neoplasms of trachea, bronchus and lung (C33-C34)

ASIAN OR PACIFIC ISLANDER 2/, BOTH SEX

| | | | | | | | | | | | | | |
|-----------|-------|---|---|---|---|----|----|-----|-----|-----|-----|-----|---|
| 2000..... | 2,063 | - | - | - | 3 | 9 | 68 | 201 | 382 | 659 | 566 | 174 | 1 |
| 1999..... | 1,944 | - | - | - | 1 | 10 | 55 | 191 | 342 | 677 | 512 | 155 | 1 |

ASIAN OR PACIFIC ISLANDER 2/, MALE

| | | | | | | | | | | | | | |
|-----------|-------|---|---|---|---|---|----|-----|-----|-----|-----|-----|---|
| 2000..... | 1,299 | - | - | - | 2 | 4 | 39 | 121 | 245 | 424 | 361 | 102 | 1 |
| 1999..... | 1,187 | - | - | - | 1 | 5 | 30 | 102 | 212 | 434 | 328 | 74 | 1 |

ASIAN OR PACIFIC ISLANDER 2/, FEMALE

| | | | | | | | | | | | | | |
|-----------|-----|---|---|---|---|---|----|----|-----|-----|-----|----|---|
| 2000..... | 764 | - | - | - | 1 | 5 | 29 | 80 | 137 | 235 | 205 | 72 | - |
| 1999..... | 757 | - | - | - | - | 5 | 25 | 89 | 130 | 243 | 184 | 81 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Malignant melanoma of skin (C43) | | | | | | | | | | | | | |
| ALL RACES, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 7,420 | - | - | 1 | 41 | 186 | 626 | 1,199 | 1,303 | 1,637 | 1,624 | 803 | - |
| 1999..... | 7,215 | 1 | - | 1 | 39 | 194 | 625 | 1,120 | 1,263 | 1,652 | 1,639 | 681 | - |
| ALL RACES, MALE | | | | | | | | | | | | | |
| 2000..... | 4,592 | - | - | 1 | 21 | 110 | 355 | 769 | 866 | 1,067 | 1,013 | 390 | - |
| 1999..... | 4,529 | 1 | - | - | 23 | 110 | 397 | 717 | 851 | 1,096 | 1,006 | 328 | - |
| ALL RACES, FEMALE | | | | | | | | | | | | | |
| 2000..... | 2,828 | - | - | - | 20 | 76 | 271 | 430 | 437 | 570 | 611 | 413 | - |
| 1999..... | 2,686 | - | - | 1 | 16 | 84 | 228 | 403 | 412 | 556 | 633 | 353 | - |
| WHITE, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 7,245 | - | - | 1 | 40 | 180 | 606 | 1,179 | 1,273 | 1,598 | 1,588 | 780 | - |
| 1999..... | 7,086 | 1 | - | 1 | 36 | 188 | 618 | 1,107 | 1,244 | 1,623 | 1,604 | 664 | - |
| WHITE, MALE | | | | | | | | | | | | | |
| 2000..... | 4,514 | - | - | 1 | 21 | 108 | 345 | 760 | 851 | 1,047 | 996 | 385 | - |
| 1999..... | 4,459 | 1 | - | - | 20 | 106 | 394 | 708 | 838 | 1,083 | 988 | 321 | - |
| WHITE, FEMALE | | | | | | | | | | | | | |
| 2000..... | 2,731 | - | - | - | 19 | 72 | 261 | 419 | 422 | 551 | 592 | 395 | - |
| 1999..... | 2,627 | - | - | 1 | 16 | 82 | 224 | 399 | 406 | 540 | 616 | 343 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Malignant melanoma of skin (C43) | | | | | | | | | | | | | |
| BLACK, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 135 | - | - | - | 1 | 3 | 15 | 13 | 20 | 30 | 32 | 21 | - |
| 1999..... | 96 | - | - | - | 1 | 4 | 4 | 9 | 14 | 25 | 25 | 14 | - |
| BLACK, MALE | | | | | | | | | | | | | |
| 2000..... | 60 | - | - | - | - | 2 | 9 | 6 | 11 | 14 | 15 | 3 | - |
| 1999..... | 48 | - | - | - | 1 | 2 | 1 | 6 | 10 | 10 | 12 | 6 | - |
| BLACK, FEMALE | | | | | | | | | | | | | |
| 2000..... | 75 | - | - | - | 1 | 1 | 6 | 7 | 9 | 16 | 17 | 18 | - |
| 1999..... | 48 | - | - | - | - | 2 | 3 | 3 | 4 | 15 | 13 | 8 | - |
| AMERICAN INDIAN 1/, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 8 | - | - | - | - | - | - | 2 | 3 | 1 | 2 | - | - |
| 1999..... | 10 | - | - | - | 1 | - | - | 3 | 3 | 2 | 1 | - | - |
| AMERICAN INDIAN 1/, MALE | | | | | | | | | | | | | |
| 2000..... | 5 | - | - | - | - | - | - | 1 | 2 | 1 | 1 | - | - |
| 1999..... | 7 | - | - | - | 1 | - | - | 3 | 1 | 2 | - | - | - |
| AMERICAN INDIAN 1/, FEMALE | | | | | | | | | | | | | |
| 2000..... | 3 | - | - | - | - | - | - | 1 | 1 | - | 1 | - | - |
| 1999..... | 3 | - | - | - | - | - | - | - | 2 | - | 1 | - | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|

Malignant melanoma of skin (C43)

ASIAN OR PACIFIC ISLANDER 2/, BOTH SEX

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|---|---|---|---|---|---|---|
| 2000..... | 32 | - | - | - | - | 3 | 5 | 5 | 7 | 8 | 2 | 2 | - |
| 1999..... | 23 | - | - | - | 1 | 2 | 3 | 1 | 2 | 2 | 9 | 3 | - |

ASIAN OR PACIFIC ISLANDER 2/, MALE

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|---|---|---|---|---|---|---|
| 2000..... | 13 | - | - | - | - | - | 1 | 2 | 2 | 5 | 1 | 2 | - |
| 1999..... | 15 | - | - | - | 1 | 2 | 2 | - | 2 | 1 | 6 | 1 | - |

ASIAN OR PACIFIC ISLANDER 2/, FEMALE

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|---|---|---|---|---|---|---|
| 2000..... | 19 | - | - | - | - | 3 | 4 | 3 | 5 | 3 | 1 | - | - |
| 1999..... | 8 | - | - | - | - | - | 1 | 1 | - | 1 | 3 | 2 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Malignant neoplasm of breast (C50) | | | | | | | | | | | | | |
| ALL RACES, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 42,300 | - | - | - | 11 | 467 | 2,841 | 6,385 | 7,573 | 9,024 | 9,750 | 6,249 | - |
| 1999..... | 41,528 | - | 1 | 1 | 13 | 439 | 2,741 | 6,174 | 7,399 | 9,109 | 9,651 | 6,000 | - |
| ALL RACES, MALE | | | | | | | | | | | | | |
| 2000..... | 428 | - | - | - | - | 3 | 19 | 46 | 85 | 115 | 109 | 51 | - |
| 1999..... | 384 | - | - | - | - | 3 | 15 | 41 | 70 | 103 | 98 | 54 | - |
| ALL RACES, FEMALE | | | | | | | | | | | | | |
| 2000..... | 41,872 | - | - | - | 11 | 464 | 2,822 | 6,339 | 7,488 | 8,909 | 9,641 | 6,198 | - |
| 1999..... | 41,144 | - | 1 | 1 | 13 | 436 | 2,726 | 6,133 | 7,329 | 9,006 | 9,553 | 5,946 | - |
| WHITE, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 36,127 | - | - | - | 5 | 325 | 2,097 | 5,000 | 6,282 | 7,925 | 8,842 | 5,651 | - |
| 1999..... | 35,385 | - | - | 1 | 8 | 304 | 2,001 | 4,826 | 6,111 | 7,922 | 8,714 | 5,498 | - |
| WHITE, MALE | | | | | | | | | | | | | |
| 2000..... | 360 | - | - | - | - | 1 | 11 | 37 | 67 | 103 | 98 | 43 | - |
| 1999..... | 312 | - | - | - | - | 2 | 8 | 30 | 54 | 85 | 86 | 47 | - |
| WHITE, FEMALE | | | | | | | | | | | | | |
| 2000..... | 35,767 | - | - | - | 5 | 324 | 2,086 | 4,963 | 6,215 | 7,822 | 8,744 | 5,608 | - |
| 1999..... | 35,073 | - | - | 1 | 8 | 302 | 1,993 | 4,796 | 6,057 | 7,837 | 8,628 | 5,451 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Malignant neoplasm of breast (C50) | | | | | | | | | | | | | |
| BLACK, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 5,424 | - | - | - | 5 | 123 | 645 | 1,178 | 1,110 | 969 | 830 | 564 | - |
| 1999..... | 5,425 | - | 1 | - | 5 | 126 | 665 | 1,167 | 1,103 | 1,040 | 856 | 462 | - |
| BLACK, MALE | | | | | | | | | | | | | |
| 2000..... | 63 | - | - | - | - | 2 | 8 | 8 | 16 | 11 | 10 | 8 | - |
| 1999..... | 67 | - | - | - | - | 1 | 7 | 9 | 16 | 16 | 11 | 7 | - |
| BLACK, FEMALE | | | | | | | | | | | | | |
| 2000..... | 5,361 | - | - | - | 5 | 121 | 637 | 1,170 | 1,094 | 958 | 820 | 556 | - |
| 1999..... | 5,358 | - | 1 | - | 5 | 125 | 658 | 1,158 | 1,087 | 1,024 | 845 | 455 | - |
| AMERICAN INDIAN 1/, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 131 | - | - | - | - | 2 | 16 | 25 | 39 | 23 | 20 | 6 | - |
| 1999..... | 131 | - | - | - | - | 2 | 11 | 26 | 28 | 36 | 17 | 11 | - |
| AMERICAN INDIAN 1/, MALE | | | | | | | | | | | | | |
| 2000..... | 1 | - | - | - | - | - | - | - | 1 | - | - | - | - |
| 1999..... | 1 | - | - | - | - | - | - | - | - | 1 | - | - | - |
| AMERICAN INDIAN 1/, FEMALE | | | | | | | | | | | | | |
| 2000..... | 130 | - | - | - | - | 2 | 16 | 25 | 38 | 23 | 20 | 6 | - |
| 1999..... | 130 | - | - | - | - | 2 | 11 | 26 | 28 | 35 | 17 | 11 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|

Malignant neoplasm of breast (C50)

ASIAN OR PACIFIC ISLANDER 2/, BOTH SEX

| | | | | | | | | | | | | | |
|-----------|-----|---|---|---|---|----|----|-----|-----|-----|----|----|---|
| 2000..... | 618 | - | - | - | 1 | 17 | 83 | 182 | 142 | 107 | 58 | 28 | - |
| 1999..... | 587 | - | - | - | - | 7 | 64 | 155 | 157 | 111 | 64 | 29 | - |

ASIAN OR PACIFIC ISLANDER 2/, MALE

| | | | | | | | | | | | | | |
|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2000..... | 4 | - | - | - | - | - | - | 1 | 1 | 1 | 1 | - | - |
| 1999..... | 4 | - | - | - | - | - | - | 2 | - | 1 | 1 | - | - |

ASIAN OR PACIFIC ISLANDER 2/, FEMALE

| | | | | | | | | | | | | | |
|-----------|-----|---|---|---|---|----|----|-----|-----|-----|----|----|---|
| 2000..... | 614 | - | - | - | 1 | 17 | 83 | 181 | 141 | 106 | 57 | 28 | - |
| 1999..... | 583 | - | - | - | - | 7 | 64 | 153 | 157 | 110 | 63 | 29 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Malignant neoplasm of cervix uteri (C53) | | | | | | | | | | | | | |
| ALL RACES, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 4,200 | - | - | 1 | 17 | 230 | 694 | 915 | 748 | 686 | 599 | 310 | - |
| 1999..... | 4,205 | - | - | - | 12 | 217 | 699 | 914 | 769 | 696 | 568 | 329 | 1 |
| ALL RACES, FEMALE | | | | | | | | | | | | | |
| 2000..... | 4,200 | - | - | 1 | 17 | 230 | 694 | 915 | 748 | 686 | 599 | 310 | - |
| 1999..... | 4,205 | - | - | - | 12 | 217 | 699 | 914 | 769 | 696 | 568 | 329 | 1 |
| WHITE, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 3,158 | - | - | - | 13 | 174 | 511 | 686 | 557 | 498 | 478 | 241 | - |
| 1999..... | 3,229 | - | - | - | 9 | 176 | 535 | 731 | 573 | 503 | 446 | 255 | 1 |
| WHITE, FEMALE | | | | | | | | | | | | | |
| 2000..... | 3,158 | - | - | - | 13 | 174 | 511 | 686 | 557 | 498 | 478 | 241 | - |
| 1999..... | 3,229 | - | - | - | 9 | 176 | 535 | 731 | 573 | 503 | 446 | 255 | 1 |
| BLACK, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 869 | - | - | 1 | 4 | 51 | 150 | 180 | 153 | 158 | 109 | 63 | - |
| 1999..... | 838 | - | - | - | 3 | 36 | 144 | 140 | 169 | 176 | 102 | 68 | - |
| BLACK, FEMALE | | | | | | | | | | | | | |
| 2000..... | 869 | - | - | 1 | 4 | 51 | 150 | 180 | 153 | 158 | 109 | 63 | - |
| 1999..... | 838 | - | - | - | 3 | 36 | 144 | 140 | 169 | 176 | 102 | 68 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|

Malignant neoplasm of cervix uteri (C53)

AMERICAN INDIAN 1/, BOTH SEXES

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|---|---|---|---|---|---|---|
| 2000..... | 30 | - | - | - | - | 2 | 7 | 9 | 5 | 3 | 2 | 2 | - |
| 1999..... | 19 | - | - | - | - | 2 | 3 | 6 | 5 | 1 | 2 | - | - |

AMERICAN INDIAN 1/, FEMALE

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|---|---|---|---|---|---|---|
| 2000..... | 30 | - | - | - | - | 2 | 7 | 9 | 5 | 3 | 2 | 2 | - |
| 1999..... | 19 | - | - | - | - | 2 | 3 | 6 | 5 | 1 | 2 | - | - |

ASIAN OR PACIFIC ISLANDER 2/, BOTH SEX

| | | | | | | | | | | | | | |
|-----------|-----|---|---|---|---|---|----|----|----|----|----|---|---|
| 2000..... | 143 | - | - | - | - | 3 | 26 | 40 | 33 | 27 | 10 | 4 | - |
| 1999..... | 119 | - | - | - | - | 3 | 17 | 37 | 22 | 16 | 18 | 6 | - |

ASIAN OR PACIFIC ISLANDER 2/, FEMALE

| | | | | | | | | | | | | | |
|-----------|-----|---|---|---|---|---|----|----|----|----|----|---|---|
| 2000..... | 143 | - | - | - | - | 3 | 26 | 40 | 33 | 27 | 10 | 4 | - |
| 1999..... | 119 | - | - | - | - | 3 | 17 | 37 | 22 | 16 | 18 | 6 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Malignant neoplasms of corpus uteri and uterus, part unspecified (C54-C55) | | | | | | | | | | | | | |
| ALL RACES, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 6,586 | - | - | - | 3 | 27 | 138 | 507 | 1,122 | 1,781 | 1,958 | 1,049 | 1 |
| 1999..... | 6,468 | - | - | - | 2 | 23 | 142 | 468 | 1,019 | 1,807 | 2,008 | 999 | - |
| ALL RACES, FEMALE | | | | | | | | | | | | | |
| 2000..... | 6,586 | - | - | - | 3 | 27 | 138 | 507 | 1,122 | 1,781 | 1,958 | 1,049 | 1 |
| 1999..... | 6,468 | - | - | - | 2 | 23 | 142 | 468 | 1,019 | 1,807 | 2,008 | 999 | - |
| WHITE, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 5,397 | - | - | - | 1 | 20 | 106 | 420 | 890 | 1,373 | 1,651 | 936 | - |
| 1999..... | 5,386 | - | - | - | 2 | 18 | 109 | 386 | 816 | 1,435 | 1,739 | 881 | - |
| WHITE, FEMALE | | | | | | | | | | | | | |
| 2000..... | 5,397 | - | - | - | 1 | 20 | 106 | 420 | 890 | 1,373 | 1,651 | 936 | - |
| 1999..... | 5,386 | - | - | - | 2 | 18 | 109 | 386 | 816 | 1,435 | 1,739 | 881 | - |
| BLACK, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 1,061 | - | - | - | 1 | 6 | 22 | 68 | 202 | 375 | 280 | 106 | 1 |
| 1999..... | 987 | - | - | - | - | 5 | 28 | 57 | 189 | 350 | 247 | 111 | - |
| BLACK, FEMALE | | | | | | | | | | | | | |
| 2000..... | 1,061 | - | - | - | 1 | 6 | 22 | 68 | 202 | 375 | 280 | 106 | 1 |
| 1999..... | 987 | - | - | - | - | 5 | 28 | 57 | 189 | 350 | 247 | 111 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|

Malignant neoplasms of corpus uteri and uterus, part unspecified (C54-C55)

AMERICAN INDIAN 1/, BOTH SEXES

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|---|---|---|---|---|---|---|
| 2000..... | 19 | - | - | - | - | - | 1 | 1 | 2 | 8 | 6 | 1 | - |
| 1999..... | 13 | - | - | - | - | - | 2 | 2 | 2 | 4 | 1 | 2 | - |

AMERICAN INDIAN 1/, FEMALE

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|---|---|---|---|---|---|---|
| 2000..... | 19 | - | - | - | - | - | 1 | 1 | 2 | 8 | 6 | 1 | - |
| 1999..... | 13 | - | - | - | - | - | 2 | 2 | 2 | 4 | 1 | 2 | - |

ASIAN OR PACIFIC ISLANDER 2/, BOTH SEX

| | | | | | | | | | | | | | |
|-----------|-----|---|---|---|---|---|---|----|----|----|----|---|---|
| 2000..... | 109 | - | - | - | 1 | 1 | 9 | 18 | 28 | 25 | 21 | 6 | - |
| 1999..... | 82 | - | - | - | - | - | 3 | 23 | 12 | 18 | 21 | 5 | - |

ASIAN OR PACIFIC ISLANDER 2/, FEMALE

| | | | | | | | | | | | | | |
|-----------|-----|---|---|---|---|---|---|----|----|----|----|---|---|
| 2000..... | 109 | - | - | - | 1 | 1 | 9 | 18 | 28 | 25 | 21 | 6 | - |
| 1999..... | 82 | - | - | - | - | - | 3 | 23 | 12 | 18 | 21 | 5 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Malignant neoplasm of ovary (C56) | | | | | | | | | | | | | |
| ALL RACES, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 14,060 | - | - | 2 | 23 | 101 | 472 | 1,583 | 2,444 | 3,601 | 4,098 | 1,736 | - |
| 1999..... | 13,627 | - | 1 | 2 | 27 | 77 | 496 | 1,549 | 2,426 | 3,612 | 3,875 | 1,562 | - |
| ALL RACES, FEMALE | | | | | | | | | | | | | |
| 2000..... | 14,060 | - | - | 2 | 23 | 101 | 472 | 1,583 | 2,444 | 3,601 | 4,098 | 1,736 | - |
| 1999..... | 13,627 | - | 1 | 2 | 27 | 77 | 496 | 1,549 | 2,426 | 3,612 | 3,875 | 1,562 | - |
| WHITE, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 12,731 | - | - | 1 | 17 | 84 | 397 | 1,379 | 2,187 | 3,241 | 3,814 | 1,611 | - |
| 1999..... | 12,302 | - | 1 | 2 | 22 | 57 | 424 | 1,349 | 2,164 | 3,254 | 3,570 | 1,459 | - |
| WHITE, FEMALE | | | | | | | | | | | | | |
| 2000..... | 12,731 | - | - | 1 | 17 | 84 | 397 | 1,379 | 2,187 | 3,241 | 3,814 | 1,611 | - |
| 1999..... | 12,302 | - | 1 | 2 | 22 | 57 | 424 | 1,349 | 2,164 | 3,254 | 3,570 | 1,459 | - |
| BLACK, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 1,073 | - | - | 1 | 2 | 12 | 60 | 140 | 205 | 299 | 244 | 110 | - |
| 1999..... | 1,079 | - | - | - | 4 | 13 | 47 | 144 | 217 | 304 | 260 | 90 | - |
| BLACK, FEMALE | | | | | | | | | | | | | |
| 2000..... | 1,073 | - | - | 1 | 2 | 12 | 60 | 140 | 205 | 299 | 244 | 110 | - |
| 1999..... | 1,079 | - | - | - | 4 | 13 | 47 | 144 | 217 | 304 | 260 | 90 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN
REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Malignant neoplasm of ovary (C56) | | | | | | | | | | | | | |
| AMERICAN INDIAN 1/, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 28 | - | - | - | 1 | - | 1 | 3 | 7 | 5 | 9 | 2 | - |
| 1999..... | 29 | - | - | - | - | - | 1 | 3 | 3 | 11 | 9 | 2 | - |
| AMERICAN INDIAN 1/, FEMALE | | | | | | | | | | | | | |
| 2000..... | 28 | - | - | - | 1 | - | 1 | 3 | 7 | 5 | 9 | 2 | - |
| 1999..... | 29 | - | - | - | - | - | 1 | 3 | 3 | 11 | 9 | 2 | - |
| ASIAN OR PACIFIC ISLANDER 2/, BOTH SEX | | | | | | | | | | | | | |
| 2000..... | 228 | - | - | - | 3 | 5 | 14 | 61 | 45 | 56 | 31 | 13 | - |
| 1999..... | 217 | - | - | - | 1 | 7 | 24 | 53 | 42 | 43 | 36 | 11 | - |
| ASIAN OR PACIFIC ISLANDER 2/, FEMALE | | | | | | | | | | | | | |
| 2000..... | 228 | - | - | - | 3 | 5 | 14 | 61 | 45 | 56 | 31 | 13 | - |
| 1999..... | 217 | - | - | - | 1 | 7 | 24 | 53 | 42 | 43 | 36 | 11 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Malignant neoplasm of prostate (C61) | | | | | | | | | | | | | |
| ALL RACES, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 31,078 | - | - | - | - | 1 | 25 | 371 | 1,929 | 6,808 | 13,071 | 8,873 | - |
| 1999..... | 31,729 | 1 | - | - | 1 | 2 | 33 | 374 | 1,946 | 7,316 | 13,435 | 8,620 | 1 |
| ALL RACES, MALE | | | | | | | | | | | | | |
| 2000..... | 31,078 | - | - | - | - | 1 | 25 | 371 | 1,929 | 6,808 | 13,071 | 8,873 | - |
| 1999..... | 31,729 | 1 | - | - | 1 | 2 | 33 | 374 | 1,946 | 7,316 | 13,435 | 8,620 | 1 |
| WHITE, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 25,340 | - | - | - | - | 1 | 16 | 262 | 1,404 | 5,231 | 10,804 | 7,622 | - |
| 1999..... | 26,005 | 1 | - | - | 1 | 2 | 25 | 266 | 1,404 | 5,715 | 11,240 | 7,350 | 1 |
| WHITE, MALE | | | | | | | | | | | | | |
| 2000..... | 25,340 | - | - | - | - | 1 | 16 | 262 | 1,404 | 5,231 | 10,804 | 7,622 | - |
| 1999..... | 26,005 | 1 | - | - | 1 | 2 | 25 | 266 | 1,404 | 5,715 | 11,240 | 7,350 | 1 |
| BLACK, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 5,346 | - | - | - | - | - | 9 | 102 | 497 | 1,491 | 2,107 | 1,140 | - |
| 1999..... | 5,357 | - | - | - | - | - | 7 | 106 | 515 | 1,534 | 2,046 | 1,149 | - |
| BLACK, MALE | | | | | | | | | | | | | |
| 2000..... | 5,346 | - | - | - | - | - | 9 | 102 | 497 | 1,491 | 2,107 | 1,140 | - |
| 1999..... | 5,357 | - | - | - | - | - | 7 | 106 | 515 | 1,534 | 2,046 | 1,149 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Malignant neoplasm of prostate (C61) | | | | | | | | | | | | | |
| AMERICAN INDIAN 1/, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 92 | - | - | - | - | - | - | 4 | 6 | 30 | 33 | 19 | - |
| 1999..... | 63 | - | - | - | - | - | - | 1 | 6 | 12 | 30 | 14 | - |
| AMERICAN INDIAN 1/, MALE | | | | | | | | | | | | | |
| 2000..... | 92 | - | - | - | - | - | - | 4 | 6 | 30 | 33 | 19 | - |
| 1999..... | 63 | - | - | - | - | - | - | 1 | 6 | 12 | 30 | 14 | - |
| ASIAN OR PACIFIC ISLANDER 2/, BOTH SEX | | | | | | | | | | | | | |
| 2000..... | 300 | - | - | - | - | - | - | 3 | 22 | 56 | 127 | 92 | - |
| 1999..... | 304 | - | - | - | - | - | 1 | 1 | 21 | 55 | 119 | 107 | - |
| ASIAN OR PACIFIC ISLANDER 2/, MALE | | | | | | | | | | | | | |
| 2000..... | 300 | - | - | - | - | - | - | 3 | 22 | 56 | 127 | 92 | - |
| 1999..... | 304 | - | - | - | - | - | 1 | 1 | 21 | 55 | 119 | 107 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Malignant neoplasms of kidney and renal pelvis (C64-C65) | | | | | | | | | | | | | |
| ALL RACES, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 11,736 | 2 | 15 | 29 | 20 | 42 | 334 | 1,239 | 2,195 | 3,146 | 3,282 | 1,432 | - |
| 1999..... | 11,116 | 2 | 19 | 33 | 17 | 54 | 342 | 1,147 | 2,111 | 3,076 | 3,010 | 1,305 | - |
| ALL RACES, MALE | | | | | | | | | | | | | |
| 2000..... | 7,249 | 1 | 8 | 15 | 10 | 26 | 228 | 880 | 1,530 | 2,010 | 1,865 | 676 | - |
| 1999..... | 6,867 | 1 | 11 | 16 | 11 | 37 | 236 | 816 | 1,474 | 1,958 | 1,717 | 590 | - |
| ALL RACES, FEMALE | | | | | | | | | | | | | |
| 2000..... | 4,487 | 1 | 7 | 14 | 10 | 16 | 106 | 359 | 665 | 1,136 | 1,417 | 756 | - |
| 1999..... | 4,249 | 1 | 8 | 17 | 6 | 17 | 106 | 331 | 637 | 1,118 | 1,293 | 715 | - |
| WHITE, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 10,480 | - | 10 | 19 | 13 | 31 | 270 | 1,066 | 1,934 | 2,813 | 3,001 | 1,323 | - |
| 1999..... | 9,878 | 2 | 12 | 25 | 10 | 32 | 271 | 962 | 1,868 | 2,757 | 2,752 | 1,187 | - |
| WHITE, MALE | | | | | | | | | | | | | |
| 2000..... | 6,475 | - | 5 | 9 | 7 | 17 | 192 | 761 | 1,353 | 1,795 | 1,709 | 627 | - |
| 1999..... | 6,112 | 1 | 8 | 11 | 7 | 20 | 189 | 682 | 1,310 | 1,759 | 1,587 | 538 | - |
| WHITE, FEMALE | | | | | | | | | | | | | |
| 2000..... | 4,005 | - | 5 | 10 | 6 | 14 | 78 | 305 | 581 | 1,018 | 1,292 | 696 | - |
| 1999..... | 3,766 | 1 | 4 | 14 | 3 | 12 | 82 | 280 | 558 | 998 | 1,165 | 649 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Malignant neoplasms of kidney and renal pelvis (C64-C65) | | | | | | | | | | | | | |
| BLACK, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 1,044 | 1 | 5 | 8 | 6 | 10 | 52 | 145 | 214 | 273 | 235 | 95 | - |
| 1999..... | 1,035 | - | 4 | 6 | 7 | 21 | 61 | 154 | 206 | 265 | 213 | 98 | - |
| BLACK, MALE | | | | | | | | | | | | | |
| 2000..... | 632 | - | 3 | 4 | 2 | 8 | 27 | 96 | 143 | 180 | 126 | 43 | - |
| 1999..... | 622 | - | 2 | 3 | 4 | 16 | 42 | 109 | 140 | 160 | 104 | 42 | - |
| BLACK, FEMALE | | | | | | | | | | | | | |
| 2000..... | 412 | 1 | 2 | 4 | 4 | 2 | 25 | 49 | 71 | 93 | 109 | 52 | - |
| 1999..... | 413 | - | 2 | 3 | 3 | 5 | 19 | 45 | 66 | 105 | 109 | 56 | - |
| AMERICAN INDIAN 1/, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 64 | 1 | - | 1 | 1 | 1 | 5 | 12 | 10 | 19 | 10 | 4 | - |
| 1999..... | 78 | - | 2 | - | - | - | 3 | 12 | 16 | 21 | 20 | 4 | - |
| AMERICAN INDIAN 1/, MALE | | | | | | | | | | | | | |
| 2000..... | 43 | 1 | - | 1 | 1 | 1 | 4 | 8 | 8 | 11 | 7 | 1 | - |
| 1999..... | 50 | - | - | - | - | - | 1 | 9 | 10 | 15 | 13 | 2 | - |
| AMERICAN INDIAN 1/, FEMALE | | | | | | | | | | | | | |
| 2000..... | 21 | - | - | - | - | - | 1 | 4 | 2 | 8 | 3 | 3 | - |
| 1999..... | 28 | - | 2 | - | - | - | 2 | 3 | 6 | 6 | 7 | 2 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|

Malignant neoplasms of kidney and renal pelvis (C64-C65)

ASIAN OR PACIFIC ISLANDER 2/, BOTH SEX

| | | | | | | | | | | | | | |
|-----------|-----|---|---|---|---|---|---|----|----|----|----|----|---|
| 2000..... | 148 | - | - | 1 | - | - | 7 | 16 | 37 | 41 | 36 | 10 | - |
| 1999..... | 125 | - | 1 | 2 | - | 1 | 7 | 19 | 21 | 33 | 25 | 16 | - |

ASIAN OR PACIFIC ISLANDER 2/, MALE

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|---|----|----|----|----|---|---|
| 2000..... | 99 | - | - | 1 | - | - | 5 | 15 | 26 | 24 | 23 | 5 | - |
| 1999..... | 83 | - | 1 | 2 | - | 1 | 4 | 16 | 14 | 24 | 13 | 8 | - |

ASIAN OR PACIFIC ISLANDER 2/, FEMALE

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|---|---|----|----|----|---|---|
| 2000..... | 49 | - | - | - | - | - | 2 | 1 | 11 | 17 | 13 | 5 | - |
| 1999..... | 42 | - | - | - | - | - | 3 | 3 | 7 | 9 | 12 | 8 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN
REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, SEX AND YEAR

| | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|-------------------------------------|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Malignant neoplasm of bladder (C67) | | | | | | | | | | | | | |
| ALL RACES, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 12,002 | - | - | 1 | 3 | 10 | 111 | 440 | 1,223 | 2,855 | 4,407 | 2,952 | - |
| 1999..... | 11,911 | - | - | 1 | 1 | 16 | 100 | 463 | 1,244 | 2,923 | 4,317 | 2,845 | 1 |
| ALL RACES, MALE | | | | | | | | | | | | | |
| 2000..... | 8,163 | - | - | - | 3 | 2 | 62 | 322 | 916 | 2,094 | 3,054 | 1,710 | - |
| 1999..... | 8,105 | - | - | 1 | - | 9 | 63 | 350 | 933 | 2,132 | 3,008 | 1,608 | 1 |
| ALL RACES, FEMALE | | | | | | | | | | | | | |
| 2000..... | 3,839 | - | - | 1 | - | 8 | 49 | 118 | 307 | 761 | 1,353 | 1,242 | - |
| 1999..... | 3,806 | - | - | - | 1 | 7 | 37 | 113 | 311 | 791 | 1,309 | 1,237 | - |
| WHITE, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 11,036 | - | - | 1 | 2 | 9 | 99 | 391 | 1,109 | 2,605 | 4,056 | 2,764 | - |
| 1999..... | 10,863 | - | - | 1 | - | 10 | 80 | 397 | 1,093 | 2,643 | 4,008 | 2,630 | 1 |
| WHITE, MALE | | | | | | | | | | | | | |
| 2000..... | 7,620 | - | - | - | 2 | 2 | 57 | 291 | 843 | 1,949 | 2,861 | 1,615 | - |
| 1999..... | 7,520 | - | - | 1 | - | 5 | 49 | 297 | 843 | 1,977 | 2,828 | 1,519 | 1 |
| WHITE, FEMALE | | | | | | | | | | | | | |
| 2000..... | 3,416 | - | - | 1 | - | 7 | 42 | 100 | 266 | 656 | 1,195 | 1,149 | - |
| 1999..... | 3,343 | - | - | - | - | 5 | 31 | 100 | 250 | 666 | 1,180 | 1,111 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Malignant neoplasm of bladder (C67) | | | | | | | | | | | | | |
| BLACK, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 852 | - | - | - | 1 | - | 10 | 44 | 100 | 220 | 318 | 159 | - |
| 1999..... | 918 | - | - | - | 1 | 4 | 18 | 62 | 133 | 247 | 264 | 189 | - |
| BLACK, MALE | | | | | | | | | | | | | |
| 2000..... | 466 | - | - | - | 1 | - | 4 | 27 | 63 | 120 | 174 | 77 | - |
| 1999..... | 496 | - | - | - | - | 2 | 13 | 49 | 78 | 130 | 150 | 74 | - |
| BLACK, FEMALE | | | | | | | | | | | | | |
| 2000..... | 386 | - | - | - | - | - | 6 | 17 | 37 | 100 | 144 | 82 | - |
| 1999..... | 422 | - | - | - | 1 | 2 | 5 | 13 | 55 | 117 | 114 | 115 | - |
| AMERICAN INDIAN 1/, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 16 | - | - | - | - | - | 1 | 1 | 2 | 3 | 7 | 2 | - |
| 1999..... | 21 | - | - | - | - | 1 | - | - | 5 | 10 | 2 | 3 | - |
| AMERICAN INDIAN 1/, MALE | | | | | | | | | | | | | |
| 2000..... | 11 | - | - | - | - | - | 1 | - | 2 | 3 | 3 | 2 | - |
| 1999..... | 16 | - | - | - | - | 1 | - | - | 3 | 9 | 1 | 2 | - |
| AMERICAN INDIAN 1/, FEMALE | | | | | | | | | | | | | |
| 2000..... | 5 | - | - | - | - | - | - | 1 | - | - | 4 | - | - |
| 1999..... | 5 | - | - | - | - | - | - | - | 2 | 1 | 1 | 1 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|

Malignant neoplasm of bladder (C67)

ASIAN OR PACIFIC ISLANDER 2/, BOTH SEX

| | | | | | | | | | | | | | |
|-----------|-----|---|---|---|---|---|---|---|----|----|----|----|---|
| 2000..... | 98 | - | - | - | - | 1 | 1 | 4 | 12 | 27 | 26 | 27 | - |
| 1999..... | 109 | - | - | - | - | 1 | 2 | 4 | 13 | 23 | 43 | 23 | - |

ASIAN OR PACIFIC ISLANDER 2/, MALE

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|---|---|---|----|----|----|---|
| 2000..... | 66 | - | - | - | - | - | - | 4 | 8 | 22 | 16 | 16 | - |
| 1999..... | 73 | - | - | - | - | 1 | 1 | 4 | 9 | 16 | 29 | 13 | - |

ASIAN OR PACIFIC ISLANDER 2/, FEMALE

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|---|---|---|---|----|----|---|
| 2000..... | 32 | - | - | - | - | 1 | 1 | - | 4 | 5 | 10 | 11 | - |
| 1999..... | 36 | - | - | - | - | - | 1 | - | 4 | 7 | 14 | 10 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72) | | | | | | | | | | | | | |
| ALL RACES, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 12,655 | 20 | 104 | 316 | 225 | 406 | 1,096 | 1,924 | 2,337 | 3,032 | 2,478 | 717 | - |
| 1999..... | 12,765 | 10 | 113 | 308 | 218 | 444 | 1,065 | 1,880 | 2,453 | 3,119 | 2,492 | 663 | - |
| ALL RACES, MALE | | | | | | | | | | | | | |
| 2000..... | 7,011 | 10 | 58 | 176 | 132 | 264 | 704 | 1,148 | 1,379 | 1,678 | 1,187 | 275 | - |
| 1999..... | 7,001 | 8 | 56 | 154 | 131 | 276 | 638 | 1,120 | 1,417 | 1,728 | 1,226 | 247 | - |
| ALL RACES, FEMALE | | | | | | | | | | | | | |
| 2000..... | 5,644 | 10 | 46 | 140 | 93 | 142 | 392 | 776 | 958 | 1,354 | 1,291 | 442 | - |
| 1999..... | 5,764 | 2 | 57 | 154 | 87 | 168 | 427 | 760 | 1,036 | 1,391 | 1,266 | 416 | - |
| WHITE, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 11,672 | 16 | 82 | 255 | 183 | 360 | 969 | 1,771 | 2,161 | 2,864 | 2,340 | 671 | - |
| 1999..... | 11,819 | 7 | 96 | 242 | 171 | 403 | 966 | 1,725 | 2,276 | 2,945 | 2,363 | 625 | - |
| WHITE, MALE | | | | | | | | | | | | | |
| 2000..... | 6,486 | 9 | 46 | 141 | 109 | 227 | 630 | 1,058 | 1,284 | 1,593 | 1,128 | 261 | - |
| 1999..... | 6,492 | 6 | 49 | 125 | 101 | 250 | 577 | 1,023 | 1,316 | 1,641 | 1,169 | 235 | - |
| WHITE, FEMALE | | | | | | | | | | | | | |
| 2000..... | 5,186 | 7 | 36 | 114 | 74 | 133 | 339 | 713 | 877 | 1,271 | 1,212 | 410 | - |
| 1999..... | 5,327 | 1 | 47 | 117 | 70 | 153 | 389 | 702 | 960 | 1,304 | 1,194 | 390 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72) | | | | | | | | | | | | | |
| BLACK, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 772 | 2 | 18 | 52 | 35 | 36 | 91 | 122 | 139 | 134 | 109 | 34 | - |
| 1999..... | 764 | 3 | 12 | 55 | 37 | 36 | 77 | 129 | 142 | 135 | 107 | 31 | - |
| BLACK, MALE | | | | | | | | | | | | | |
| 2000..... | 414 | 1 | 10 | 31 | 21 | 28 | 54 | 73 | 77 | 67 | 43 | 9 | - |
| 1999..... | 404 | 2 | 5 | 25 | 24 | 23 | 48 | 82 | 76 | 68 | 41 | 10 | - |
| BLACK, FEMALE | | | | | | | | | | | | | |
| 2000..... | 358 | 1 | 8 | 21 | 14 | 8 | 37 | 49 | 62 | 67 | 66 | 25 | - |
| 1999..... | 360 | 1 | 7 | 30 | 13 | 13 | 29 | 47 | 66 | 67 | 66 | 21 | - |
| AMERICAN INDIAN 1/, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 41 | - | 2 | 4 | 2 | 1 | 11 | 5 | 3 | 4 | 8 | 1 | - |
| 1999..... | 34 | - | 1 | 1 | 2 | - | 9 | 4 | 8 | 6 | 2 | 1 | - |
| AMERICAN INDIAN 1/, MALE | | | | | | | | | | | | | |
| 2000..... | 20 | - | 1 | 2 | 1 | - | 5 | 2 | 1 | 2 | 5 | 1 | - |
| 1999..... | 19 | - | - | - | 1 | - | 7 | 1 | 6 | 2 | 1 | 1 | - |
| AMERICAN INDIAN 1/, FEMALE | | | | | | | | | | | | | |
| 2000..... | 21 | - | 1 | 2 | 1 | 1 | 6 | 3 | 2 | 2 | 3 | - | - |
| 1999..... | 15 | - | 1 | 1 | 1 | - | 2 | 3 | 2 | 4 | 1 | - | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|

Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72)

ASIAN OR PACIFIC ISLANDER 2/, BOTH SEX

| | | | | | | | | | | | | | |
|-----------|-----|---|---|----|---|---|----|----|----|----|----|----|---|
| 2000..... | 170 | 2 | 2 | 5 | 5 | 9 | 25 | 26 | 34 | 30 | 21 | 11 | - |
| 1999..... | 148 | - | 4 | 10 | 8 | 5 | 13 | 22 | 27 | 33 | 20 | 6 | - |

ASIAN OR PACIFIC ISLANDER 2/, MALE

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|----|----|----|----|----|---|---|
| 2000..... | 91 | - | 1 | 2 | 1 | 9 | 15 | 15 | 17 | 16 | 11 | 4 | - |
| 1999..... | 86 | - | 2 | 4 | 5 | 3 | 6 | 14 | 19 | 17 | 15 | 1 | - |

ASIAN OR PACIFIC ISLANDER 2/, FEMALE

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|----|----|----|----|----|---|---|
| 2000..... | 79 | 2 | 1 | 3 | 4 | - | 10 | 11 | 17 | 14 | 10 | 7 | - |
| 1999..... | 62 | - | 2 | 6 | 3 | 2 | 7 | 8 | 8 | 16 | 5 | 5 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96) | | | | | | | | | | | | | |
| ALL RACES, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 56,518 | 39 | 146 | 372 | 718 | 918 | 1,853 | 4,025 | 7,284 | 14,041 | 18,448 | 8,674 | - |
| 1999..... | 56,318 | 30 | 137 | 351 | 720 | 960 | 1,913 | 3,950 | 7,554 | 14,332 | 18,089 | 8,282 | - |
| ALL RACES, MALE | | | | | | | | | | | | | |
| 2000..... | 29,888 | 21 | 76 | 223 | 455 | 539 | 1,075 | 2,399 | 4,205 | 8,038 | 9,399 | 3,458 | - |
| 1999..... | 29,721 | 12 | 75 | 206 | 437 | 557 | 1,144 | 2,368 | 4,426 | 8,067 | 9,100 | 3,329 | - |
| ALL RACES, FEMALE | | | | | | | | | | | | | |
| 2000..... | 26,630 | 18 | 70 | 149 | 263 | 379 | 778 | 1,626 | 3,079 | 6,003 | 9,049 | 5,216 | - |
| 1999..... | 26,597 | 18 | 62 | 145 | 283 | 403 | 769 | 1,582 | 3,128 | 6,265 | 8,989 | 4,953 | - |
| WHITE, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 50,394 | 36 | 121 | 306 | 549 | 707 | 1,485 | 3,297 | 6,255 | 12,558 | 17,073 | 8,007 | - |
| 1999..... | 50,189 | 24 | 118 | 271 | 564 | 751 | 1,539 | 3,281 | 6,440 | 12,826 | 16,687 | 7,688 | - |
| WHITE, MALE | | | | | | | | | | | | | |
| 2000..... | 26,766 | 19 | 64 | 180 | 351 | 420 | 890 | 1,977 | 3,639 | 7,249 | 8,760 | 3,217 | - |
| 1999..... | 26,558 | 12 | 63 | 160 | 349 | 431 | 926 | 1,984 | 3,817 | 7,287 | 8,444 | 3,085 | - |
| WHITE, FEMALE | | | | | | | | | | | | | |
| 2000..... | 23,628 | 17 | 57 | 126 | 198 | 287 | 595 | 1,320 | 2,616 | 5,309 | 8,313 | 4,790 | - |
| 1999..... | 23,631 | 12 | 55 | 111 | 215 | 320 | 613 | 1,297 | 2,623 | 5,539 | 8,243 | 4,603 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96) | | | | | | | | | | | | | |
| BLACK, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 5,071 | 1 | 20 | 43 | 132 | 160 | 306 | 623 | 875 | 1,241 | 1,109 | 561 | - |
| 1999..... | 5,088 | 4 | 15 | 63 | 134 | 160 | 314 | 561 | 927 | 1,253 | 1,149 | 508 | - |
| BLACK, MALE | | | | | | | | | | | | | |
| 2000..... | 2,558 | - | 9 | 26 | 80 | 91 | 153 | 351 | 485 | 656 | 512 | 195 | - |
| 1999..... | 2,590 | - | 9 | 39 | 74 | 98 | 182 | 324 | 503 | 649 | 524 | 188 | - |
| BLACK, FEMALE | | | | | | | | | | | | | |
| 2000..... | 2,513 | 1 | 11 | 17 | 52 | 69 | 153 | 272 | 390 | 585 | 597 | 366 | - |
| 1999..... | 2,498 | 4 | 6 | 24 | 60 | 62 | 132 | 237 | 424 | 604 | 625 | 320 | - |
| AMERICAN INDIAN 1/, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 199 | 1 | 1 | 2 | 5 | 9 | 9 | 20 | 34 | 46 | 48 | 24 | - |
| 1999..... | 161 | 1 | 1 | 2 | 3 | 7 | 9 | 15 | 23 | 50 | 37 | 13 | - |
| AMERICAN INDIAN 1/, MALE | | | | | | | | | | | | | |
| 2000..... | 101 | 1 | 1 | - | 3 | 6 | 4 | 14 | 17 | 26 | 21 | 8 | - |
| 1999..... | 92 | - | 1 | 2 | 1 | 4 | 4 | 10 | 12 | 29 | 21 | 8 | - |
| AMERICAN INDIAN 1/, FEMALE | | | | | | | | | | | | | |
| 2000..... | 98 | - | - | 2 | 2 | 3 | 5 | 6 | 17 | 20 | 27 | 16 | - |
| 1999..... | 69 | 1 | - | - | 2 | 3 | 5 | 5 | 11 | 21 | 16 | 5 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|

Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96)

ASIAN OR PACIFIC ISLANDER 2/, BOTH SEX

| | | | | | | | | | | | | | |
|-----------|-----|---|---|----|----|----|----|----|-----|-----|-----|----|---|
| 2000..... | 854 | 1 | 4 | 21 | 32 | 42 | 53 | 85 | 120 | 196 | 218 | 82 | - |
| 1999..... | 880 | 1 | 3 | 15 | 19 | 42 | 51 | 93 | 164 | 203 | 216 | 73 | - |

ASIAN OR PACIFIC ISLANDER 2/, MALE

| | | | | | | | | | | | | | |
|-----------|-----|---|---|----|----|----|----|----|----|-----|-----|----|---|
| 2000..... | 463 | 1 | 2 | 17 | 21 | 22 | 28 | 57 | 64 | 107 | 106 | 38 | - |
| 1999..... | 481 | - | 2 | 5 | 13 | 24 | 32 | 50 | 94 | 102 | 111 | 48 | - |

ASIAN OR PACIFIC ISLANDER 2/, FEMALE

| | | | | | | | | | | | | | |
|-----------|-----|---|---|----|----|----|----|----|----|-----|-----|----|---|
| 2000..... | 391 | - | 2 | 4 | 11 | 20 | 25 | 28 | 56 | 89 | 112 | 44 | - |
| 1999..... | 399 | 1 | 1 | 10 | 6 | 18 | 19 | 43 | 70 | 101 | 105 | 25 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Hodgkin's disease (C81) | | | | | | | | | | | | | |
| ALL RACES, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 1,287 | - | - | 8 | 73 | 145 | 151 | 161 | 158 | 232 | 255 | 104 | - |
| 1999..... | 1,403 | - | 1 | 9 | 94 | 148 | 165 | 165 | 178 | 283 | 262 | 98 | - |
| ALL RACES, MALE | | | | | | | | | | | | | |
| 2000..... | 686 | - | - | 4 | 35 | 79 | 82 | 99 | 87 | 134 | 121 | 45 | - |
| 1999..... | 785 | - | 1 | 3 | 55 | 86 | 103 | 98 | 115 | 160 | 119 | 45 | - |
| ALL RACES, FEMALE | | | | | | | | | | | | | |
| 2000..... | 601 | - | - | 4 | 38 | 66 | 69 | 62 | 71 | 98 | 134 | 59 | - |
| 1999..... | 618 | - | - | 6 | 39 | 62 | 62 | 67 | 63 | 123 | 143 | 53 | - |
| WHITE, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 1,156 | - | - | 5 | 57 | 130 | 127 | 141 | 138 | 211 | 248 | 99 | - |
| 1999..... | 1,263 | - | 1 | 7 | 75 | 122 | 146 | 146 | 163 | 260 | 254 | 89 | - |
| WHITE, MALE | | | | | | | | | | | | | |
| 2000..... | 616 | - | - | 2 | 30 | 70 | 70 | 87 | 74 | 122 | 118 | 43 | - |
| 1999..... | 708 | - | 1 | 3 | 45 | 72 | 92 | 83 | 107 | 148 | 116 | 41 | - |
| WHITE, FEMALE | | | | | | | | | | | | | |
| 2000..... | 540 | - | - | 3 | 27 | 60 | 57 | 54 | 64 | 89 | 130 | 56 | - |
| 1999..... | 555 | - | - | 4 | 30 | 50 | 54 | 63 | 56 | 112 | 138 | 48 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Hodgkin's disease (C81) | | | | | | | | | | | | | |
| BLACK, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 110 | - | - | 2 | 14 | 13 | 24 | 17 | 17 | 15 | 5 | 3 | - |
| 1999..... | 128 | - | - | 1 | 19 | 26 | 18 | 19 | 14 | 18 | 6 | 7 | - |
| BLACK, MALE | | | | | | | | | | | | | |
| 2000..... | 57 | - | - | 1 | 5 | 8 | 12 | 9 | 11 | 7 | 3 | 1 | - |
| 1999..... | 75 | - | - | - | 10 | 14 | 11 | 15 | 8 | 12 | 3 | 2 | - |
| BLACK, FEMALE | | | | | | | | | | | | | |
| 2000..... | 53 | - | - | 1 | 9 | 5 | 12 | 8 | 6 | 8 | 2 | 2 | - |
| 1999..... | 53 | - | - | 1 | 9 | 12 | 7 | 4 | 6 | 6 | 3 | 5 | - |
| AMERICAN INDIAN 1/, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 5 | - | - | - | - | - | - | - | 1 | 4 | - | - | - |
| 1999..... | 5 | - | - | - | - | - | 1 | - | - | 3 | - | 1 | - |
| AMERICAN INDIAN 1/, MALE | | | | | | | | | | | | | |
| 2000..... | 4 | - | - | - | - | - | - | - | - | 4 | - | - | - |
| 1999..... | 1 | - | - | - | - | - | - | - | - | - | - | 1 | - |
| AMERICAN INDIAN 1/, FEMALE | | | | | | | | | | | | | |
| 2000..... | 1 | - | - | - | - | - | - | - | 1 | - | - | - | - |
| 1999..... | 4 | - | - | - | - | - | 1 | - | - | 3 | - | - | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|---|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
|---|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|

Hodgkin's disease (C81)

ASIAN OR PACIFIC ISLANDER 2/, BOTH SEX

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|---|---|---|---|---|---|---|
| 2000..... | 16 | - | - | 1 | 2 | 2 | - | 3 | 2 | 2 | 2 | 2 | - |
| 1999..... | 7 | - | - | 1 | - | - | - | - | 1 | 2 | 2 | 1 | - |

ASIAN OR PACIFIC ISLANDER 2/, MALE

| | | | | | | | | | | | | | |
|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2000..... | 9 | - | - | 1 | - | 1 | - | 3 | 2 | 1 | - | 1 | - |
| 1999..... | 1 | - | - | - | - | - | - | - | - | - | - | 1 | - |

ASIAN OR PACIFIC ISLANDER 2/, FEMALE

| | | | | | | | | | | | | | |
|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2000..... | 7 | - | - | - | 2 | 1 | - | - | - | 1 | 2 | 1 | - |
| 1999..... | 6 | - | - | 1 | - | - | - | - | 1 | 2 | 2 | - | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Non-Hodgkin's lymphoma (C82-C85) | | | | | | | | | | | | | |
| ALL RACES, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 22,729 | 1 | 7 | 47 | 180 | 293 | 751 | 1,745 | 3,170 | 5,598 | 7,535 | 3,402 | - |
| 1999..... | 22,802 | 2 | 16 | 37 | 144 | 289 | 789 | 1,741 | 3,154 | 5,848 | 7,554 | 3,228 | - |
| ALL RACES, MALE | | | | | | | | | | | | | |
| 2000..... | 11,812 | - | 5 | 28 | 126 | 172 | 482 | 1,112 | 1,849 | 3,105 | 3,634 | 1,299 | - |
| 1999..... | 11,794 | - | 9 | 30 | 91 | 178 | 510 | 1,111 | 1,847 | 3,176 | 3,596 | 1,246 | - |
| ALL RACES, FEMALE | | | | | | | | | | | | | |
| 2000..... | 10,917 | 1 | 2 | 19 | 54 | 121 | 269 | 633 | 1,321 | 2,493 | 3,901 | 2,103 | - |
| 1999..... | 11,008 | 2 | 7 | 7 | 53 | 111 | 279 | 630 | 1,307 | 2,672 | 3,958 | 1,982 | - |
| WHITE, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 20,892 | - | 4 | 40 | 131 | 218 | 610 | 1,482 | 2,854 | 5,161 | 7,157 | 3,235 | - |
| 1999..... | 20,941 | - | 13 | 26 | 110 | 214 | 627 | 1,504 | 2,818 | 5,415 | 7,157 | 3,057 | - |
| WHITE, MALE | | | | | | | | | | | | | |
| 2000..... | 10,838 | - | 4 | 24 | 96 | 131 | 401 | 944 | 1,658 | 2,875 | 3,465 | 1,240 | - |
| 1999..... | 10,768 | - | 8 | 23 | 71 | 130 | 407 | 962 | 1,643 | 2,953 | 3,405 | 1,166 | - |
| WHITE, FEMALE | | | | | | | | | | | | | |
| 2000..... | 10,054 | - | - | 16 | 35 | 87 | 209 | 538 | 1,196 | 2,286 | 3,692 | 1,995 | - |
| 1999..... | 10,173 | - | 5 | 3 | 39 | 84 | 220 | 542 | 1,175 | 2,462 | 3,752 | 1,891 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Non-Hodgkin's lymphoma (C82-C85) | | | | | | | | | | | | | |
| BLACK, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 1,369 | 1 | 2 | 5 | 35 | 56 | 121 | 210 | 257 | 320 | 246 | 116 | - |
| 1999..... | 1,443 | 2 | 2 | 9 | 32 | 58 | 138 | 192 | 264 | 331 | 288 | 127 | - |
| BLACK, MALE | | | | | | | | | | | | | |
| 2000..... | 728 | - | - | 3 | 19 | 31 | 71 | 135 | 158 | 170 | 103 | 38 | - |
| 1999..... | 786 | - | 1 | 6 | 18 | 39 | 87 | 123 | 155 | 174 | 132 | 51 | - |
| BLACK, FEMALE | | | | | | | | | | | | | |
| 2000..... | 641 | 1 | 2 | 2 | 16 | 25 | 50 | 75 | 99 | 150 | 143 | 78 | - |
| 1999..... | 657 | 2 | 1 | 3 | 14 | 19 | 51 | 69 | 109 | 157 | 156 | 76 | - |
| AMERICAN INDIAN 1/, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 83 | - | - | - | 1 | 4 | 4 | 12 | 10 | 21 | 26 | 5 | - |
| 1999..... | 57 | - | - | 1 | - | 3 | 6 | 3 | 9 | 18 | 12 | 5 | - |
| AMERICAN INDIAN 1/, MALE | | | | | | | | | | | | | |
| 2000..... | 41 | - | - | - | 1 | 3 | 1 | 8 | 5 | 8 | 14 | 1 | - |
| 1999..... | 31 | - | - | 1 | - | 1 | 4 | 2 | 6 | 7 | 8 | 2 | - |
| AMERICAN INDIAN 1/, FEMALE | | | | | | | | | | | | | |
| 2000..... | 42 | - | - | - | - | 1 | 3 | 4 | 5 | 13 | 12 | 4 | - |
| 1999..... | 26 | - | - | - | - | 2 | 2 | 1 | 3 | 11 | 4 | 3 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|

Non-Hodgkin's lymphoma (C82-C85)

ASIAN OR PACIFIC ISLANDER 2/, BOTH SEX

| | | | | | | | | | | | | | |
|-----------|-----|---|---|---|----|----|----|----|----|----|-----|----|---|
| 2000..... | 385 | - | 1 | 2 | 13 | 15 | 16 | 41 | 49 | 96 | 106 | 46 | - |
| 1999..... | 361 | - | 1 | 1 | 2 | 14 | 18 | 42 | 63 | 84 | 97 | 39 | - |

ASIAN OR PACIFIC ISLANDER 2/, MALE

| | | | | | | | | | | | | | |
|-----------|-----|---|---|---|----|---|----|----|----|----|----|----|---|
| 2000..... | 205 | - | 1 | 1 | 10 | 7 | 9 | 25 | 28 | 52 | 52 | 20 | - |
| 1999..... | 209 | - | - | - | 2 | 8 | 12 | 24 | 43 | 42 | 51 | 27 | - |

ASIAN OR PACIFIC ISLANDER 2/, FEMALE

| | | | | | | | | | | | | | |
|-----------|-----|---|---|---|---|---|---|----|----|----|----|----|---|
| 2000..... | 180 | - | - | 1 | 3 | 8 | 7 | 16 | 21 | 44 | 54 | 26 | - |
| 1999..... | 152 | - | 1 | 1 | - | 6 | 6 | 18 | 20 | 42 | 46 | 12 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Leukemia (C91-C95) | | | | | | | | | | | | | |
| ALL RACES, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 21,339 | 38 | 137 | 315 | 464 | 473 | 801 | 1,411 | 2,414 | 5,010 | 6,733 | 3,543 | - |
| 1999..... | 21,014 | 27 | 119 | 305 | 482 | 500 | 799 | 1,370 | 2,516 | 5,012 | 6,460 | 3,424 | - |
| ALL RACES, MALE | | | | | | | | | | | | | |
| 2000..... | 11,777 | 21 | 69 | 190 | 293 | 283 | 423 | 791 | 1,452 | 3,090 | 3,695 | 1,470 | - |
| 1999..... | 11,519 | 11 | 65 | 173 | 291 | 276 | 435 | 777 | 1,489 | 3,054 | 3,525 | 1,423 | - |
| ALL RACES, FEMALE | | | | | | | | | | | | | |
| 2000..... | 9,562 | 17 | 68 | 125 | 171 | 190 | 378 | 620 | 962 | 1,920 | 3,038 | 2,073 | - |
| 1999..... | 9,495 | 16 | 54 | 132 | 191 | 224 | 364 | 593 | 1,027 | 1,958 | 2,935 | 2,001 | - |
| WHITE, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 19,191 | 36 | 115 | 259 | 361 | 355 | 648 | 1,169 | 2,088 | 4,560 | 6,298 | 3,302 | - |
| 1999..... | 18,899 | 23 | 103 | 238 | 379 | 401 | 660 | 1,143 | 2,196 | 4,531 | 6,007 | 3,218 | - |
| WHITE, MALE | | | | | | | | | | | | | |
| 2000..... | 10,617 | 19 | 58 | 153 | 225 | 216 | 353 | 658 | 1,267 | 2,827 | 3,471 | 1,370 | - |
| 1999..... | 10,395 | 11 | 54 | 134 | 233 | 219 | 362 | 646 | 1,314 | 2,784 | 3,299 | 1,339 | - |
| WHITE, FEMALE | | | | | | | | | | | | | |
| 2000..... | 8,574 | 17 | 57 | 106 | 136 | 139 | 295 | 511 | 821 | 1,733 | 2,827 | 1,932 | - |
| 1999..... | 8,504 | 12 | 49 | 104 | 146 | 182 | 298 | 497 | 882 | 1,747 | 2,708 | 1,879 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Leukemia (C91-C95) | | | | | | | | | | | | | |
| BLACK, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 1,742 | - | 18 | 36 | 82 | 88 | 117 | 204 | 261 | 375 | 350 | 211 | - |
| 1999..... | 1,708 | 2 | 13 | 53 | 83 | 68 | 107 | 175 | 252 | 407 | 373 | 175 | - |
| BLACK, MALE | | | | | | | | | | | | | |
| 2000..... | 929 | - | 9 | 22 | 55 | 50 | 53 | 107 | 151 | 216 | 181 | 85 | - |
| 1999..... | 892 | - | 8 | 33 | 46 | 38 | 54 | 103 | 142 | 224 | 178 | 66 | - |
| BLACK, FEMALE | | | | | | | | | | | | | |
| 2000..... | 813 | - | 9 | 14 | 27 | 38 | 64 | 97 | 110 | 159 | 169 | 126 | - |
| 1999..... | 816 | 2 | 5 | 20 | 37 | 30 | 53 | 72 | 110 | 183 | 195 | 109 | - |
| AMERICAN INDIAN 1/, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 72 | 1 | 1 | 2 | 4 | 5 | 4 | 4 | 15 | 16 | 10 | 10 | - |
| 1999..... | 56 | 1 | 1 | 1 | 3 | 4 | 1 | 9 | 8 | 13 | 10 | 5 | - |
| AMERICAN INDIAN 1/, MALE | | | | | | | | | | | | | |
| 2000..... | 38 | 1 | 1 | - | 2 | 3 | 2 | 3 | 7 | 11 | 4 | 4 | - |
| 1999..... | 38 | - | 1 | 1 | 1 | 3 | - | 7 | 4 | 11 | 7 | 3 | - |
| AMERICAN INDIAN 1/, FEMALE | | | | | | | | | | | | | |
| 2000..... | 34 | - | - | 2 | 2 | 2 | 2 | 1 | 8 | 5 | 6 | 6 | - |
| 1999..... | 18 | 1 | - | - | 2 | 1 | 1 | 2 | 4 | 2 | 3 | 2 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|

Leukemia (C91-C95)

ASIAN OR PACIFIC ISLANDER 2/, BOTH SEX

| | | | | | | | | | | | | | |
|-----------|-----|---|---|----|----|----|----|----|----|----|----|----|---|
| 2000..... | 334 | 1 | 3 | 18 | 17 | 25 | 32 | 34 | 50 | 59 | 75 | 20 | - |
| 1999..... | 351 | 1 | 2 | 13 | 17 | 27 | 31 | 43 | 60 | 61 | 70 | 26 | - |

ASIAN OR PACIFIC ISLANDER 2/, MALE

| | | | | | | | | | | | | | |
|-----------|-----|---|---|----|----|----|----|----|----|----|----|----|---|
| 2000..... | 193 | 1 | 1 | 15 | 11 | 14 | 15 | 23 | 27 | 36 | 39 | 11 | - |
| 1999..... | 194 | - | 2 | 5 | 11 | 16 | 19 | 21 | 29 | 35 | 41 | 15 | - |

ASIAN OR PACIFIC ISLANDER 2/, FEMALE

| | | | | | | | | | | | | | |
|-----------|-----|---|---|---|---|----|----|----|----|----|----|----|---|
| 2000..... | 141 | - | 2 | 3 | 6 | 11 | 17 | 11 | 23 | 23 | 36 | 9 | - |
| 1999..... | 157 | 1 | - | 8 | 6 | 11 | 12 | 22 | 31 | 26 | 29 | 11 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN
REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, SEX AND YEAR

| | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Multiple myeloma and immunoproliferative neoplasms (C88,C90) | | | | | | | | | | | | | |
| ALL RACES, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 11,063 | - | - | 1 | - | 7 | 146 | 700 | 1,530 | 3,179 | 3,896 | 1,604 | - |
| 1999..... | 11,016 | - | - | - | - | 22 | 156 | 665 | 1,694 | 3,172 | 3,788 | 1,519 | - |
| ALL RACES, MALE | | | | | | | | | | | | | |
| 2000..... | 5,553 | - | - | - | - | 5 | 85 | 391 | 808 | 1,697 | 1,932 | 635 | - |
| 1999..... | 5,584 | - | - | - | - | 16 | 95 | 378 | 968 | 1,669 | 1,846 | 612 | - |
| ALL RACES, FEMALE | | | | | | | | | | | | | |
| 2000..... | 5,510 | - | - | 1 | - | 2 | 61 | 309 | 722 | 1,482 | 1,964 | 969 | - |
| 1999..... | 5,432 | - | - | - | - | 6 | 61 | 287 | 726 | 1,503 | 1,942 | 907 | - |
| WHITE, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 9,066 | - | - | 1 | - | 4 | 97 | 499 | 1,164 | 2,605 | 3,344 | 1,352 | - |
| 1999..... | 9,010 | - | - | - | - | 13 | 103 | 481 | 1,252 | 2,603 | 3,246 | 1,312 | - |
| WHITE, MALE | | | | | | | | | | | | | |
| 2000..... | 4,644 | - | - | - | - | 3 | 64 | 284 | 632 | 1,414 | 1,690 | 557 | - |
| 1999..... | 4,651 | - | - | - | - | 9 | 64 | 290 | 747 | 1,394 | 1,611 | 536 | - |
| WHITE, FEMALE | | | | | | | | | | | | | |
| 2000..... | 4,422 | - | - | 1 | - | 1 | 33 | 215 | 532 | 1,191 | 1,654 | 795 | - |
| 1999..... | 4,359 | - | - | - | - | 4 | 39 | 191 | 505 | 1,209 | 1,635 | 776 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|---|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|---|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Multiple myeloma and immunoproliferative neoplasms (C88,C90)

BLACK, BOTH SEXES

| | | | | | | | | | | | | | |
|-----------|-------|---|---|---|---|---|----|-----|-----|-----|-----|-----|---|
| 2000..... | 1,841 | - | - | - | - | 3 | 44 | 190 | 339 | 531 | 505 | 229 | - |
| 1999..... | 1,803 | - | - | - | - | 8 | 50 | 173 | 396 | 497 | 481 | 198 | - |

BLACK, MALE

| | | | | | | | | | | | | | |
|-----------|-----|---|---|---|---|---|----|----|-----|-----|-----|----|---|
| 2000..... | 837 | - | - | - | - | 2 | 17 | 98 | 164 | 263 | 224 | 69 | - |
| 1999..... | 834 | - | - | - | - | 7 | 30 | 82 | 197 | 239 | 210 | 69 | - |

BLACK, FEMALE

| | | | | | | | | | | | | | |
|-----------|-------|---|---|---|---|---|----|----|-----|-----|-----|-----|---|
| 2000..... | 1,004 | - | - | - | - | 1 | 27 | 92 | 175 | 268 | 281 | 160 | - |
| 1999..... | 969 | - | - | - | - | 1 | 20 | 91 | 199 | 258 | 271 | 129 | - |

AMERICAN INDIAN 1/, BOTH SEXES

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|---|---|---|----|----|---|---|
| 2000..... | 38 | - | - | - | - | - | 1 | 4 | 8 | 4 | 12 | 9 | - |
| 1999..... | 43 | - | - | - | - | - | 1 | 3 | 6 | 16 | 15 | 2 | - |

AMERICAN INDIAN 1/, MALE

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|---|---|---|----|---|---|---|
| 2000..... | 17 | - | - | - | - | - | 1 | 3 | 5 | 2 | 3 | 3 | - |
| 1999..... | 22 | - | - | - | - | - | - | 1 | 2 | 11 | 6 | 2 | - |

AMERICAN INDIAN 1/, FEMALE

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|---|---|---|---|---|---|---|
| 2000..... | 21 | - | - | - | - | - | - | 1 | 3 | 2 | 9 | 6 | - |
| 1999..... | 21 | - | - | - | - | - | 1 | 2 | 4 | 5 | 9 | - | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION

| OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|---|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
|---|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|

Multiple myeloma and immunoproliferative neoplasms (C88,C90)

ASIAN OR PACIFIC ISLANDER 2/, BOTH SEX

| | | | | | | | | | | | | | |
|-----------|-----|---|---|---|---|---|---|---|----|----|----|----|---|
| 2000..... | 118 | - | - | - | - | - | 4 | 7 | 19 | 39 | 35 | 14 | - |
| 1999..... | 160 | - | - | - | - | 1 | 2 | 8 | 40 | 56 | 46 | 7 | - |

ASIAN OR PACIFIC ISLANDER 2/, MALE

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|---|---|----|----|----|---|---|
| 2000..... | 55 | - | - | - | - | - | 3 | 6 | 7 | 18 | 15 | 6 | - |
| 1999..... | 77 | - | - | - | - | - | 1 | 5 | 22 | 25 | 19 | 5 | - |

ASIAN OR PACIFIC ISLANDER 2/, FEMALE

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|---|---|----|----|----|---|---|
| 2000..... | 63 | - | - | - | - | - | 1 | 1 | 12 | 21 | 20 | 8 | - |
| 1999..... | 83 | - | - | - | - | 1 | 1 | 3 | 18 | 31 | 27 | 2 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|

Other and unspecified malignant neoplasms of lymphoid, hematopoietic and related tissue (C96)

ALL RACES, BOTH SEXES

| | | | | | | | | | | | | | |
|-----------|-----|---|---|---|---|---|---|---|----|----|----|----|---|
| 2000..... | 100 | - | 2 | 1 | 1 | - | 4 | 8 | 12 | 22 | 29 | 21 | - |
| 1999..... | 83 | 1 | 1 | - | - | 1 | 4 | 9 | 12 | 17 | 25 | 13 | - |

ALL RACES, MALE

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|---|---|---|----|----|---|---|
| 2000..... | 60 | - | 2 | 1 | 1 | - | 3 | 6 | 9 | 12 | 17 | 9 | - |
| 1999..... | 39 | 1 | - | - | - | 1 | 1 | 4 | 7 | 8 | 14 | 3 | - |

ALL RACES, FEMALE

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|---|---|---|----|----|----|---|
| 2000..... | 40 | - | - | - | - | - | 1 | 2 | 3 | 10 | 12 | 12 | - |
| 1999..... | 44 | - | 1 | - | - | - | 3 | 5 | 5 | 9 | 11 | 10 | - |

WHITE, BOTH SEXES

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|---|---|----|----|----|----|---|
| 2000..... | 89 | - | 2 | 1 | - | - | 3 | 6 | 11 | 21 | 26 | 19 | - |
| 1999..... | 76 | 1 | 1 | - | - | 1 | 3 | 7 | 11 | 17 | 23 | 12 | - |

WHITE, MALE

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|---|---|---|----|----|---|---|
| 2000..... | 51 | - | 2 | 1 | - | - | 2 | 4 | 8 | 11 | 16 | 7 | - |
| 1999..... | 36 | 1 | - | - | - | 1 | 1 | 3 | 6 | 8 | 13 | 3 | - |

WHITE, FEMALE

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|---|---|---|----|----|----|---|
| 2000..... | 38 | - | - | - | - | - | 1 | 2 | 3 | 10 | 10 | 12 | - |
| 1999..... | 40 | - | 1 | - | - | - | 2 | 4 | 5 | 9 | 10 | 9 | - |

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

| OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|---|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
|---|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|

BLACK, BOTH SEXES

BLACK, MALE

BLACK, FEMALE

AMERICAN INDIAN 1/, BOTH SEXES

AMERICAN INDIAN 1/, MALE

AMERICAN INDIAN 1/, FEMALE

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|---|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
|---|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|

Other and unspecified malignant neoplasms of lymphoid, hematopoietic and related tissue (C96)

ASIAN OR PACIFIC ISLANDER 2/, BOTH SEX

| | | | | | | | | | | | | | |
|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2000..... | 1 | - | - | - | - | - | 1 | - | - | - | - | - | - |
| 1999..... | 1 | - | - | - | - | - | - | - | - | - | 1 | - | - |

ASIAN OR PACIFIC ISLANDER 2/, MALE

| | | | | | | | | | | | | | |
|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2000..... | 1 | - | - | - | - | - | 1 | - | - | - | - | - | - |
| 1999..... | - | - | - | - | - | - | - | - | - | - | - | - | - |

ASIAN OR PACIFIC ISLANDER 2/, FEMALE

| | | | | | | | | | | | | | |
|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2000..... | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 1999..... | 1 | - | - | - | - | - | - | - | - | - | 1 | - | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN
REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, SEX AND YEAR

| | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|---|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| All other and unspecified malignant neoplasms (C17,C23-C24,C26-C31,C37-C41,C44-C49,C51-C52,C57-C60,C62-C63,C66,C68-C69,C73-C80,C97) | | | | | | | | | | | | | |
| ALL RACES, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 63,060 | 24 | 129 | 260 | 511 | 701 | 2,090 | 5,307 | 9,293 | 15,716 | 18,860 | 10,165 | 4 |
| 1999..... | 66,251 | 14 | 116 | 291 | 519 | 762 | 2,314 | 5,477 | 9,863 | 16,834 | 19,656 | 10,403 | 2 |
| ALL RACES, MALE | | | | | | | | | | | | | |
| 2000..... | 31,728 | 13 | 75 | 140 | 319 | 432 | 1,141 | 2,959 | 5,223 | 8,572 | 9,161 | 3,689 | 4 |
| 1999..... | 33,449 | 8 | 64 | 160 | 329 | 490 | 1,300 | 3,098 | 5,597 | 9,157 | 9,439 | 3,806 | 1 |
| ALL RACES, FEMALE | | | | | | | | | | | | | |
| 2000..... | 31,332 | 11 | 54 | 120 | 192 | 269 | 949 | 2,348 | 4,070 | 7,144 | 9,699 | 6,476 | - |
| 1999..... | 32,802 | 6 | 52 | 131 | 190 | 272 | 1,014 | 2,379 | 4,266 | 7,677 | 10,217 | 6,597 | 1 |
| WHITE, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 55,066 | 19 | 97 | 212 | 410 | 581 | 1,596 | 4,206 | 7,794 | 13,730 | 17,066 | 9,352 | 3 |
| 1999..... | 57,818 | 12 | 98 | 223 | 408 | 615 | 1,804 | 4,400 | 8,205 | 14,764 | 17,782 | 9,505 | 2 |
| WHITE, MALE | | | | | | | | | | | | | |
| 2000..... | 27,697 | 11 | 62 | 114 | 254 | 371 | 875 | 2,365 | 4,351 | 7,572 | 8,316 | 3,403 | 3 |
| 1999..... | 29,229 | 7 | 55 | 127 | 252 | 401 | 1,034 | 2,471 | 4,687 | 8,078 | 8,623 | 3,493 | 1 |
| WHITE, FEMALE | | | | | | | | | | | | | |
| 2000..... | 27,369 | 8 | 35 | 98 | 156 | 210 | 721 | 1,841 | 3,443 | 6,158 | 8,750 | 5,949 | - |
| 1999..... | 28,589 | 5 | 43 | 96 | 156 | 214 | 770 | 1,929 | 3,518 | 6,686 | 9,159 | 6,012 | 1 |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN
REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, SEX AND YEAR

| | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|---|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| All other and unspecified malignant neoplasms (C17,C23-C24,C26-C31,C37-C41,C44-C49,C51-C52,C57-C60,C62-C63,C66,C68-C69,C73-C80,C97) | | | | | | | | | | | | | |
| BLACK, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 6,696 | 4 | 25 | 41 | 85 | 88 | 434 | 935 | 1,267 | 1,657 | 1,485 | 674 | 1 |
| 1999..... | 7,067 | 1 | 14 | 50 | 84 | 108 | 426 | 931 | 1,422 | 1,721 | 1,549 | 761 | - |
| BLACK, MALE | | | | | | | | | | | | | |
| 2000..... | 3,378 | 1 | 11 | 24 | 56 | 46 | 231 | 513 | 742 | 838 | 695 | 220 | 1 |
| 1999..... | 3,547 | - | 8 | 22 | 57 | 61 | 222 | 542 | 808 | 906 | 671 | 250 | - |
| BLACK, FEMALE | | | | | | | | | | | | | |
| 2000..... | 3,318 | 3 | 14 | 17 | 29 | 42 | 203 | 422 | 525 | 819 | 790 | 454 | - |
| 1999..... | 3,520 | 1 | 6 | 28 | 27 | 47 | 204 | 389 | 614 | 815 | 878 | 511 | - |
| AMERICAN INDIAN 1/, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 250 | - | - | - | 4 | 5 | 8 | 30 | 47 | 73 | 55 | 28 | - |
| 1999..... | 300 | - | - | 3 | 4 | 8 | 20 | 39 | 63 | 72 | 70 | 21 | - |
| AMERICAN INDIAN 1/, MALE | | | | | | | | | | | | | |
| 2000..... | 118 | - | - | - | 2 | 3 | 4 | 18 | 25 | 35 | 22 | 9 | - |
| 1999..... | 140 | - | - | 3 | 2 | 5 | 10 | 23 | 25 | 35 | 29 | 8 | - |
| AMERICAN INDIAN 1/, FEMALE | | | | | | | | | | | | | |
| 2000..... | 132 | - | - | - | 2 | 2 | 4 | 12 | 22 | 38 | 33 | 19 | - |
| 1999..... | 160 | - | - | - | 2 | 3 | 10 | 16 | 38 | 37 | 41 | 13 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN
REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, SEX AND YEAR

| | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|---|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| All other and unspecified malignant neoplasms (C17,C23-C24,C26-C31,C37-C41,C44-C49,C51-C52,C57-C60,C62-C63,C66,C68-C69,C73-C80,C97) | | | | | | | | | | | | | |

ASIAN OR PACIFIC ISLANDER 2/, BOTH SEX

| | | | | | | | | | | | | | |
|-----------|-------|---|---|----|----|----|----|-----|-----|-----|-----|-----|---|
| 2000..... | 1,048 | 1 | 7 | 7 | 12 | 27 | 52 | 136 | 185 | 256 | 254 | 111 | - |
| 1999..... | 1,066 | 1 | 4 | 15 | 23 | 31 | 64 | 107 | 173 | 277 | 255 | 116 | - |

ASIAN OR PACIFIC ISLANDER 2/, MALE

| | | | | | | | | | | | | | |
|-----------|-----|---|---|---|----|----|----|----|-----|-----|-----|----|---|
| 2000..... | 535 | 1 | 2 | 2 | 7 | 12 | 31 | 63 | 105 | 127 | 128 | 57 | - |
| 1999..... | 533 | 1 | 1 | 8 | 18 | 23 | 34 | 62 | 77 | 138 | 116 | 55 | - |

ASIAN OR PACIFIC ISLANDER 2/, FEMALE

| | | | | | | | | | | | | | |
|-----------|-----|---|---|---|---|----|----|----|----|-----|-----|----|---|
| 2000..... | 513 | - | 5 | 5 | 5 | 15 | 21 | 73 | 80 | 129 | 126 | 54 | - |
| 1999..... | 533 | - | 3 | 7 | 5 | 8 | 30 | 45 | 96 | 139 | 139 | 61 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|

In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)

ALL RACES, BOTH SEXES

| | | | | | | | | | | | | | |
|-----------|--------|----|----|-----|----|-----|-----|-----|-------|-------|-------|-------|---|
| 2000..... | 13,546 | 60 | 53 | 99 | 95 | 165 | 368 | 690 | 1,224 | 2,546 | 4,645 | 3,600 | 1 |
| 1999..... | 13,227 | 58 | 63 | 101 | 98 | 171 | 342 | 662 | 1,133 | 2,684 | 4,472 | 3,443 | - |

ALL RACES, MALE

| | | | | | | | | | | | | | |
|-----------|-------|----|----|----|----|----|-----|-----|-----|-------|-------|-------|---|
| 2000..... | 6,559 | 32 | 33 | 49 | 62 | 82 | 188 | 385 | 657 | 1,415 | 2,319 | 1,336 | 1 |
| 1999..... | 6,520 | 30 | 33 | 49 | 54 | 96 | 197 | 362 | 656 | 1,522 | 2,218 | 1,303 | - |

ALL RACES, FEMALE

| | | | | | | | | | | | | | |
|-----------|-------|----|----|----|----|----|-----|-----|-----|-------|-------|-------|---|
| 2000..... | 6,987 | 28 | 20 | 50 | 33 | 83 | 180 | 305 | 567 | 1,131 | 2,326 | 2,264 | - |
| 1999..... | 6,707 | 28 | 30 | 52 | 44 | 75 | 145 | 300 | 477 | 1,162 | 2,254 | 2,140 | - |

WHITE, BOTH SEXES

| | | | | | | | | | | | | | |
|-----------|--------|----|----|----|----|-----|-----|-----|-------|-------|-------|-------|---|
| 2000..... | 12,171 | 48 | 44 | 76 | 73 | 129 | 292 | 558 | 1,058 | 2,239 | 4,302 | 3,352 | - |
| 1999..... | 11,849 | 41 | 48 | 84 | 70 | 124 | 269 | 534 | 961 | 2,385 | 4,120 | 3,213 | - |

WHITE, MALE

| | | | | | | | | | | | | | |
|-----------|-------|----|----|----|----|----|-----|-----|-----|-------|-------|-------|---|
| 2000..... | 5,900 | 25 | 25 | 39 | 48 | 70 | 147 | 319 | 564 | 1,247 | 2,168 | 1,248 | - |
| 1999..... | 5,891 | 21 | 22 | 40 | 38 | 67 | 164 | 302 | 569 | 1,372 | 2,062 | 1,234 | - |

WHITE, FEMALE

| | | | | | | | | | | | | | |
|-----------|-------|----|----|----|----|----|-----|-----|-----|-------|-------|-------|---|
| 2000..... | 6,271 | 23 | 19 | 37 | 25 | 59 | 145 | 239 | 494 | 992 | 2,134 | 2,104 | - |
| 1999..... | 5,958 | 20 | 26 | 44 | 32 | 57 | 105 | 232 | 392 | 1,013 | 2,058 | 1,979 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|

In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)

BLACK, BOTH SEXES

| | | | | | | | | | | | | | |
|-----------|-------|----|----|----|----|----|----|-----|-----|-----|-----|-----|---|
| 2000..... | 1,136 | 9 | 9 | 19 | 16 | 33 | 63 | 114 | 135 | 248 | 284 | 205 | 1 |
| 1999..... | 1,173 | 15 | 13 | 17 | 26 | 30 | 66 | 106 | 149 | 258 | 299 | 194 | - |

BLACK, MALE

| | | | | | | | | | | | | | |
|-----------|-----|---|----|---|----|----|----|----|----|-----|-----|----|---|
| 2000..... | 520 | 4 | 8 | 8 | 9 | 11 | 32 | 55 | 76 | 131 | 119 | 66 | 1 |
| 1999..... | 521 | 8 | 10 | 9 | 15 | 20 | 30 | 46 | 75 | 129 | 125 | 54 | - |

BLACK, FEMALE

| | | | | | | | | | | | | | |
|-----------|-----|---|---|----|----|----|----|----|----|-----|-----|-----|---|
| 2000..... | 616 | 5 | 1 | 11 | 7 | 22 | 31 | 59 | 59 | 117 | 165 | 139 | - |
| 1999..... | 652 | 7 | 3 | 8 | 11 | 10 | 36 | 60 | 74 | 129 | 174 | 140 | - |

AMERICAN INDIAN 1/, BOTH SEXES

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|---|---|---|----|---|---|---|
| 2000..... | 45 | - | - | 1 | 4 | 2 | 4 | 2 | 6 | 10 | 7 | 9 | - |
| 1999..... | 42 | - | - | - | 1 | 1 | - | 3 | 7 | 13 | 9 | 8 | - |

AMERICAN INDIAN 1/, MALE

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|---|---|---|---|---|---|---|
| 2000..... | 20 | - | - | 1 | 3 | 1 | 1 | - | 3 | 6 | 3 | 2 | - |
| 1999..... | 22 | - | - | - | 1 | 1 | - | 2 | 4 | 5 | 6 | 3 | - |

AMERICAN INDIAN 1/, FEMALE

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|---|---|---|---|---|---|---|
| 2000..... | 25 | - | - | - | 1 | 1 | 3 | 2 | 3 | 4 | 4 | 7 | - |
| 1999..... | 20 | - | - | - | - | - | - | 1 | 3 | 8 | 3 | 5 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|

In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)

ASIAN OR PACIFIC ISLANDER 2/, BOTH SEX

| | | | | | | | | | | | | | |
|-----------|-----|---|---|---|---|----|---|----|----|----|----|----|---|
| 2000..... | 194 | 3 | - | 3 | 2 | 1 | 9 | 16 | 25 | 49 | 52 | 34 | - |
| 1999..... | 163 | 2 | 2 | - | 1 | 16 | 7 | 19 | 16 | 28 | 44 | 28 | - |

ASIAN OR PACIFIC ISLANDER 2/, MALE

| | | | | | | | | | | | | | |
|-----------|-----|---|---|---|---|---|---|----|----|----|----|----|---|
| 2000..... | 119 | 3 | - | 1 | 2 | - | 8 | 11 | 14 | 31 | 29 | 20 | - |
| 1999..... | 86 | 1 | 1 | - | - | 8 | 3 | 12 | 8 | 16 | 25 | 12 | - |

ASIAN OR PACIFIC ISLANDER 2/, FEMALE

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|---|---|----|----|----|----|---|
| 2000..... | 75 | - | - | 2 | - | 1 | 1 | 5 | 11 | 18 | 23 | 14 | - |
| 1999..... | 77 | 1 | 1 | - | 1 | 8 | 4 | 7 | 8 | 12 | 19 | 16 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Anemias (D50-D64) | | | | | | | | | | | | | |
| ALL RACES, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 4,494 | 10 | 35 | 52 | 85 | 153 | 190 | 227 | 260 | 515 | 1,171 | 1,796 | - |
| 1999..... | 4,503 | 12 | 30 | 53 | 121 | 160 | 194 | 232 | 231 | 486 | 1,164 | 1,820 | - |
| ALL RACES, MALE | | | | | | | | | | | | | |
| 2000..... | 1,669 | 6 | 16 | 29 | 39 | 70 | 78 | 108 | 130 | 236 | 465 | 492 | - |
| 1999..... | 1,746 | 8 | 17 | 23 | 67 | 81 | 101 | 116 | 105 | 226 | 484 | 518 | - |
| ALL RACES, FEMALE | | | | | | | | | | | | | |
| 2000..... | 2,825 | 4 | 19 | 23 | 46 | 83 | 112 | 119 | 130 | 279 | 706 | 1,304 | - |
| 1999..... | 2,757 | 4 | 13 | 30 | 54 | 79 | 93 | 116 | 126 | 260 | 680 | 1,302 | - |
| WHITE, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 3,450 | 4 | 15 | 21 | 21 | 29 | 43 | 94 | 169 | 410 | 1,031 | 1,613 | - |
| 1999..... | 3,393 | 6 | 9 | 20 | 34 | 17 | 48 | 96 | 122 | 389 | 1,032 | 1,620 | - |
| WHITE, MALE | | | | | | | | | | | | | |
| 2000..... | 1,235 | 2 | 8 | 12 | 8 | 15 | 21 | 43 | 87 | 199 | 407 | 433 | - |
| 1999..... | 1,244 | 4 | 6 | 7 | 14 | 6 | 24 | 51 | 48 | 182 | 434 | 468 | - |
| WHITE, FEMALE | | | | | | | | | | | | | |
| 2000..... | 2,215 | 2 | 7 | 9 | 13 | 14 | 22 | 51 | 82 | 211 | 624 | 1,180 | - |
| 1999..... | 2,149 | 2 | 3 | 13 | 20 | 11 | 24 | 45 | 74 | 207 | 598 | 1,152 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Anemias (D50-D64) | | | | | | | | | | | | | |
| BLACK, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 967 | 5 | 19 | 31 | 62 | 124 | 141 | 128 | 83 | 89 | 122 | 163 | - |
| 1999..... | 1,019 | 3 | 21 | 33 | 84 | 140 | 142 | 126 | 101 | 82 | 121 | 166 | - |
| BLACK, MALE | | | | | | | | | | | | | |
| 2000..... | 395 | 4 | 8 | 17 | 30 | 55 | 55 | 64 | 37 | 31 | 46 | 48 | - |
| 1999..... | 457 | 2 | 11 | 16 | 50 | 73 | 73 | 61 | 54 | 37 | 42 | 38 | - |
| BLACK, FEMALE | | | | | | | | | | | | | |
| 2000..... | 572 | 1 | 11 | 14 | 32 | 69 | 86 | 64 | 46 | 58 | 76 | 115 | - |
| 1999..... | 562 | 1 | 10 | 17 | 34 | 67 | 69 | 65 | 47 | 45 | 79 | 128 | - |
| AMERICAN INDIAN 1/, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 20 | - | - | - | - | - | 2 | 1 | 1 | 4 | 8 | 4 | - |
| 1999..... | 21 | - | - | - | 2 | 1 | 2 | 4 | 4 | 3 | - | 5 | - |
| AMERICAN INDIAN 1/, MALE | | | | | | | | | | | | | |
| 2000..... | 9 | - | - | - | - | - | 1 | - | 1 | 1 | 6 | - | - |
| 1999..... | 9 | - | - | - | 2 | - | 2 | 1 | 2 | - | - | 2 | - |
| AMERICAN INDIAN 1/, FEMALE | | | | | | | | | | | | | |
| 2000..... | 11 | - | - | - | - | - | 1 | 1 | - | 3 | 2 | 4 | - |
| 1999..... | 12 | - | - | - | - | 1 | - | 3 | 2 | 3 | - | 3 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|

Anemias (D50-D64)

ASIAN OR PACIFIC ISLANDER 2/, BOTH SEX

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|---|---|---|----|----|----|---|
| 2000..... | 57 | 1 | 1 | - | 2 | - | 4 | 4 | 7 | 12 | 10 | 16 | - |
| 1999..... | 70 | 3 | - | - | 1 | 2 | 2 | 6 | 4 | 12 | 11 | 29 | - |

ASIAN OR PACIFIC ISLANDER 2/, MALE

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|---|---|---|---|---|----|---|
| 2000..... | 30 | - | - | - | 1 | - | 1 | 1 | 5 | 5 | 6 | 11 | - |
| 1999..... | 36 | 2 | - | - | 1 | 2 | 2 | 3 | 1 | 7 | 8 | 10 | - |

ASIAN OR PACIFIC ISLANDER 2/, FEMALE

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|---|---|---|---|---|----|---|
| 2000..... | 27 | 1 | 1 | - | 1 | - | 3 | 3 | 2 | 7 | 4 | 5 | - |
| 1999..... | 34 | 1 | - | - | - | - | - | 3 | 3 | 5 | 3 | 19 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Diabetes mellitus (E10-E14) | | | | | | | | | | | | | |
| ALL RACES, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 69,301 | 4 | 6 | 26 | 162 | 623 | 1,926 | 4,954 | 9,186 | 16,674 | 22,184 | 13,556 | - |
| 1999..... | 68,399 | 2 | 8 | 32 | 155 | 582 | 1,942 | 4,735 | 9,097 | 16,908 | 21,757 | 13,178 | 3 |
| ALL RACES, MALE | | | | | | | | | | | | | |
| 2000..... | 31,602 | 4 | 2 | 13 | 94 | 376 | 1,151 | 2,821 | 4,943 | 8,226 | 9,738 | 4,234 | - |
| 1999..... | 31,150 | - | 4 | 16 | 80 | 319 | 1,139 | 2,791 | 4,856 | 8,279 | 9,539 | 4,125 | 2 |
| ALL RACES, FEMALE | | | | | | | | | | | | | |
| 2000..... | 37,699 | - | 4 | 13 | 68 | 247 | 775 | 2,133 | 4,243 | 8,448 | 12,446 | 9,322 | - |
| 1999..... | 37,249 | 2 | 4 | 16 | 75 | 263 | 803 | 1,944 | 4,241 | 8,629 | 12,218 | 9,053 | 1 |
| WHITE, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 55,561 | 3 | 6 | 17 | 105 | 420 | 1,419 | 3,514 | 6,879 | 13,075 | 18,478 | 11,645 | - |
| 1999..... | 54,599 | 2 | 6 | 22 | 107 | 409 | 1,384 | 3,355 | 6,609 | 13,230 | 18,217 | 11,257 | 1 |
| WHITE, MALE | | | | | | | | | | | | | |
| 2000..... | 26,009 | 3 | 2 | 9 | 64 | 267 | 866 | 2,077 | 3,823 | 6,739 | 8,419 | 3,740 | - |
| 1999..... | 25,545 | - | 3 | 10 | 59 | 226 | 829 | 2,055 | 3,684 | 6,787 | 8,293 | 3,598 | 1 |
| WHITE, FEMALE | | | | | | | | | | | | | |
| 2000..... | 29,552 | - | 4 | 8 | 41 | 153 | 553 | 1,437 | 3,056 | 6,336 | 10,059 | 7,905 | - |
| 1999..... | 29,054 | 2 | 3 | 12 | 48 | 183 | 555 | 1,300 | 2,925 | 6,443 | 9,924 | 7,659 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Diabetes mellitus (E10-E14) | | | | | | | | | | | | | |
| BLACK, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 12,021 | 1 | - | 9 | 55 | 189 | 462 | 1,279 | 2,015 | 3,118 | 3,215 | 1,678 | - |
| 1999..... | 11,927 | - | 2 | 10 | 44 | 162 | 507 | 1,231 | 2,151 | 3,137 | 3,022 | 1,659 | 2 |
| BLACK, MALE | | | | | | | | | | | | | |
| 2000..... | 4,771 | 1 | - | 4 | 28 | 99 | 254 | 654 | 962 | 1,264 | 1,113 | 392 | - |
| 1999..... | 4,759 | - | 1 | 6 | 19 | 86 | 277 | 650 | 995 | 1,268 | 1,024 | 432 | 1 |
| BLACK, FEMALE | | | | | | | | | | | | | |
| 2000..... | 7,250 | - | - | 5 | 27 | 90 | 208 | 625 | 1,053 | 1,854 | 2,102 | 1,286 | - |
| 1999..... | 7,168 | - | 1 | 4 | 25 | 76 | 230 | 581 | 1,156 | 1,869 | 1,998 | 1,227 | 1 |
| AMERICAN INDIAN 1/, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 616 | - | - | - | 2 | 7 | 23 | 78 | 134 | 186 | 133 | 53 | - |
| 1999..... | 725 | - | - | - | 2 | 8 | 29 | 84 | 165 | 219 | 146 | 72 | - |
| AMERICAN INDIAN 1/, MALE | | | | | | | | | | | | | |
| 2000..... | 275 | - | - | - | 2 | 6 | 16 | 41 | 68 | 70 | 50 | 22 | - |
| 1999..... | 323 | - | - | - | 2 | 5 | 20 | 53 | 78 | 82 | 62 | 21 | - |
| AMERICAN INDIAN 1/, FEMALE | | | | | | | | | | | | | |
| 2000..... | 341 | - | - | - | - | 1 | 7 | 37 | 66 | 116 | 83 | 31 | - |
| 1999..... | 402 | - | - | - | - | 3 | 9 | 31 | 87 | 137 | 84 | 51 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Diabetes mellitus (E10-E14) | | | | | | | | | | | | | |

ASIAN OR PACIFIC ISLANDER 2/, BOTH SEX

| | | | | | | | | | | | | | |
|-----------|-------|---|---|---|---|---|----|----|-----|-----|-----|-----|---|
| 2000..... | 1,103 | - | - | - | - | 7 | 22 | 83 | 158 | 295 | 358 | 180 | - |
| 1999..... | 1,148 | - | - | - | 2 | 3 | 22 | 65 | 172 | 322 | 372 | 190 | - |

ASIAN OR PACIFIC ISLANDER 2/, MALE

| | | | | | | | | | | | | | |
|-----------|-----|---|---|---|---|---|----|----|----|-----|-----|----|---|
| 2000..... | 547 | - | - | - | - | 4 | 15 | 49 | 90 | 153 | 156 | 80 | - |
| 1999..... | 523 | - | - | - | - | 2 | 13 | 33 | 99 | 142 | 160 | 74 | - |

ASIAN OR PACIFIC ISLANDER 2/, FEMALE

| | | | | | | | | | | | | | |
|-----------|-----|---|---|---|---|---|---|----|----|-----|-----|-----|---|
| 2000..... | 556 | - | - | - | - | 3 | 7 | 34 | 68 | 142 | 202 | 100 | - |
| 1999..... | 625 | - | - | - | 2 | 1 | 9 | 32 | 73 | 180 | 212 | 116 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Nutritional deficiencies (E40-E64) | | | | | | | | | | | | | |
| ALL RACES, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 4,242 | 14 | 2 | 5 | 10 | 18 | 56 | 99 | 173 | 460 | 1,285 | 2,120 | - |
| 1999..... | 4,289 | 9 | 2 | 1 | 8 | 12 | 64 | 106 | 170 | 429 | 1,248 | 2,240 | - |
| ALL RACES, MALE | | | | | | | | | | | | | |
| 2000..... | 1,412 | 10 | 2 | 2 | 2 | 9 | 16 | 46 | 97 | 221 | 471 | 536 | - |
| 1999..... | 1,486 | 4 | 2 | 1 | 5 | 4 | 28 | 52 | 98 | 221 | 494 | 577 | - |
| ALL RACES, FEMALE | | | | | | | | | | | | | |
| 2000..... | 2,830 | 4 | - | 3 | 8 | 9 | 40 | 53 | 76 | 239 | 814 | 1,584 | - |
| 1999..... | 2,803 | 5 | - | - | 3 | 8 | 36 | 54 | 72 | 208 | 754 | 1,663 | - |
| WHITE, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 3,627 | 8 | 1 | 2 | 8 | 9 | 40 | 73 | 130 | 370 | 1,112 | 1,874 | - |
| 1999..... | 3,628 | 5 | 1 | - | 5 | 9 | 49 | 76 | 118 | 325 | 1,050 | 1,990 | - |
| WHITE, MALE | | | | | | | | | | | | | |
| 2000..... | 1,175 | 6 | 1 | 2 | 2 | 4 | 11 | 33 | 65 | 172 | 404 | 475 | - |
| 1999..... | 1,199 | 2 | 1 | - | 3 | 3 | 20 | 39 | 64 | 158 | 407 | 502 | - |
| WHITE, FEMALE | | | | | | | | | | | | | |
| 2000..... | 2,452 | 2 | - | - | 6 | 5 | 29 | 40 | 65 | 198 | 708 | 1,399 | - |
| 1999..... | 2,429 | 3 | - | - | 2 | 6 | 29 | 37 | 54 | 167 | 643 | 1,488 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Nutritional deficiencies (E40-E64) | | | | | | | | | | | | | |
| BLACK, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 540 | 5 | 1 | 3 | 2 | 8 | 16 | 24 | 41 | 78 | 148 | 214 | - |
| 1999..... | 589 | 4 | 1 | 1 | 3 | 3 | 15 | 27 | 47 | 90 | 176 | 222 | - |
| BLACK, MALE | | | | | | | | | | | | | |
| 2000..... | 215 | 3 | 1 | - | - | 5 | 5 | 13 | 30 | 44 | 59 | 55 | - |
| 1999..... | 250 | 2 | 1 | 1 | 2 | 1 | 8 | 12 | 30 | 55 | 74 | 64 | - |
| BLACK, FEMALE | | | | | | | | | | | | | |
| 2000..... | 325 | 2 | - | 3 | 2 | 3 | 11 | 11 | 11 | 34 | 89 | 159 | - |
| 1999..... | 339 | 2 | - | - | 1 | 2 | 7 | 15 | 17 | 35 | 102 | 158 | - |
| AMERICAN INDIAN 1/, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 31 | 1 | - | - | - | - | - | 1 | - | 6 | 8 | 15 | - |
| 1999..... | 28 | - | - | - | - | - | - | 3 | 4 | 6 | 7 | 8 | - |
| AMERICAN INDIAN 1/, MALE | | | | | | | | | | | | | |
| 2000..... | 8 | 1 | - | - | - | - | - | - | - | 2 | 3 | 2 | - |
| 1999..... | 12 | - | - | - | - | - | - | 1 | 3 | 2 | 5 | 1 | - |
| AMERICAN INDIAN 1/, FEMALE | | | | | | | | | | | | | |
| 2000..... | 23 | - | - | - | - | - | - | 1 | - | 4 | 5 | 13 | - |
| 1999..... | 16 | - | - | - | - | - | - | 2 | 1 | 4 | 2 | 7 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|

Nutritional deficiencies (E40-E64)

ASIAN OR PACIFIC ISLANDER 2/, BOTH SEX

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|---|---|---|---|----|----|---|
| 2000..... | 44 | - | - | - | - | 1 | - | 1 | 2 | 6 | 17 | 17 | - |
| 1999..... | 44 | - | - | - | - | - | - | - | 1 | 8 | 15 | 20 | - |

ASIAN OR PACIFIC ISLANDER 2/, MALE

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|---|---|---|---|---|----|---|
| 2000..... | 14 | - | - | - | - | - | - | - | 2 | 3 | 5 | 4 | - |
| 1999..... | 25 | - | - | - | - | - | - | - | 1 | 6 | 8 | 10 | - |

ASIAN OR PACIFIC ISLANDER 2/, FEMALE

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|---|---|---|---|----|----|---|
| 2000..... | 30 | - | - | - | - | 1 | - | 1 | - | 3 | 12 | 13 | - |
| 1999..... | 19 | - | - | - | - | - | - | - | - | 2 | 7 | 10 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Malnutrition (E40-E46) | | | | | | | | | | | | | |
| ALL RACES, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 3,926 | 11 | 1 | 3 | 8 | 16 | 53 | 90 | 158 | 423 | 1,199 | 1,964 | - |
| 1999..... | 3,985 | 7 | 2 | 1 | 7 | 11 | 61 | 99 | 154 | 407 | 1,159 | 2,077 | - |
| ALL RACES, MALE | | | | | | | | | | | | | |
| 2000..... | 1,302 | 8 | 1 | 1 | 2 | 8 | 15 | 41 | 86 | 207 | 434 | 499 | - |
| 1999..... | 1,371 | 4 | 2 | 1 | 4 | 4 | 27 | 48 | 92 | 207 | 452 | 530 | - |
| ALL RACES, FEMALE | | | | | | | | | | | | | |
| 2000..... | 2,624 | 3 | - | 2 | 6 | 8 | 38 | 49 | 72 | 216 | 765 | 1,465 | - |
| 1999..... | 2,614 | 3 | - | - | 3 | 7 | 34 | 51 | 62 | 200 | 707 | 1,547 | - |
| WHITE, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 3,352 | 7 | - | 1 | 7 | 8 | 37 | 66 | 119 | 335 | 1,039 | 1,733 | - |
| 1999..... | 3,368 | 4 | 1 | - | 5 | 8 | 47 | 73 | 107 | 305 | 976 | 1,842 | - |
| WHITE, MALE | | | | | | | | | | | | | |
| 2000..... | 1,079 | 5 | - | 1 | 2 | 4 | 10 | 29 | 58 | 159 | 371 | 440 | - |
| 1999..... | 1,100 | 2 | 1 | - | 3 | 3 | 19 | 36 | 61 | 146 | 373 | 456 | - |
| WHITE, FEMALE | | | | | | | | | | | | | |
| 2000..... | 2,273 | 2 | - | - | 5 | 4 | 27 | 37 | 61 | 176 | 668 | 1,293 | - |
| 1999..... | 2,268 | 2 | - | - | 2 | 5 | 28 | 37 | 46 | 159 | 603 | 1,386 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Malnutrition (E40-E46) | | | | | | | | | | | | | |
| BLACK, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 508 | 3 | 1 | 2 | 1 | 7 | 16 | 23 | 37 | 77 | 137 | 204 | - |
| 1999..... | 547 | 3 | 1 | 1 | 2 | 3 | 14 | 24 | 42 | 88 | 162 | 207 | - |
| BLACK, MALE | | | | | | | | | | | | | |
| 2000..... | 203 | 2 | 1 | - | - | 4 | 5 | 12 | 26 | 43 | 57 | 53 | - |
| 1999..... | 234 | 2 | 1 | 1 | 1 | 1 | 8 | 11 | 27 | 53 | 66 | 63 | - |
| BLACK, FEMALE | | | | | | | | | | | | | |
| 2000..... | 305 | 1 | - | 2 | 1 | 3 | 11 | 11 | 11 | 34 | 80 | 151 | - |
| 1999..... | 313 | 1 | - | - | 1 | 2 | 6 | 13 | 15 | 35 | 96 | 144 | - |
| AMERICAN INDIAN 1/, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 25 | 1 | - | - | - | - | - | - | - | 5 | 7 | 12 | - |
| 1999..... | 27 | - | - | - | - | - | - | 2 | 4 | 6 | 7 | 8 | - |
| AMERICAN INDIAN 1/, MALE | | | | | | | | | | | | | |
| 2000..... | 7 | 1 | - | - | - | - | - | - | - | 2 | 2 | 2 | - |
| 1999..... | 12 | - | - | - | - | - | - | 1 | 3 | 2 | 5 | 1 | - |
| AMERICAN INDIAN 1/, FEMALE | | | | | | | | | | | | | |
| 2000..... | 18 | - | - | - | - | - | - | - | - | 3 | 5 | 10 | - |
| 1999..... | 15 | - | - | - | - | - | - | 1 | 1 | 4 | 2 | 7 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|

Malnutrition (E40-E46)

ASIAN OR PACIFIC ISLANDER 2/, BOTH SEX

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|---|---|---|---|----|----|---|
| 2000..... | 41 | - | - | - | - | 1 | - | 1 | 2 | 6 | 16 | 15 | - |
| 1999..... | 43 | - | - | - | - | - | - | - | 1 | 8 | 14 | 20 | - |

ASIAN OR PACIFIC ISLANDER 2/, MALE

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|---|---|---|---|---|----|---|
| 2000..... | 13 | - | - | - | - | - | - | - | 2 | 3 | 4 | 4 | - |
| 1999..... | 25 | - | - | - | - | - | - | - | 1 | 6 | 8 | 10 | - |

ASIAN OR PACIFIC ISLANDER 2/, FEMALE

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|---|---|---|---|----|----|---|
| 2000..... | 28 | - | - | - | - | 1 | - | 1 | - | 3 | 12 | 11 | - |
| 1999..... | 18 | - | - | - | - | - | - | - | - | 2 | 6 | 10 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Other nutritional deficiencies (E50-E64) | | | | | | | | | | | | | |
| ALL RACES, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 316 | 3 | 1 | 2 | 2 | 2 | 3 | 9 | 15 | 37 | 86 | 156 | - |
| 1999..... | 304 | 2 | - | - | 1 | 1 | 3 | 7 | 16 | 22 | 89 | 163 | - |
| ALL RACES, MALE | | | | | | | | | | | | | |
| 2000..... | 110 | 2 | 1 | 1 | - | 1 | 1 | 5 | 11 | 14 | 37 | 37 | - |
| 1999..... | 115 | - | - | - | 1 | - | 1 | 4 | 6 | 14 | 42 | 47 | - |
| ALL RACES, FEMALE | | | | | | | | | | | | | |
| 2000..... | 206 | 1 | - | 1 | 2 | 1 | 2 | 4 | 4 | 23 | 49 | 119 | - |
| 1999..... | 189 | 2 | - | - | - | 1 | 2 | 3 | 10 | 8 | 47 | 116 | - |
| WHITE, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 275 | 1 | 1 | 1 | 1 | 1 | 3 | 7 | 11 | 35 | 73 | 141 | - |
| 1999..... | 260 | 1 | - | - | - | 1 | 2 | 3 | 11 | 20 | 74 | 148 | - |
| WHITE, MALE | | | | | | | | | | | | | |
| 2000..... | 96 | 1 | 1 | 1 | - | - | 1 | 4 | 7 | 13 | 33 | 35 | - |
| 1999..... | 99 | - | - | - | - | - | 1 | 3 | 3 | 12 | 34 | 46 | - |
| WHITE, FEMALE | | | | | | | | | | | | | |
| 2000..... | 179 | - | - | - | 1 | 1 | 2 | 3 | 4 | 22 | 40 | 106 | - |
| 1999..... | 161 | 1 | - | - | - | 1 | 1 | - | 8 | 8 | 40 | 102 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|

Other nutritional deficiencies (E50-E64)

BLACK, BOTH SEXES

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|---|---|---|---|----|----|---|
| 2000..... | 32 | 2 | - | 1 | 1 | 1 | - | 1 | 4 | 1 | 11 | 10 | - |
| 1999..... | 42 | 1 | - | - | 1 | - | 1 | 3 | 5 | 2 | 14 | 15 | - |

BLACK, MALE

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|---|---|---|---|---|---|---|
| 2000..... | 12 | 1 | - | - | - | 1 | - | 1 | 4 | 1 | 2 | 2 | - |
| 1999..... | 16 | - | - | - | 1 | - | - | 1 | 3 | 2 | 8 | 1 | - |

BLACK, FEMALE

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|---|---|---|---|---|----|---|
| 2000..... | 20 | 1 | - | 1 | 1 | - | - | - | - | - | 9 | 8 | - |
| 1999..... | 26 | 1 | - | - | - | - | 1 | 2 | 2 | - | 6 | 14 | - |

AMERICAN INDIAN 1/, BOTH SEXES

| | | | | | | | | | | | | | |
|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2000..... | 6 | - | - | - | - | - | - | 1 | - | 1 | 1 | 3 | - |
| 1999..... | 1 | - | - | - | - | - | - | 1 | - | - | - | - | - |

AMERICAN INDIAN 1/, MALE

| | | | | | | | | | | | | | |
|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2000..... | 1 | - | - | - | - | - | - | - | - | - | 1 | - | - |
| 1999..... | - | - | - | - | - | - | - | - | - | - | - | - | - |

AMERICAN INDIAN 1/, FEMALE

| | | | | | | | | | | | | | |
|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2000..... | 5 | - | - | - | - | - | - | 1 | - | 1 | - | 3 | - |
| 1999..... | 1 | - | - | - | - | - | - | 1 | - | - | - | - | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|

Other nutritional deficiencies (E50-E64)

ASIAN OR PACIFIC ISLANDER 2/, BOTH SEX

| | | | | | | | | | | | | | | |
|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2000..... | 3 | - | - | - | - | - | - | - | - | - | - | 1 | 2 | - |
| 1999..... | 1 | - | - | - | - | - | - | - | - | - | - | 1 | - | - |

ASIAN OR PACIFIC ISLANDER 2/, MALE

| | | | | | | | | | | | | | | |
|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2000..... | 1 | - | - | - | - | - | - | - | - | - | - | 1 | - | - |
| 1999..... | - | - | - | - | - | - | - | - | - | - | - | - | - | - |

ASIAN OR PACIFIC ISLANDER 2/, FEMALE

| | | | | | | | | | | | | | | |
|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2000..... | 2 | - | - | - | - | - | - | - | - | - | - | - | 2 | - |
| 1999..... | 1 | - | - | - | - | - | - | - | - | - | - | 1 | - | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Meningitis (G00,G03) | | | | | | | | | | | | | |
| ALL RACES, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 758 | 91 | 36 | 30 | 15 | 43 | 72 | 100 | 90 | 108 | 123 | 50 | - |
| 1999..... | 850 | 116 | 45 | 27 | 41 | 48 | 76 | 108 | 90 | 115 | 122 | 62 | - |
| ALL RACES, MALE | | | | | | | | | | | | | |
| 2000..... | 405 | 48 | 20 | 16 | 4 | 20 | 46 | 56 | 54 | 60 | 62 | 19 | - |
| 1999..... | 442 | 61 | 26 | 18 | 26 | 24 | 45 | 68 | 45 | 60 | 49 | 20 | - |
| ALL RACES, FEMALE | | | | | | | | | | | | | |
| 2000..... | 353 | 43 | 16 | 14 | 11 | 23 | 26 | 44 | 36 | 48 | 61 | 31 | - |
| 1999..... | 408 | 55 | 19 | 9 | 15 | 24 | 31 | 40 | 45 | 55 | 73 | 42 | - |
| WHITE, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 536 | 54 | 23 | 21 | 10 | 25 | 44 | 71 | 65 | 79 | 104 | 40 | - |
| 1999..... | 601 | 68 | 33 | 19 | 21 | 34 | 49 | 72 | 71 | 89 | 95 | 50 | - |
| WHITE, MALE | | | | | | | | | | | | | |
| 2000..... | 294 | 31 | 14 | 10 | 3 | 10 | 27 | 43 | 42 | 48 | 52 | 14 | - |
| 1999..... | 308 | 46 | 20 | 12 | 12 | 13 | 27 | 41 | 37 | 46 | 38 | 16 | - |
| WHITE, FEMALE | | | | | | | | | | | | | |
| 2000..... | 242 | 23 | 9 | 11 | 7 | 15 | 17 | 28 | 23 | 31 | 52 | 26 | - |
| 1999..... | 293 | 22 | 13 | 7 | 9 | 21 | 22 | 31 | 34 | 43 | 57 | 34 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Meningitis (G00,G03) | | | | | | | | | | | | | |
| BLACK, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 204 | 35 | 13 | 9 | 5 | 18 | 27 | 26 | 22 | 27 | 13 | 9 | - |
| 1999..... | 222 | 42 | 11 | 8 | 17 | 11 | 22 | 35 | 18 | 21 | 25 | 12 | - |
| BLACK, MALE | | | | | | | | | | | | | |
| 2000..... | 102 | 16 | 6 | 6 | 1 | 10 | 18 | 11 | 11 | 11 | 7 | 5 | - |
| 1999..... | 121 | 13 | 6 | 6 | 11 | 9 | 15 | 27 | 8 | 12 | 10 | 4 | - |
| BLACK, FEMALE | | | | | | | | | | | | | |
| 2000..... | 102 | 19 | 7 | 3 | 4 | 8 | 9 | 15 | 11 | 16 | 6 | 4 | - |
| 1999..... | 101 | 29 | 5 | 2 | 6 | 2 | 7 | 8 | 10 | 9 | 15 | 8 | - |
| AMERICAN INDIAN 1/, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 5 | 1 | - | - | - | - | 1 | - | - | - | 3 | - | - |
| 1999..... | 10 | 2 | - | - | 2 | 2 | 1 | 1 | - | 1 | 1 | - | - |
| AMERICAN INDIAN 1/, MALE | | | | | | | | | | | | | |
| 2000..... | 3 | 1 | - | - | - | - | 1 | - | - | - | 1 | - | - |
| 1999..... | 7 | 1 | - | - | 2 | 2 | - | - | - | 1 | 1 | - | - |
| AMERICAN INDIAN 1/, FEMALE | | | | | | | | | | | | | |
| 2000..... | 2 | - | - | - | - | - | - | - | - | - | 2 | - | - |
| 1999..... | 3 | 1 | - | - | - | - | 1 | 1 | - | - | - | - | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Meningitis (G00,G03) | | | | | | | | | | | | | |

ASIAN OR PACIFIC ISLANDER 2/, BOTH SEX

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|---|---|---|---|---|---|---|
| 2000..... | 13 | 1 | - | - | - | - | - | 3 | 3 | 2 | 3 | 1 | - |
| 1999..... | 17 | 4 | 1 | - | 1 | 1 | 4 | - | 1 | 4 | 1 | - | - |

ASIAN OR PACIFIC ISLANDER 2/, MALE

| | | | | | | | | | | | | | |
|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2000..... | 6 | - | - | - | - | - | - | 2 | 1 | 1 | 2 | - | - |
| 1999..... | 6 | 1 | - | - | 1 | - | 3 | - | - | 1 | - | - | - |

ASIAN OR PACIFIC ISLANDER 2/, FEMALE

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|---|---|---|---|---|---|---|
| 2000..... | 7 | 1 | - | - | - | - | - | 1 | 2 | 1 | 1 | 1 | - |
| 1999..... | 11 | 3 | 1 | - | - | 1 | 1 | - | 1 | 3 | 1 | - | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Parkinson's disease (G20-G21) | | | | | | | | | | | | | |
| ALL RACES, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 15,682 | - | 1 | - | - | 4 | 7 | 49 | 270 | 2,108 | 7,652 | 5,590 | 1 |
| 1999..... | 14,593 | 1 | - | - | 2 | 2 | 5 | 43 | 242 | 2,020 | 7,110 | 5,168 | - |
| ALL RACES, MALE | | | | | | | | | | | | | |
| 2000..... | 8,804 | - | - | - | - | 3 | 5 | 29 | 170 | 1,338 | 4,530 | 2,728 | 1 |
| 1999..... | 8,262 | - | - | - | 2 | 2 | 3 | 30 | 161 | 1,303 | 4,307 | 2,454 | - |
| ALL RACES, FEMALE | | | | | | | | | | | | | |
| 2000..... | 6,878 | - | 1 | - | - | 1 | 2 | 20 | 100 | 770 | 3,122 | 2,862 | - |
| 1999..... | 6,331 | 1 | - | - | - | - | 2 | 13 | 81 | 717 | 2,803 | 2,714 | - |
| WHITE, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 14,942 | - | - | - | - | 3 | 4 | 41 | 251 | 1,982 | 7,306 | 5,354 | 1 |
| 1999..... | 13,886 | 1 | - | - | 2 | 1 | 5 | 39 | 215 | 1,895 | 6,787 | 4,941 | - |
| WHITE, MALE | | | | | | | | | | | | | |
| 2000..... | 8,367 | - | - | - | - | 3 | 3 | 24 | 158 | 1,262 | 4,307 | 2,609 | 1 |
| 1999..... | 7,880 | - | - | - | 2 | 1 | 3 | 29 | 147 | 1,236 | 4,123 | 2,339 | - |
| WHITE, FEMALE | | | | | | | | | | | | | |
| 2000..... | 6,575 | - | - | - | - | - | 1 | 17 | 93 | 720 | 2,999 | 2,745 | - |
| 1999..... | 6,006 | 1 | - | - | - | - | 2 | 10 | 68 | 659 | 2,664 | 2,602 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Parkinson's disease (G20-G21) | | | | | | | | | | | | | |
| BLACK, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 534 | - | - | - | - | 1 | 3 | 6 | 14 | 94 | 251 | 165 | - |
| 1999..... | 507 | - | - | - | - | - | - | 4 | 22 | 97 | 221 | 163 | - |
| BLACK, MALE | | | | | | | | | | | | | |
| 2000..... | 308 | - | - | - | - | - | 2 | 4 | 9 | 60 | 158 | 75 | - |
| 1999..... | 270 | - | - | - | - | - | - | 1 | 13 | 59 | 123 | 74 | - |
| BLACK, FEMALE | | | | | | | | | | | | | |
| 2000..... | 226 | - | - | - | - | 1 | 1 | 2 | 5 | 34 | 93 | 90 | - |
| 1999..... | 237 | - | - | - | - | - | - | 3 | 9 | 38 | 98 | 89 | - |
| AMERICAN INDIAN 1/, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 45 | - | 1 | - | - | - | - | - | 2 | 9 | 20 | 13 | - |
| 1999..... | 26 | - | - | - | - | - | - | - | - | 4 | 16 | 6 | - |
| AMERICAN INDIAN 1/, MALE | | | | | | | | | | | | | |
| 2000..... | 25 | - | - | - | - | - | - | - | 1 | 4 | 12 | 8 | - |
| 1999..... | 16 | - | - | - | - | - | - | - | - | - | 14 | 2 | - |
| AMERICAN INDIAN 1/, FEMALE | | | | | | | | | | | | | |
| 2000..... | 20 | - | 1 | - | - | - | - | - | 1 | 5 | 8 | 5 | - |
| 1999..... | 10 | - | - | - | - | - | - | - | - | 4 | 2 | 4 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|

Parkinson's disease (G20-G21)

ASIAN OR PACIFIC ISLANDER 2/, BOTH SEX

| | | | | | | | | | | | | | |
|-----------|-----|---|---|---|---|---|---|---|---|----|----|----|---|
| 2000..... | 161 | - | - | - | - | - | - | 2 | 3 | 23 | 75 | 58 | - |
| 1999..... | 174 | - | - | - | - | 1 | - | - | 5 | 24 | 86 | 58 | - |

ASIAN OR PACIFIC ISLANDER 2/, MALE

| | | | | | | | | | | | | | |
|-----------|-----|---|---|---|---|---|---|---|---|----|----|----|---|
| 2000..... | 104 | - | - | - | - | - | - | 1 | 2 | 12 | 53 | 36 | - |
| 1999..... | 96 | - | - | - | - | 1 | - | - | 1 | 8 | 47 | 39 | - |

ASIAN OR PACIFIC ISLANDER 2/, FEMALE

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|---|---|---|----|----|----|---|
| 2000..... | 57 | - | - | - | - | - | - | 1 | 1 | 11 | 22 | 22 | - |
| 1999..... | 78 | - | - | - | - | - | - | - | 4 | 16 | 39 | 19 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Alzheimer's disease (G30) | | | | | | | | | | | | | |
| ALL RACES, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 49,558 | - | - | - | - | 2 | 6 | 64 | 491 | 3,431 | 17,253 | 28,309 | 2 |
| 1999..... | 44,536 | - | - | - | 1 | - | 7 | 60 | 448 | 3,204 | 15,836 | 24,980 | - |
| ALL RACES, MALE | | | | | | | | | | | | | |
| 2000..... | 14,438 | - | - | - | - | 1 | 4 | 34 | 210 | 1,554 | 6,228 | 6,406 | 1 |
| 1999..... | 13,391 | - | - | - | 1 | - | 3 | 28 | 222 | 1,437 | 5,904 | 5,796 | - |
| ALL RACES, FEMALE | | | | | | | | | | | | | |
| 2000..... | 35,120 | - | - | - | - | 1 | 2 | 30 | 281 | 1,877 | 11,025 | 21,903 | 1 |
| 1999..... | 31,145 | - | - | - | - | - | 4 | 32 | 226 | 1,767 | 9,932 | 19,184 | - |
| WHITE, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 46,460 | - | - | - | - | 2 | 6 | 55 | 450 | 3,139 | 16,124 | 26,683 | 1 |
| 1999..... | 41,877 | - | - | - | 1 | - | 5 | 53 | 413 | 2,926 | 14,833 | 23,646 | - |
| WHITE, MALE | | | | | | | | | | | | | |
| 2000..... | 13,524 | - | - | - | - | 1 | 4 | 29 | 193 | 1,432 | 5,854 | 6,010 | 1 |
| 1999..... | 12,585 | - | - | - | 1 | - | 2 | 26 | 205 | 1,316 | 5,564 | 5,471 | - |
| WHITE, FEMALE | | | | | | | | | | | | | |
| 2000..... | 32,936 | - | - | - | - | 1 | 2 | 26 | 257 | 1,707 | 10,270 | 20,673 | - |
| 1999..... | 29,292 | - | - | - | - | - | 3 | 27 | 208 | 1,610 | 9,269 | 18,175 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Alzheimer's disease (G30) | | | | | | | | | | | | | |
| BLACK, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 2,728 | - | - | - | - | - | - | 5 | 30 | 261 | 1,008 | 1,423 | 1 |
| 1999..... | 2,342 | - | - | - | - | - | 1 | 5 | 29 | 249 | 890 | 1,168 | - |
| BLACK, MALE | | | | | | | | | | | | | |
| 2000..... | 776 | - | - | - | - | - | - | 3 | 16 | 113 | 322 | 322 | - |
| 1999..... | 692 | - | - | - | - | - | - | 2 | 15 | 112 | 292 | 271 | - |
| BLACK, FEMALE | | | | | | | | | | | | | |
| 2000..... | 1,952 | - | - | - | - | - | - | 2 | 14 | 148 | 686 | 1,101 | 1 |
| 1999..... | 1,650 | - | - | - | - | - | 1 | 3 | 14 | 137 | 598 | 897 | - |
| AMERICAN INDIAN 1/, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 95 | - | - | - | - | - | - | - | 3 | 14 | 39 | 39 | - |
| 1999..... | 86 | - | - | - | - | - | - | - | 3 | 13 | 29 | 41 | - |
| AMERICAN INDIAN 1/, MALE | | | | | | | | | | | | | |
| 2000..... | 26 | - | - | - | - | - | - | - | - | 4 | 13 | 9 | - |
| 1999..... | 23 | - | - | - | - | - | - | - | 1 | 5 | 11 | 6 | - |
| AMERICAN INDIAN 1/, FEMALE | | | | | | | | | | | | | |
| 2000..... | 69 | - | - | - | - | - | - | - | 3 | 10 | 26 | 30 | - |
| 1999..... | 63 | - | - | - | - | - | - | - | 2 | 8 | 18 | 35 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|

Alzheimer's disease (G30)

ASIAN OR PACIFIC ISLANDER 2/, BOTH SEX

| | | | | | | | | | | | | | |
|-----------|-----|---|---|---|---|---|---|---|---|----|----|-----|---|
| 2000..... | 275 | - | - | - | - | - | - | 4 | 8 | 17 | 82 | 164 | - |
| 1999..... | 231 | - | - | - | - | - | 1 | 2 | 3 | 16 | 84 | 125 | - |

ASIAN OR PACIFIC ISLANDER 2/, MALE

| | | | | | | | | | | | | | |
|-----------|-----|---|---|---|---|---|---|---|---|---|----|----|---|
| 2000..... | 112 | - | - | - | - | - | - | 2 | 1 | 5 | 39 | 65 | - |
| 1999..... | 91 | - | - | - | - | - | 1 | - | 1 | 4 | 37 | 48 | - |

ASIAN OR PACIFIC ISLANDER 2/, FEMALE

| | | | | | | | | | | | | | |
|-----------|-----|---|---|---|---|---|---|---|---|----|----|----|---|
| 2000..... | 163 | - | - | - | - | - | - | 2 | 7 | 12 | 43 | 99 | - |
| 1999..... | 140 | - | - | - | - | - | - | 2 | 2 | 12 | 47 | 77 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Major cardiovascular diseases (I00-I78) | | | | | | | | | | | | | |
| ALL RACES, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 936,923 | 636 | 234 | 362 | 1,309 | 3,792 | 16,624 | 43,583 | 77,482 | 156,187 | 296,202 | 340,450 | 62 |
| 1999..... | 950,314 | 644 | 234 | 354 | 1,315 | 3,873 | 17,010 | 42,512 | 77,833 | 163,428 | 302,552 | 340,510 | 49 |
| ALL RACES, MALE | | | | | | | | | | | | | |
| 2000..... | 435,912 | 341 | 128 | 206 | 783 | 2,378 | 11,110 | 30,535 | 51,423 | 92,510 | 142,797 | 103,658 | 43 |
| 1999..... | 441,827 | 347 | 127 | 199 | 799 | 2,442 | 11,471 | 29,745 | 51,525 | 96,904 | 145,567 | 102,663 | 38 |
| ALL RACES, FEMALE | | | | | | | | | | | | | |
| 2000..... | 501,011 | 295 | 106 | 156 | 526 | 1,414 | 5,514 | 13,048 | 26,059 | 63,677 | 153,405 | 236,792 | 19 |
| 1999..... | 508,487 | 297 | 107 | 155 | 516 | 1,431 | 5,539 | 12,767 | 26,308 | 66,524 | 156,985 | 237,847 | 11 |
| WHITE, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 816,219 | 434 | 161 | 242 | 858 | 2,505 | 11,679 | 32,222 | 60,871 | 131,092 | 263,970 | 312,140 | 45 |
| 1999..... | 829,464 | 434 | 161 | 250 | 886 | 2,598 | 11,884 | 31,589 | 61,248 | 137,588 | 270,242 | 312,552 | 32 |
| WHITE, MALE | | | | | | | | | | | | | |
| 2000..... | 379,095 | 233 | 96 | 146 | 528 | 1,645 | 8,189 | 23,533 | 41,460 | 79,359 | 128,696 | 95,176 | 34 |
| 1999..... | 384,572 | 234 | 90 | 140 | 531 | 1,697 | 8,383 | 22,953 | 41,561 | 83,294 | 131,574 | 94,090 | 25 |
| WHITE, FEMALE | | | | | | | | | | | | | |
| 2000..... | 437,124 | 201 | 65 | 96 | 330 | 860 | 3,490 | 8,689 | 19,411 | 51,733 | 135,274 | 216,964 | 11 |
| 1999..... | 444,892 | 200 | 71 | 110 | 355 | 901 | 3,501 | 8,636 | 19,687 | 54,294 | 138,668 | 218,462 | 7 |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|

Major cardiovascular diseases (I00-I78)

BLACK, BOTH SEXES

| | | | | | | | | | | | | | |
|-----------|---------|-----|----|----|-----|-------|-------|--------|--------|--------|--------|--------|----|
| 2000..... | 104,280 | 171 | 63 | 96 | 399 | 1,171 | 4,456 | 10,206 | 14,665 | 21,779 | 27,221 | 24,036 | 17 |
| 1999..... | 104,693 | 177 | 61 | 93 | 394 | 1,134 | 4,660 | 9,820 | 14,654 | 22,492 | 27,411 | 23,781 | 16 |

BLACK, MALE

| | | | | | | | | | | | | | |
|-----------|--------|----|----|----|-----|-----|-------|-------|-------|--------|--------|-------|----|
| 2000..... | 47,980 | 91 | 27 | 48 | 219 | 657 | 2,590 | 6,213 | 8,687 | 11,208 | 11,565 | 6,666 | 9 |
| 1999..... | 48,578 | 94 | 32 | 53 | 244 | 660 | 2,751 | 6,052 | 8,730 | 11,720 | 11,470 | 6,760 | 12 |

BLACK, FEMALE

| | | | | | | | | | | | | | |
|-----------|--------|----|----|----|-----|-----|-------|-------|-------|--------|--------|--------|---|
| 2000..... | 56,300 | 80 | 36 | 48 | 180 | 514 | 1,866 | 3,993 | 5,978 | 10,571 | 15,656 | 17,370 | 8 |
| 1999..... | 56,115 | 83 | 29 | 40 | 150 | 474 | 1,909 | 3,768 | 5,924 | 10,772 | 15,941 | 17,021 | 4 |

AMERICAN INDIAN 1/, BOTH SEXES

| | | | | | | | | | | | | | |
|-----------|-------|---|---|---|----|----|-----|-----|-----|-----|-----|-----|---|
| 2000..... | 3,198 | 7 | 2 | 7 | 12 | 30 | 150 | 309 | 498 | 718 | 824 | 641 | - |
| 1999..... | 3,121 | 8 | 5 | 6 | 10 | 43 | 139 | 278 | 471 | 730 | 824 | 607 | - |

AMERICAN INDIAN 1/, MALE

| | | | | | | | | | | | | | |
|-----------|-------|---|---|---|---|----|----|-----|-----|-----|-----|-----|---|
| 2000..... | 1,670 | 3 | 1 | 3 | 8 | 16 | 96 | 208 | 307 | 424 | 396 | 208 | - |
| 1999..... | 1,613 | 5 | 2 | 2 | 7 | 19 | 93 | 189 | 280 | 432 | 395 | 189 | - |

AMERICAN INDIAN 1/, FEMALE

| | | | | | | | | | | | | | |
|-----------|-------|---|---|---|---|----|----|-----|-----|-----|-----|-----|---|
| 2000..... | 1,528 | 4 | 1 | 4 | 4 | 14 | 54 | 101 | 191 | 294 | 428 | 433 | - |
| 1999..... | 1,508 | 3 | 3 | 4 | 3 | 24 | 46 | 89 | 191 | 298 | 429 | 418 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|

Major cardiovascular diseases (I00-I78)

ASIAN OR PACIFIC ISLANDER 2/, BOTH SEX

| | | | | | | | | | | | | | |
|-----------|--------|----|---|----|----|----|-----|-----|-------|-------|-------|-------|---|
| 2000..... | 13,226 | 24 | 8 | 17 | 40 | 86 | 339 | 846 | 1,448 | 2,598 | 4,187 | 3,633 | - |
| 1999..... | 13,036 | 25 | 7 | 5 | 25 | 98 | 327 | 825 | 1,460 | 2,618 | 4,075 | 3,570 | 1 |

ASIAN OR PACIFIC ISLANDER 2/, MALE

| | | | | | | | | | | | | | |
|-----------|-------|----|---|---|----|----|-----|-----|-----|-------|-------|-------|---|
| 2000..... | 7,167 | 14 | 4 | 9 | 28 | 60 | 235 | 581 | 969 | 1,519 | 2,140 | 1,608 | - |
| 1999..... | 7,064 | 14 | 3 | 4 | 17 | 66 | 244 | 551 | 954 | 1,458 | 2,128 | 1,624 | 1 |

ASIAN OR PACIFIC ISLANDER 2/, FEMALE

| | | | | | | | | | | | | | |
|-----------|-------|----|---|---|----|----|-----|-----|-----|-------|-------|-------|---|
| 2000..... | 6,059 | 10 | 4 | 8 | 12 | 26 | 104 | 265 | 479 | 1,079 | 2,047 | 2,025 | - |
| 1999..... | 5,972 | 11 | 4 | 1 | 8 | 32 | 83 | 274 | 506 | 1,160 | 1,947 | 1,946 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Diseases of heart (I00-I09,I11,I13,I20-I51) | | | | | | | | | | | | | |
| ALL RACES, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 710,760 | 493 | 181 | 271 | 1,031 | 2,958 | 13,181 | 35,480 | 63,399 | 122,405 | 220,060 | 251,242 | 59 |
| 1999..... | 725,192 | 524 | 183 | 277 | 1,069 | 3,066 | 13,600 | 34,994 | 64,167 | 129,253 | 226,152 | 251,860 | 47 |
| ALL RACES, MALE | | | | | | | | | | | | | |
| 2000..... | 344,807 | 260 | 107 | 163 | 638 | 1,922 | 9,286 | 25,927 | 43,285 | 74,589 | 109,693 | 78,896 | 41 |
| 1999..... | 351,617 | 270 | 104 | 157 | 664 | 1,988 | 9,640 | 25,489 | 43,662 | 78,836 | 112,470 | 78,300 | 37 |
| ALL RACES, FEMALE | | | | | | | | | | | | | |
| 2000..... | 365,953 | 233 | 74 | 108 | 393 | 1,036 | 3,895 | 9,553 | 20,114 | 47,816 | 110,367 | 172,346 | 18 |
| 1999..... | 373,575 | 254 | 79 | 120 | 405 | 1,078 | 3,960 | 9,505 | 20,505 | 50,417 | 113,682 | 173,560 | 10 |
| WHITE, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 621,719 | 343 | 126 | 177 | 656 | 1,937 | 9,532 | 26,991 | 50,581 | 103,449 | 196,833 | 231,050 | 44 |
| 1999..... | 635,118 | 352 | 124 | 193 | 700 | 2,048 | 9,718 | 26,693 | 51,274 | 109,578 | 202,692 | 231,714 | 32 |
| WHITE, MALE | | | | | | | | | | | | | |
| 2000..... | 301,551 | 182 | 80 | 111 | 413 | 1,316 | 7,020 | 20,480 | 35,422 | 64,464 | 99,295 | 72,735 | 33 |
| 1999..... | 307,585 | 183 | 74 | 108 | 429 | 1,376 | 7,185 | 20,144 | 35,695 | 68,247 | 102,139 | 71,980 | 25 |
| WHITE, FEMALE | | | | | | | | | | | | | |
| 2000..... | 320,168 | 161 | 46 | 66 | 243 | 621 | 2,512 | 6,511 | 15,159 | 38,985 | 97,538 | 158,315 | 11 |
| 1999..... | 327,533 | 169 | 50 | 85 | 271 | 672 | 2,533 | 6,549 | 15,579 | 41,331 | 100,553 | 159,734 | 7 |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Diseases of heart (I00-I09,I11,I13,I20-I51) | | | | | | | | | | | | | |
| BLACK, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 77,523 | 122 | 49 | 76 | 333 | 937 | 3,305 | 7,680 | 11,385 | 16,590 | 19,802 | 17,229 | 15 |
| 1999..... | 78,574 | 144 | 50 | 77 | 340 | 914 | 3,546 | 7,525 | 11,475 | 17,240 | 20,038 | 17,210 | 15 |
| BLACK, MALE | | | | | | | | | | | | | |
| 2000..... | 36,740 | 62 | 24 | 42 | 193 | 547 | 2,009 | 4,837 | 6,882 | 8,672 | 8,579 | 4,885 | 8 |
| 1999..... | 37,576 | 72 | 27 | 45 | 215 | 546 | 2,193 | 4,774 | 7,004 | 9,155 | 8,533 | 5,000 | 12 |
| BLACK, FEMALE | | | | | | | | | | | | | |
| 2000..... | 40,783 | 60 | 25 | 34 | 140 | 390 | 1,296 | 2,843 | 4,503 | 7,918 | 11,223 | 12,344 | 7 |
| 1999..... | 40,998 | 72 | 23 | 32 | 125 | 368 | 1,353 | 2,751 | 4,471 | 8,085 | 11,505 | 12,210 | 3 |
| AMERICAN INDIAN 1/, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 2,417 | 7 | 1 | 5 | 11 | 24 | 122 | 249 | 394 | 548 | 597 | 459 | - |
| 1999..... | 2,404 | 6 | 5 | 3 | 9 | 30 | 106 | 231 | 385 | 584 | 616 | 429 | - |
| AMERICAN INDIAN 1/, MALE | | | | | | | | | | | | | |
| 2000..... | 1,341 | 3 | - | 3 | 8 | 16 | 83 | 179 | 252 | 336 | 306 | 155 | - |
| 1999..... | 1,302 | 3 | 2 | 1 | 6 | 14 | 75 | 163 | 241 | 353 | 303 | 141 | - |
| AMERICAN INDIAN 1/, FEMALE | | | | | | | | | | | | | |
| 2000..... | 1,076 | 4 | 1 | 2 | 3 | 8 | 39 | 70 | 142 | 212 | 291 | 304 | - |
| 1999..... | 1,102 | 3 | 3 | 2 | 3 | 16 | 31 | 68 | 144 | 231 | 313 | 288 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|

Diseases of heart (I00-I09,I11,I13,I20-I51)

ASIAN OR PACIFIC ISLANDER 2/, BOTH SEX

| | | | | | | | | | | | | | |
|-----------|-------|----|---|----|----|----|-----|-----|-------|-------|-------|-------|---|
| 2000..... | 9,101 | 21 | 5 | 13 | 31 | 60 | 222 | 560 | 1,039 | 1,818 | 2,828 | 2,504 | - |
| 1999..... | 9,096 | 22 | 4 | 4 | 20 | 74 | 230 | 545 | 1,033 | 1,851 | 2,806 | 2,507 | - |

ASIAN OR PACIFIC ISLANDER 2/, MALE

| | | | | | | | | | | | | | |
|-----------|-------|----|---|---|----|----|-----|-----|-----|-------|-------|-------|---|
| 2000..... | 5,175 | 13 | 3 | 7 | 24 | 43 | 174 | 431 | 729 | 1,117 | 1,513 | 1,121 | - |
| 1999..... | 5,154 | 12 | 1 | 3 | 14 | 52 | 187 | 408 | 722 | 1,081 | 1,495 | 1,179 | - |

ASIAN OR PACIFIC ISLANDER 2/, FEMALE

| | | | | | | | | | | | | | |
|-----------|-------|----|---|---|---|----|----|-----|-----|-----|-------|-------|---|
| 2000..... | 3,926 | 8 | 2 | 6 | 7 | 17 | 48 | 129 | 310 | 701 | 1,315 | 1,383 | - |
| 1999..... | 3,942 | 10 | 3 | 1 | 6 | 22 | 43 | 137 | 311 | 770 | 1,311 | 1,328 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Acute rheumatic fever and chronic rheumatic heart diseases (I00-I09) | | | | | | | | | | | | | |
| ALL RACES, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 3,582 | 6 | 2 | 4 | 17 | 33 | 141 | 252 | 420 | 819 | 1,176 | 712 | - |
| 1999..... | 3,676 | 6 | 1 | 5 | 13 | 42 | 124 | 245 | 411 | 854 | 1,227 | 748 | - |
| ALL RACES, MALE | | | | | | | | | | | | | |
| 2000..... | 1,072 | 5 | 2 | 3 | 11 | 12 | 61 | 104 | 166 | 237 | 321 | 150 | - |
| 1999..... | 1,042 | 2 | 1 | 2 | 10 | 17 | 49 | 90 | 133 | 290 | 325 | 123 | - |
| ALL RACES, FEMALE | | | | | | | | | | | | | |
| 2000..... | 2,510 | 1 | - | 1 | 6 | 21 | 80 | 148 | 254 | 582 | 855 | 562 | - |
| 1999..... | 2,634 | 4 | - | 3 | 3 | 25 | 75 | 155 | 278 | 564 | 902 | 625 | - |
| WHITE, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 3,229 | 5 | 2 | 4 | 10 | 25 | 96 | 197 | 350 | 734 | 1,129 | 677 | - |
| 1999..... | 3,302 | 4 | 1 | 3 | 8 | 25 | 84 | 187 | 341 | 776 | 1,161 | 712 | - |
| WHITE, MALE | | | | | | | | | | | | | |
| 2000..... | 965 | 4 | 2 | 3 | 6 | 10 | 46 | 87 | 147 | 210 | 309 | 141 | - |
| 1999..... | 933 | 1 | 1 | - | 5 | 12 | 35 | 72 | 111 | 270 | 306 | 120 | - |
| WHITE, FEMALE | | | | | | | | | | | | | |
| 2000..... | 2,264 | 1 | - | 1 | 4 | 15 | 50 | 110 | 203 | 524 | 820 | 536 | - |
| 1999..... | 2,369 | 3 | - | 3 | 3 | 13 | 49 | 115 | 230 | 506 | 855 | 592 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|

Acute rheumatic fever and chronic rheumatic heart diseases (I00-I09)

BLACK, BOTH SEXES

| | | | | | | | | | | | | | |
|-----------|-----|---|---|---|---|----|----|----|----|----|----|----|---|
| 2000..... | 265 | 1 | - | - | 7 | 8 | 35 | 43 | 50 | 58 | 36 | 27 | - |
| 1999..... | 275 | 1 | - | 2 | 4 | 13 | 32 | 49 | 52 | 56 | 40 | 26 | - |

BLACK, MALE

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|----|----|----|----|----|---|---|
| 2000..... | 79 | 1 | - | - | 5 | 2 | 12 | 13 | 14 | 16 | 8 | 8 | - |
| 1999..... | 88 | 1 | - | 2 | 4 | 3 | 12 | 18 | 17 | 16 | 14 | 1 | - |

BLACK, FEMALE

| | | | | | | | | | | | | | |
|-----------|-----|---|---|---|---|----|----|----|----|----|----|----|---|
| 2000..... | 186 | - | - | - | 2 | 6 | 23 | 30 | 36 | 42 | 28 | 19 | - |
| 1999..... | 187 | - | - | - | - | 10 | 20 | 31 | 35 | 40 | 26 | 25 | - |

AMERICAN INDIAN 1/, BOTH SEXES

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|---|---|---|---|---|---|---|
| 2000..... | 18 | - | - | - | - | - | 2 | 1 | 6 | 4 | 3 | 2 | - |
| 1999..... | 19 | - | - | - | - | 2 | 1 | 1 | 5 | 6 | 3 | 1 | - |

AMERICAN INDIAN 1/, MALE

| | | | | | | | | | | | | | |
|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2000..... | 3 | - | - | - | - | - | - | - | 1 | 1 | 1 | - | - |
| 1999..... | 2 | - | - | - | - | 1 | 1 | - | - | - | - | - | - |

AMERICAN INDIAN 1/, FEMALE

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|---|---|---|---|---|---|---|
| 2000..... | 15 | - | - | - | - | - | 2 | 1 | 5 | 3 | 2 | 2 | - |
| 1999..... | 17 | - | - | - | - | 1 | - | 1 | 5 | 6 | 3 | 1 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|

Acute rheumatic fever and chronic rheumatic heart diseases (I00-I09)

ASIAN OR PACIFIC ISLANDER 2/, BOTH SEX

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|---|----|----|----|----|---|---|
| 2000..... | 70 | - | - | - | - | - | 8 | 11 | 14 | 23 | 8 | 6 | - |
| 1999..... | 80 | 1 | - | - | 1 | 2 | 7 | 8 | 13 | 16 | 23 | 9 | - |

ASIAN OR PACIFIC ISLANDER 2/, MALE

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|---|---|---|----|---|---|---|
| 2000..... | 25 | - | - | - | - | - | 3 | 4 | 4 | 10 | 3 | 1 | - |
| 1999..... | 19 | - | - | - | 1 | 1 | 1 | - | 5 | 4 | 5 | 2 | - |

ASIAN OR PACIFIC ISLANDER 2/, FEMALE

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|---|---|----|----|----|---|---|
| 2000..... | 45 | - | - | - | - | - | 5 | 7 | 10 | 13 | 5 | 5 | - |
| 1999..... | 61 | 1 | - | - | - | 1 | 6 | 8 | 8 | 12 | 18 | 7 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Hypertensive heart disease (I11) | | | | | | | | | | | | | |
| ALL RACES, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 23,761 | - | 1 | 2 | 32 | 213 | 981 | 2,104 | 2,672 | 3,605 | 5,962 | 8,186 | 3 |
| 1999..... | 22,702 | 1 | - | - | 33 | 210 | 964 | 1,930 | 2,537 | 3,517 | 5,830 | 7,679 | 1 |
| ALL RACES, MALE | | | | | | | | | | | | | |
| 2000..... | 9,876 | - | - | 1 | 24 | 139 | 643 | 1,436 | 1,684 | 1,971 | 2,269 | 1,707 | 2 |
| 1999..... | 9,316 | - | - | - | 25 | 149 | 660 | 1,259 | 1,560 | 1,816 | 2,252 | 1,594 | 1 |
| ALL RACES, FEMALE | | | | | | | | | | | | | |
| 2000..... | 13,885 | - | 1 | 1 | 8 | 74 | 338 | 668 | 988 | 1,634 | 3,693 | 6,479 | 1 |
| 1999..... | 13,386 | 1 | - | - | 8 | 61 | 304 | 671 | 977 | 1,701 | 3,578 | 6,085 | - |
| WHITE, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 17,425 | - | - | 2 | 15 | 95 | 542 | 1,168 | 1,588 | 2,411 | 4,626 | 6,977 | 1 |
| 1999..... | 16,646 | 1 | - | - | 12 | 109 | 491 | 1,059 | 1,529 | 2,326 | 4,517 | 6,602 | - |
| WHITE, MALE | | | | | | | | | | | | | |
| 2000..... | 6,927 | - | - | 1 | 12 | 69 | 385 | 863 | 1,049 | 1,365 | 1,748 | 1,434 | 1 |
| 1999..... | 6,499 | - | - | - | 9 | 91 | 370 | 749 | 987 | 1,223 | 1,735 | 1,335 | - |
| WHITE, FEMALE | | | | | | | | | | | | | |
| 2000..... | 10,498 | - | - | 1 | 3 | 26 | 157 | 305 | 539 | 1,046 | 2,878 | 5,543 | - |
| 1999..... | 10,147 | 1 | - | - | 3 | 18 | 121 | 310 | 542 | 1,103 | 2,782 | 5,267 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Hypertensive heart disease (I11) | | | | | | | | | | | | | |
| BLACK, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 5,886 | - | 1 | - | 17 | 114 | 424 | 895 | 1,031 | 1,106 | 1,209 | 1,087 | 2 |
| 1999..... | 5,619 | - | - | - | 20 | 98 | 450 | 848 | 945 | 1,105 | 1,195 | 957 | 1 |
| BLACK, MALE | | | | | | | | | | | | | |
| 2000..... | 2,722 | - | - | - | 12 | 66 | 248 | 543 | 599 | 556 | 460 | 237 | 1 |
| 1999..... | 2,606 | - | - | - | 15 | 55 | 270 | 493 | 537 | 547 | 463 | 225 | 1 |
| BLACK, FEMALE | | | | | | | | | | | | | |
| 2000..... | 3,164 | - | 1 | - | 5 | 48 | 176 | 352 | 432 | 550 | 749 | 850 | 1 |
| 1999..... | 3,013 | - | - | - | 5 | 43 | 180 | 355 | 408 | 558 | 732 | 732 | - |
| AMERICAN INDIAN 1/, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 59 | - | - | - | - | - | - | 11 | 11 | 11 | 16 | 10 | - |
| 1999..... | 56 | - | - | - | - | - | 6 | 2 | 14 | 10 | 15 | 9 | - |
| AMERICAN INDIAN 1/, MALE | | | | | | | | | | | | | |
| 2000..... | 32 | - | - | - | - | - | - | 8 | 5 | 8 | 8 | 3 | - |
| 1999..... | 26 | - | - | - | - | - | 5 | 2 | 5 | 7 | 5 | 2 | - |
| AMERICAN INDIAN 1/, FEMALE | | | | | | | | | | | | | |
| 2000..... | 27 | - | - | - | - | - | - | 3 | 6 | 3 | 8 | 7 | - |
| 1999..... | 30 | - | - | - | - | - | 1 | - | 9 | 3 | 10 | 7 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|

Hypertensive heart disease (I11)

ASIAN OR PACIFIC ISLANDER 2/, BOTH SEX

| | | | | | | | | | | | | | |
|-----------|-----|---|---|---|---|---|----|----|----|----|-----|-----|---|
| 2000..... | 391 | - | - | - | - | 4 | 15 | 30 | 42 | 77 | 111 | 112 | - |
| 1999..... | 381 | - | - | - | 1 | 3 | 17 | 21 | 49 | 76 | 103 | 111 | - |

ASIAN OR PACIFIC ISLANDER 2/, MALE

| | | | | | | | | | | | | | |
|-----------|-----|---|---|---|---|---|----|----|----|----|----|----|---|
| 2000..... | 195 | - | - | - | - | 4 | 10 | 22 | 31 | 42 | 53 | 33 | - |
| 1999..... | 185 | - | - | - | 1 | 3 | 15 | 15 | 31 | 39 | 49 | 32 | - |

ASIAN OR PACIFIC ISLANDER 2/, FEMALE

| | | | | | | | | | | | | | |
|-----------|-----|---|---|---|---|---|---|---|----|----|----|----|---|
| 2000..... | 196 | - | - | - | - | - | 5 | 8 | 11 | 35 | 58 | 79 | - |
| 1999..... | 196 | - | - | - | - | - | 2 | 6 | 18 | 37 | 54 | 79 | - |

TABLE 290A. DEATHS FROM I13 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Hypertensive heart and renal disease (I13) | | | | | | | | | | | | | |
| ALL RACES, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 2,785 | - | - | 1 | 6 | 28 | 83 | 147 | 208 | 417 | 863 | 1,032 | - |
| 1999..... | 3,327 | - | - | 2 | 6 | 21 | 114 | 156 | 262 | 470 | 1,087 | 1,209 | - |
| ALL RACES, MALE | | | | | | | | | | | | | |
| 2000..... | 1,163 | - | - | - | 4 | 18 | 49 | 87 | 108 | 206 | 350 | 341 | - |
| 1999..... | 1,390 | - | - | 1 | 3 | 16 | 67 | 100 | 146 | 223 | 460 | 374 | - |
| ALL RACES, FEMALE | | | | | | | | | | | | | |
| 2000..... | 1,622 | - | - | 1 | 2 | 10 | 34 | 60 | 100 | 211 | 513 | 691 | - |
| 1999..... | 1,937 | - | - | 1 | 3 | 5 | 47 | 56 | 116 | 247 | 627 | 835 | - |
| WHITE, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 1,904 | - | - | - | 1 | 8 | 37 | 54 | 90 | 245 | 624 | 845 | - |
| 1999..... | 2,235 | - | - | 1 | - | 7 | 28 | 52 | 110 | 249 | 806 | 982 | - |
| WHITE, MALE | | | | | | | | | | | | | |
| 2000..... | 775 | - | - | - | 1 | 6 | 22 | 31 | 46 | 126 | 273 | 270 | - |
| 1999..... | 906 | - | - | 1 | - | 6 | 17 | 30 | 60 | 123 | 358 | 311 | - |
| WHITE, FEMALE | | | | | | | | | | | | | |
| 2000..... | 1,129 | - | - | - | - | 2 | 15 | 23 | 44 | 119 | 351 | 575 | - |
| 1999..... | 1,329 | - | - | - | - | 1 | 11 | 22 | 50 | 126 | 448 | 671 | - |

TABLE 290A. DEATHS FROM I13 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Hypertensive heart and renal disease (I13) | | | | | | | | | | | | | |
| BLACK, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 809 | - | - | 1 | 5 | 19 | 46 | 91 | 113 | 164 | 209 | 161 | - |
| 1999..... | 1,000 | - | - | 1 | 6 | 13 | 85 | 97 | 144 | 205 | 244 | 205 | - |
| BLACK, MALE | | | | | | | | | | | | | |
| 2000..... | 356 | - | - | - | 3 | 12 | 27 | 55 | 58 | 77 | 69 | 55 | - |
| 1999..... | 434 | - | - | - | 3 | 9 | 49 | 65 | 81 | 92 | 84 | 51 | - |
| BLACK, FEMALE | | | | | | | | | | | | | |
| 2000..... | 453 | - | - | 1 | 2 | 7 | 19 | 36 | 55 | 87 | 140 | 106 | - |
| 1999..... | 566 | - | - | 1 | 3 | 4 | 36 | 32 | 63 | 113 | 160 | 154 | - |
| AMERICAN INDIAN 1/, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 9 | - | - | - | - | - | - | 1 | 1 | 1 | 2 | 4 | - |
| 1999..... | 14 | - | - | - | - | - | - | 1 | 1 | 6 | 4 | 2 | - |
| AMERICAN INDIAN 1/, MALE | | | | | | | | | | | | | |
| 2000..... | 3 | - | - | - | - | - | - | - | 1 | - | 1 | 1 | - |
| 1999..... | 8 | - | - | - | - | - | - | 1 | 1 | 3 | 2 | 1 | - |
| AMERICAN INDIAN 1/, FEMALE | | | | | | | | | | | | | |
| 2000..... | 6 | - | - | - | - | - | - | 1 | - | 1 | 1 | 3 | - |
| 1999..... | 6 | - | - | - | - | - | - | - | - | 3 | 2 | 1 | - |

TABLE 290A. DEATHS FROM I13 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|

Hypertensive heart and renal disease (I13)

ASIAN OR PACIFIC ISLANDER 2/, BOTH SEX

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|---|---|---|----|----|----|---|
| 2000..... | 63 | - | - | - | - | 1 | - | 1 | 4 | 7 | 28 | 22 | - |
| 1999..... | 78 | - | - | - | - | 1 | 1 | 6 | 7 | 10 | 33 | 20 | - |

ASIAN OR PACIFIC ISLANDER 2/, MALE

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|---|---|---|---|----|----|---|
| 2000..... | 29 | - | - | - | - | - | - | 1 | 3 | 3 | 7 | 15 | - |
| 1999..... | 42 | - | - | - | - | 1 | 1 | 4 | 4 | 5 | 16 | 11 | - |

ASIAN OR PACIFIC ISLANDER 2/, FEMALE

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|---|---|---|---|----|---|---|
| 2000..... | 34 | - | - | - | - | 1 | - | - | 1 | 4 | 21 | 7 | - |
| 1999..... | 36 | - | - | - | - | - | - | 2 | 3 | 5 | 17 | 9 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Ischemic heart diseases (I20-I25) | | | | | | | | | | | | | |
| ALL RACES, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 515,204 | 30 | 10 | 16 | 123 | 935 | 7,519 | 24,890 | 47,737 | 92,885 | 163,692 | 177,319 | 48 |
| 1999..... | 529,659 | 27 | 5 | 22 | 137 | 1,014 | 7,751 | 24,775 | 48,377 | 98,840 | 169,296 | 179,376 | 39 |
| ALL RACES, MALE | | | | | | | | | | | | | |
| 2000..... | 260,574 | 17 | 7 | 9 | 81 | 704 | 5,787 | 19,149 | 33,795 | 58,554 | 84,747 | 57,690 | 34 |
| 1999..... | 267,268 | 13 | 3 | 17 | 93 | 739 | 5,970 | 19,061 | 34,123 | 62,187 | 87,305 | 57,726 | 31 |
| ALL RACES, FEMALE | | | | | | | | | | | | | |
| 2000..... | 254,630 | 13 | 3 | 7 | 42 | 231 | 1,732 | 5,741 | 13,942 | 34,331 | 78,945 | 119,629 | 14 |
| 1999..... | 262,391 | 14 | 2 | 5 | 44 | 275 | 1,781 | 5,714 | 14,254 | 36,653 | 81,991 | 121,650 | 8 |
| WHITE, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 455,400 | 23 | 10 | 13 | 92 | 676 | 5,851 | 19,835 | 38,955 | 79,442 | 147,075 | 163,392 | 36 |
| 1999..... | 469,149 | 18 | 4 | 14 | 85 | 753 | 5,988 | 19,813 | 39,666 | 84,853 | 152,630 | 165,298 | 27 |
| WHITE, MALE | | | | | | | | | | | | | |
| 2000..... | 230,951 | 14 | 7 | 7 | 61 | 529 | 4,662 | 15,753 | 28,221 | 51,202 | 77,100 | 53,368 | 27 |
| 1999..... | 237,193 | 8 | 3 | 12 | 63 | 555 | 4,742 | 15,672 | 28,548 | 54,493 | 79,823 | 53,253 | 21 |
| WHITE, FEMALE | | | | | | | | | | | | | |
| 2000..... | 224,449 | 9 | 3 | 6 | 31 | 147 | 1,189 | 4,082 | 10,734 | 28,240 | 69,975 | 110,024 | 9 |
| 1999..... | 231,956 | 10 | 1 | 2 | 22 | 198 | 1,246 | 4,141 | 11,118 | 30,360 | 72,807 | 112,045 | 6 |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Ischemic heart diseases (I20-I25) | | | | | | | | | | | | | |
| BLACK, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 51,265 | 4 | - | 2 | 24 | 232 | 1,473 | 4,469 | 7,685 | 11,619 | 13,966 | 11,779 | 12 |
| 1999..... | 51,995 | 8 | 1 | 8 | 47 | 213 | 1,570 | 4,403 | 7,632 | 12,094 | 14,071 | 11,936 | 12 |
| BLACK, MALE | | | | | | | | | | | | | |
| 2000..... | 24,625 | 2 | - | 2 | 14 | 152 | 963 | 2,924 | 4,788 | 6,205 | 6,199 | 3,369 | 7 |
| 1999..... | 25,104 | 4 | - | 5 | 26 | 148 | 1,057 | 2,938 | 4,806 | 6,543 | 6,085 | 3,482 | 10 |
| BLACK, FEMALE | | | | | | | | | | | | | |
| 2000..... | 26,640 | 2 | - | - | 10 | 80 | 510 | 1,545 | 2,897 | 5,414 | 7,767 | 8,410 | 5 |
| 1999..... | 26,891 | 4 | 1 | 3 | 21 | 65 | 513 | 1,465 | 2,826 | 5,551 | 7,986 | 8,454 | 2 |
| AMERICAN INDIAN 1/, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 1,740 | 1 | - | - | 4 | 11 | 73 | 176 | 302 | 414 | 438 | 321 | - |
| 1999..... | 1,720 | 1 | - | - | 1 | 16 | 56 | 166 | 286 | 447 | 453 | 294 | - |
| AMERICAN INDIAN 1/, MALE | | | | | | | | | | | | | |
| 2000..... | 1,008 | - | - | - | 3 | 9 | 56 | 134 | 201 | 257 | 231 | 117 | - |
| 1999..... | 977 | 1 | - | - | 1 | 8 | 45 | 125 | 191 | 275 | 234 | 97 | - |
| AMERICAN INDIAN 1/, FEMALE | | | | | | | | | | | | | |
| 2000..... | 732 | 1 | - | - | 1 | 2 | 17 | 42 | 101 | 157 | 207 | 204 | - |
| 1999..... | 743 | - | - | - | - | 8 | 11 | 41 | 95 | 172 | 219 | 197 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|

Ischemic heart diseases (I20-I25)

ASIAN OR PACIFIC ISLANDER 2/, BOTH SEX

| | | | | | | | | | | | | | |
|-----------|-------|---|---|---|---|----|-----|-----|-----|-------|-------|-------|---|
| 2000..... | 6,799 | 2 | - | 1 | 3 | 16 | 122 | 410 | 795 | 1,410 | 2,213 | 1,827 | - |
| 1999..... | 6,795 | - | - | - | 4 | 32 | 137 | 393 | 793 | 1,446 | 2,142 | 1,848 | - |

ASIAN OR PACIFIC ISLANDER 2/, MALE

| | | | | | | | | | | | | | |
|-----------|-------|---|---|---|---|----|-----|-----|-----|-----|-------|-----|---|
| 2000..... | 3,990 | 1 | - | - | 3 | 14 | 106 | 338 | 585 | 890 | 1,217 | 836 | - |
| 1999..... | 3,994 | - | - | - | 3 | 28 | 126 | 326 | 578 | 876 | 1,163 | 894 | - |

ASIAN OR PACIFIC ISLANDER 2/, FEMALE

| | | | | | | | | | | | | | |
|-----------|-------|---|---|---|---|---|----|----|-----|-----|-----|-----|---|
| 2000..... | 2,809 | 1 | - | 1 | - | 2 | 16 | 72 | 210 | 520 | 996 | 991 | - |
| 1999..... | 2,801 | - | - | - | 1 | 4 | 11 | 67 | 215 | 570 | 979 | 954 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Acute myocardial infarction (I21-I22) | | | | | | | | | | | | | |
| ALL RACES, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 192,898 | 20 | 1 | 6 | 52 | 375 | 3,132 | 10,877 | 21,013 | 38,459 | 62,210 | 56,745 | 8 |
| 1999..... | 199,454 | 13 | 2 | 11 | 60 | 434 | 3,249 | 10,823 | 21,406 | 41,441 | 64,711 | 57,297 | 7 |
| ALL RACES, MALE | | | | | | | | | | | | | |
| 2000..... | 100,306 | 10 | 1 | 4 | 30 | 269 | 2,387 | 8,265 | 14,638 | 23,823 | 31,631 | 19,243 | 5 |
| 1999..... | 104,169 | 6 | 1 | 7 | 40 | 306 | 2,470 | 8,300 | 15,029 | 25,708 | 32,943 | 19,357 | 2 |
| ALL RACES, FEMALE | | | | | | | | | | | | | |
| 2000..... | 92,592 | 10 | - | 2 | 22 | 106 | 745 | 2,612 | 6,375 | 14,636 | 30,579 | 37,502 | 3 |
| 1999..... | 95,285 | 7 | 1 | 4 | 20 | 128 | 779 | 2,523 | 6,377 | 15,733 | 31,768 | 37,940 | 5 |
| WHITE, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 170,584 | 16 | 1 | 4 | 39 | 272 | 2,496 | 8,900 | 17,659 | 33,285 | 55,966 | 51,939 | 7 |
| 1999..... | 177,075 | 9 | 2 | 6 | 39 | 325 | 2,596 | 8,953 | 18,084 | 36,106 | 58,482 | 52,468 | 5 |
| WHITE, MALE | | | | | | | | | | | | | |
| 2000..... | 89,383 | 9 | 1 | 2 | 24 | 205 | 1,969 | 7,003 | 12,586 | 21,089 | 28,832 | 17,659 | 4 |
| 1999..... | 93,189 | 3 | 1 | 4 | 29 | 229 | 2,032 | 7,076 | 12,967 | 22,869 | 30,234 | 17,744 | 1 |
| WHITE, FEMALE | | | | | | | | | | | | | |
| 2000..... | 81,201 | 7 | - | 2 | 15 | 67 | 527 | 1,897 | 5,073 | 12,196 | 27,134 | 34,280 | 3 |
| 1999..... | 83,886 | 6 | 1 | 2 | 10 | 96 | 564 | 1,877 | 5,117 | 13,237 | 28,248 | 34,724 | 4 |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Acute myocardial infarction (I21-I22) | | | | | | | | | | | | | |
| BLACK, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 19,112 | 2 | - | 2 | 11 | 94 | 569 | 1,737 | 2,935 | 4,447 | 5,236 | 4,078 | 1 |
| 1999..... | 19,276 | 4 | - | 5 | 19 | 88 | 587 | 1,659 | 2,882 | 4,596 | 5,298 | 4,136 | 2 |
| BLACK, MALE | | | | | | | | | | | | | |
| 2000..... | 9,045 | 1 | - | 2 | 5 | 56 | 362 | 1,075 | 1,748 | 2,295 | 2,270 | 1,230 | 1 |
| 1999..... | 9,186 | 3 | - | 3 | 10 | 61 | 379 | 1,060 | 1,756 | 2,404 | 2,230 | 1,279 | 1 |
| BLACK, FEMALE | | | | | | | | | | | | | |
| 2000..... | 10,067 | 1 | - | - | 6 | 38 | 207 | 662 | 1,187 | 2,152 | 2,966 | 2,848 | - |
| 1999..... | 10,090 | 1 | - | 2 | 9 | 27 | 208 | 599 | 1,126 | 2,192 | 3,068 | 2,857 | 1 |
| AMERICAN INDIAN 1/, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 656 | 1 | - | - | 1 | 5 | 30 | 72 | 113 | 163 | 166 | 105 | - |
| 1999..... | 674 | - | - | - | - | 8 | 22 | 65 | 116 | 183 | 177 | 103 | - |
| AMERICAN INDIAN 1/, MALE | | | | | | | | | | | | | |
| 2000..... | 384 | - | - | - | - | 4 | 23 | 55 | 73 | 101 | 87 | 41 | - |
| 1999..... | 382 | - | - | - | - | 4 | 20 | 47 | 77 | 113 | 84 | 37 | - |
| AMERICAN INDIAN 1/, FEMALE | | | | | | | | | | | | | |
| 2000..... | 272 | 1 | - | - | 1 | 1 | 7 | 17 | 40 | 62 | 79 | 64 | - |
| 1999..... | 292 | - | - | - | - | 4 | 2 | 18 | 39 | 70 | 93 | 66 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|

Acute myocardial infarction (I21-I22)

ASIAN OR PACIFIC ISLANDER 2/, BOTH SEX

| | | | | | | | | | | | | | |
|-----------|-------|---|---|---|---|----|----|-----|-----|-----|-----|-----|---|
| 2000..... | 2,546 | 1 | - | - | 1 | 4 | 37 | 168 | 306 | 564 | 842 | 623 | - |
| 1999..... | 2,429 | - | - | - | 2 | 13 | 44 | 146 | 324 | 556 | 754 | 590 | - |

ASIAN OR PACIFIC ISLANDER 2/, MALE

| | | | | | | | | | | | | | |
|-----------|-------|---|---|---|---|----|----|-----|-----|-----|-----|-----|---|
| 2000..... | 1,494 | - | - | - | 1 | 4 | 33 | 132 | 231 | 338 | 442 | 313 | - |
| 1999..... | 1,412 | - | - | - | 1 | 12 | 39 | 117 | 229 | 322 | 395 | 297 | - |

ASIAN OR PACIFIC ISLANDER 2/, FEMALE

| | | | | | | | | | | | | | |
|-----------|-------|---|---|---|---|---|---|----|----|-----|-----|-----|---|
| 2000..... | 1,052 | 1 | - | - | - | - | 4 | 36 | 75 | 226 | 400 | 310 | - |
| 1999..... | 1,017 | - | - | - | 1 | 1 | 5 | 29 | 95 | 234 | 359 | 293 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Other acute ischemic heart diseases (I24) | | | | | | | | | | | | | |
| ALL RACES, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 3,363 | 1 | 1 | - | 8 | 16 | 92 | 282 | 484 | 644 | 906 | 928 | 1 |
| 1999..... | 3,232 | 3 | 1 | 1 | 3 | 6 | 81 | 252 | 448 | 674 | 855 | 908 | - |
| ALL RACES, MALE | | | | | | | | | | | | | |
| 2000..... | 1,749 | 1 | 1 | - | 6 | 13 | 71 | 217 | 341 | 398 | 446 | 254 | 1 |
| 1999..... | 1,665 | 1 | 1 | 1 | 3 | 4 | 63 | 178 | 315 | 410 | 423 | 266 | - |
| ALL RACES, FEMALE | | | | | | | | | | | | | |
| 2000..... | 1,614 | - | - | - | 2 | 3 | 21 | 65 | 143 | 246 | 460 | 674 | - |
| 1999..... | 1,567 | 2 | - | - | - | 2 | 18 | 74 | 133 | 264 | 432 | 642 | - |
| WHITE, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 2,839 | 1 | 1 | - | 6 | 12 | 68 | 214 | 367 | 530 | 790 | 850 | - |
| 1999..... | 2,752 | 1 | 1 | 1 | 3 | 5 | 53 | 176 | 357 | 563 | 750 | 842 | - |
| WHITE, MALE | | | | | | | | | | | | | |
| 2000..... | 1,453 | 1 | 1 | - | 4 | 9 | 54 | 168 | 266 | 325 | 392 | 233 | - |
| 1999..... | 1,389 | 1 | 1 | 1 | 3 | 4 | 41 | 127 | 246 | 343 | 375 | 247 | - |
| WHITE, FEMALE | | | | | | | | | | | | | |
| 2000..... | 1,386 | - | - | - | 2 | 3 | 14 | 46 | 101 | 205 | 398 | 617 | - |
| 1999..... | 1,363 | - | - | - | - | 1 | 12 | 49 | 111 | 220 | 375 | 595 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|

Other acute ischemic heart diseases (I24)

BLACK, BOTH SEXES

| | | | | | | | | | | | | | |
|-----------|-----|---|---|---|---|---|----|----|-----|----|----|----|---|
| 2000..... | 456 | - | - | - | 1 | 4 | 22 | 63 | 103 | 93 | 99 | 70 | 1 |
| 1999..... | 431 | 2 | - | - | - | 1 | 26 | 73 | 85 | 93 | 97 | 54 | - |

BLACK, MALE

| | | | | | | | | | | | | | |
|-----------|-----|---|---|---|---|---|----|----|----|----|----|----|---|
| 2000..... | 258 | - | - | - | 1 | 4 | 16 | 46 | 67 | 59 | 46 | 18 | 1 |
| 1999..... | 248 | - | - | - | - | - | 20 | 49 | 65 | 56 | 41 | 17 | - |

BLACK, FEMALE

| | | | | | | | | | | | | | |
|-----------|-----|---|---|---|---|---|---|----|----|----|----|----|---|
| 2000..... | 198 | - | - | - | - | - | 6 | 17 | 36 | 34 | 53 | 52 | - |
| 1999..... | 183 | 2 | - | - | - | 1 | 6 | 24 | 20 | 37 | 56 | 37 | - |

AMERICAN INDIAN 1/, BOTH SEXES

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|---|---|---|----|---|---|---|
| 2000..... | 43 | - | - | - | 1 | - | 2 | 5 | 9 | 15 | 8 | 3 | - |
| 1999..... | 37 | - | - | - | - | - | 1 | 3 | 5 | 14 | 6 | 8 | - |

AMERICAN INDIAN 1/, MALE

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|---|---|---|----|---|---|---|
| 2000..... | 26 | - | - | - | 1 | - | 1 | 3 | 5 | 10 | 4 | 2 | - |
| 1999..... | 20 | - | - | - | - | - | 1 | 2 | 3 | 8 | 5 | 1 | - |

AMERICAN INDIAN 1/, FEMALE

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|---|---|---|---|---|---|---|
| 2000..... | 17 | - | - | - | - | - | 1 | 2 | 4 | 5 | 4 | 1 | - |
| 1999..... | 17 | - | - | - | - | - | - | 1 | 2 | 6 | 1 | 7 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|

Other acute ischemic heart diseases (I24)

ASIAN OR PACIFIC ISLANDER 2/, BOTH SEX

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|---|---|---|---|---|---|---|
| 2000..... | 25 | - | - | - | - | - | - | - | 5 | 6 | 9 | 5 | - |
| 1999..... | 12 | - | - | - | - | - | 1 | - | 1 | 4 | 2 | 4 | - |

ASIAN OR PACIFIC ISLANDER 2/, MALE

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|---|---|---|---|---|---|---|
| 2000..... | 12 | - | - | - | - | - | - | - | 3 | 4 | 4 | 1 | - |
| 1999..... | 8 | - | - | - | - | - | 1 | - | 1 | 3 | 2 | 1 | - |

ASIAN OR PACIFIC ISLANDER 2/, FEMALE

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|---|---|---|---|---|---|---|
| 2000..... | 13 | - | - | - | - | - | - | - | 2 | 2 | 5 | 4 | - |
| 1999..... | 4 | - | - | - | - | - | - | - | - | 1 | - | 3 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Other forms of chronic ischemic heart disease (I20,I25) | | | | | | | | | | | | | |
| ALL RACES, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 318,943 | 9 | 8 | 10 | 63 | 544 | 4,295 | 13,731 | 26,240 | 53,782 | 100,576 | 119,646 | 39 |
| 1999..... | 326,973 | 11 | 2 | 10 | 74 | 574 | 4,421 | 13,700 | 26,523 | 56,725 | 103,730 | 121,171 | 32 |
| ALL RACES, MALE | | | | | | | | | | | | | |
| 2000..... | 158,519 | 6 | 5 | 5 | 45 | 422 | 3,329 | 10,667 | 18,816 | 34,333 | 52,670 | 38,193 | 28 |
| 1999..... | 161,434 | 6 | 1 | 9 | 50 | 429 | 3,437 | 10,583 | 18,779 | 36,069 | 53,939 | 38,103 | 29 |
| ALL RACES, FEMALE | | | | | | | | | | | | | |
| 2000..... | 160,424 | 3 | 3 | 5 | 18 | 122 | 966 | 3,064 | 7,424 | 19,449 | 47,906 | 81,453 | 11 |
| 1999..... | 165,539 | 5 | 1 | 1 | 24 | 145 | 984 | 3,117 | 7,744 | 20,656 | 49,791 | 83,068 | 3 |
| WHITE, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 281,977 | 6 | 8 | 9 | 47 | 392 | 3,287 | 10,721 | 20,929 | 45,627 | 90,319 | 110,603 | 29 |
| 1999..... | 289,322 | 8 | 1 | 7 | 43 | 423 | 3,339 | 10,684 | 21,225 | 48,184 | 93,398 | 111,988 | 22 |
| WHITE, MALE | | | | | | | | | | | | | |
| 2000..... | 140,115 | 4 | 5 | 5 | 33 | 315 | 2,639 | 8,582 | 15,369 | 29,788 | 47,876 | 35,476 | 23 |
| 1999..... | 142,615 | 4 | 1 | 7 | 31 | 322 | 2,669 | 8,469 | 15,335 | 31,281 | 49,214 | 35,262 | 20 |
| WHITE, FEMALE | | | | | | | | | | | | | |
| 2000..... | 141,862 | 2 | 3 | 4 | 14 | 77 | 648 | 2,139 | 5,560 | 15,839 | 42,443 | 75,127 | 6 |
| 1999..... | 146,707 | 4 | - | - | 12 | 101 | 670 | 2,215 | 5,890 | 16,903 | 44,184 | 76,726 | 2 |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|

Other forms of chronic ischemic heart disease (I20,I25)

BLACK, BOTH SEXES

| | | | | | | | | | | | | | |
|-----------|--------|---|---|---|----|-----|-----|-------|-------|-------|-------|-------|----|
| 2000..... | 31,697 | 2 | - | - | 12 | 134 | 882 | 2,669 | 4,647 | 7,079 | 8,631 | 7,631 | 10 |
| 1999..... | 32,288 | 2 | 1 | 3 | 28 | 124 | 957 | 2,671 | 4,665 | 7,405 | 8,676 | 7,746 | 10 |

BLACK, MALE

| | | | | | | | | | | | | | |
|-----------|--------|---|---|---|----|----|-----|-------|-------|-------|-------|-------|---|
| 2000..... | 15,322 | 1 | - | - | 8 | 92 | 585 | 1,803 | 2,973 | 3,851 | 3,883 | 2,121 | 5 |
| 1999..... | 15,670 | 1 | - | 2 | 16 | 87 | 658 | 1,829 | 2,985 | 4,083 | 3,814 | 2,186 | 9 |

BLACK, FEMALE

| | | | | | | | | | | | | | |
|-----------|--------|---|---|---|----|----|-----|-----|-------|-------|-------|-------|---|
| 2000..... | 16,375 | 1 | - | - | 4 | 42 | 297 | 866 | 1,674 | 3,228 | 4,748 | 5,510 | 5 |
| 1999..... | 16,618 | 1 | 1 | 1 | 12 | 37 | 299 | 842 | 1,680 | 3,322 | 4,862 | 5,560 | 1 |

AMERICAN INDIAN 1/, BOTH SEXES

| | | | | | | | | | | | | | |
|-----------|-------|---|---|---|---|---|----|----|-----|-----|-----|-----|---|
| 2000..... | 1,041 | - | - | - | 2 | 6 | 41 | 99 | 180 | 236 | 264 | 213 | - |
| 1999..... | 1,009 | 1 | - | - | 1 | 8 | 33 | 98 | 165 | 250 | 270 | 183 | - |

AMERICAN INDIAN 1/, MALE

| | | | | | | | | | | | | | |
|-----------|-----|---|---|---|---|---|----|----|-----|-----|-----|----|---|
| 2000..... | 598 | - | - | - | 2 | 5 | 32 | 76 | 123 | 146 | 140 | 74 | - |
| 1999..... | 575 | 1 | - | - | 1 | 4 | 24 | 76 | 111 | 154 | 145 | 59 | - |

AMERICAN INDIAN 1/, FEMALE

| | | | | | | | | | | | | | |
|-----------|-----|---|---|---|---|---|---|----|----|----|-----|-----|---|
| 2000..... | 443 | - | - | - | - | 1 | 9 | 23 | 57 | 90 | 124 | 139 | - |
| 1999..... | 434 | - | - | - | - | 4 | 9 | 22 | 54 | 96 | 125 | 124 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|

Other forms of chronic ischemic heart disease (I20,I25)

ASIAN OR PACIFIC ISLANDER 2/, BOTH SEX

| | | | | | | | | | | | | | |
|-----------|-------|---|---|---|---|----|----|-----|-----|-----|-------|-------|---|
| 2000..... | 4,228 | 1 | - | 1 | 2 | 12 | 85 | 242 | 484 | 840 | 1,362 | 1,199 | - |
| 1999..... | 4,354 | - | - | - | 2 | 19 | 92 | 247 | 468 | 886 | 1,386 | 1,254 | - |

ASIAN OR PACIFIC ISLANDER 2/, MALE

| | | | | | | | | | | | | | |
|-----------|-------|---|---|---|---|----|----|-----|-----|-----|-----|-----|---|
| 2000..... | 2,484 | 1 | - | - | 2 | 10 | 73 | 206 | 351 | 548 | 771 | 522 | - |
| 1999..... | 2,574 | - | - | - | 2 | 16 | 86 | 209 | 348 | 551 | 766 | 596 | - |

ASIAN OR PACIFIC ISLANDER 2/, FEMALE

| | | | | | | | | | | | | | |
|-----------|-------|---|---|---|---|---|----|----|-----|-----|-----|-----|---|
| 2000..... | 1,744 | - | - | 1 | - | 2 | 12 | 36 | 133 | 292 | 591 | 677 | - |
| 1999..... | 1,780 | - | - | - | - | 3 | 6 | 38 | 120 | 335 | 620 | 658 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Atherosclerotic cardiovascular disease, so described (I25.0) | | | | | | | | | | | | | |
| ALL RACES, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 69,554 | 1 | - | 1 | 15 | 144 | 1,376 | 4,980 | 8,242 | 12,567 | 19,545 | 22,664 | 19 |
| 1999..... | 71,926 | - | 1 | 1 | 13 | 160 | 1,488 | 4,737 | 8,383 | 13,395 | 20,321 | 23,403 | 24 |
| ALL RACES, MALE | | | | | | | | | | | | | |
| 2000..... | 35,896 | - | - | 1 | 12 | 115 | 1,099 | 3,977 | 6,125 | 8,069 | 9,725 | 6,758 | 15 |
| 1999..... | 36,633 | - | - | 1 | 10 | 119 | 1,192 | 3,752 | 6,123 | 8,546 | 9,963 | 6,905 | 22 |
| ALL RACES, FEMALE | | | | | | | | | | | | | |
| 2000..... | 33,658 | 1 | - | - | 3 | 29 | 277 | 1,003 | 2,117 | 4,498 | 9,820 | 15,906 | 4 |
| 1999..... | 35,293 | - | 1 | - | 3 | 41 | 296 | 985 | 2,260 | 4,849 | 10,358 | 16,498 | 2 |
| WHITE, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 57,794 | - | - | 1 | 13 | 102 | 1,034 | 3,732 | 6,113 | 9,858 | 16,609 | 20,319 | 13 |
| 1999..... | 59,711 | - | - | 1 | 5 | 110 | 1,097 | 3,488 | 6,211 | 10,472 | 17,317 | 20,995 | 15 |
| WHITE, MALE | | | | | | | | | | | | | |
| 2000..... | 29,467 | - | - | 1 | 10 | 83 | 852 | 3,067 | 4,660 | 6,447 | 8,286 | 6,049 | 12 |
| 1999..... | 29,977 | - | - | 1 | 5 | 85 | 909 | 2,839 | 4,633 | 6,801 | 8,526 | 6,165 | 13 |
| WHITE, FEMALE | | | | | | | | | | | | | |
| 2000..... | 28,327 | - | - | - | 3 | 19 | 182 | 665 | 1,453 | 3,411 | 8,323 | 14,270 | 1 |
| 1999..... | 29,734 | - | - | - | - | 25 | 188 | 649 | 1,578 | 3,671 | 8,791 | 14,830 | 2 |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Atherosclerotic cardiovascular disease, so described (I25.0) | | | | | | | | | | | | | |
| BLACK, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 10,418 | 1 | - | - | 1 | 36 | 295 | 1,140 | 1,911 | 2,408 | 2,553 | 2,067 | 6 |
| 1999..... | 10,823 | - | 1 | - | 8 | 41 | 361 | 1,117 | 1,942 | 2,608 | 2,639 | 2,097 | 9 |
| BLACK, MALE | | | | | | | | | | | | | |
| 2000..... | 5,615 | - | - | - | 1 | 26 | 210 | 821 | 1,308 | 1,417 | 1,221 | 608 | 3 |
| 1999..... | 5,815 | - | - | - | 5 | 27 | 257 | 802 | 1,309 | 1,559 | 1,236 | 611 | 9 |
| BLACK, FEMALE | | | | | | | | | | | | | |
| 2000..... | 4,803 | 1 | - | - | - | 10 | 85 | 319 | 603 | 991 | 1,332 | 1,459 | 3 |
| 1999..... | 5,008 | - | 1 | - | 3 | 14 | 104 | 315 | 633 | 1,049 | 1,403 | 1,486 | - |
| AMERICAN INDIAN 1/, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 266 | - | - | - | 1 | 4 | 12 | 33 | 52 | 55 | 58 | 51 | - |
| 1999..... | 295 | - | - | - | - | 3 | 6 | 37 | 52 | 70 | 79 | 48 | - |
| AMERICAN INDIAN 1/, MALE | | | | | | | | | | | | | |
| 2000..... | 159 | - | - | - | 1 | 4 | 8 | 25 | 39 | 33 | 33 | 16 | - |
| 1999..... | 179 | - | - | - | - | 2 | 4 | 29 | 40 | 44 | 44 | 16 | - |
| AMERICAN INDIAN 1/, FEMALE | | | | | | | | | | | | | |
| 2000..... | 107 | - | - | - | - | - | 4 | 8 | 13 | 22 | 25 | 35 | - |
| 1999..... | 116 | - | - | - | - | 1 | 2 | 8 | 12 | 26 | 35 | 32 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|

Atherosclerotic cardiovascular disease, so described (I25.0)

ASIAN OR PACIFIC ISLANDER 2/, BOTH SEX

| | | | | | | | | | | | | | |
|-----------|-------|---|---|---|---|---|----|----|-----|-----|-----|-----|---|
| 2000..... | 1,076 | - | - | - | - | 2 | 35 | 75 | 166 | 246 | 325 | 227 | - |
| 1999..... | 1,097 | - | - | - | - | 6 | 24 | 95 | 178 | 245 | 286 | 263 | - |

ASIAN OR PACIFIC ISLANDER 2/, MALE

| | | | | | | | | | | | | | |
|-----------|-----|---|---|---|---|---|----|----|-----|-----|-----|-----|---|
| 2000..... | 655 | - | - | - | - | 2 | 29 | 64 | 118 | 172 | 185 | 85 | - |
| 1999..... | 662 | - | - | - | - | 5 | 22 | 82 | 141 | 142 | 157 | 113 | - |

ASIAN OR PACIFIC ISLANDER 2/, FEMALE

| | | | | | | | | | | | | | |
|-----------|-----|---|---|---|---|---|---|----|----|-----|-----|-----|---|
| 2000..... | 421 | - | - | - | - | - | 6 | 11 | 48 | 74 | 140 | 142 | - |
| 1999..... | 435 | - | - | - | - | 1 | 2 | 13 | 37 | 103 | 129 | 150 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|

All other forms of chronic ischemic heart disease (I20,I25.1-I25.9)

ALL RACES, BOTH SEXES

| | | | | | | | | | | | | | |
|-----------|---------|----|---|---|----|-----|-------|-------|--------|--------|--------|--------|----|
| 2000..... | 249,389 | 8 | 8 | 9 | 48 | 400 | 2,919 | 8,751 | 17,998 | 41,215 | 81,031 | 96,982 | 20 |
| 1999..... | 255,047 | 11 | 1 | 9 | 61 | 414 | 2,933 | 8,963 | 18,140 | 43,330 | 83,409 | 97,768 | 8 |

ALL RACES, MALE

| | | | | | | | | | | | | | |
|-----------|---------|---|---|---|----|-----|-------|-------|--------|--------|--------|--------|----|
| 2000..... | 122,623 | 6 | 5 | 4 | 33 | 307 | 2,230 | 6,690 | 12,691 | 26,264 | 42,945 | 31,435 | 13 |
| 1999..... | 124,801 | 6 | 1 | 8 | 40 | 310 | 2,245 | 6,831 | 12,656 | 27,523 | 43,976 | 31,198 | 7 |

ALL RACES, FEMALE

| | | | | | | | | | | | | | |
|-----------|---------|---|---|---|----|-----|-----|-------|-------|--------|--------|--------|---|
| 2000..... | 126,766 | 2 | 3 | 5 | 15 | 93 | 689 | 2,061 | 5,307 | 14,951 | 38,086 | 65,547 | 7 |
| 1999..... | 130,246 | 5 | - | 1 | 21 | 104 | 688 | 2,132 | 5,484 | 15,807 | 39,433 | 66,570 | 1 |

WHITE, BOTH SEXES

| | | | | | | | | | | | | | |
|-----------|---------|---|---|---|----|-----|-------|-------|--------|--------|--------|--------|----|
| 2000..... | 224,183 | 6 | 8 | 8 | 34 | 290 | 2,253 | 6,989 | 14,816 | 35,769 | 73,710 | 90,284 | 16 |
| 1999..... | 229,611 | 8 | 1 | 6 | 38 | 313 | 2,242 | 7,196 | 15,014 | 37,712 | 76,081 | 90,993 | 7 |

WHITE, MALE

| | | | | | | | | | | | | | |
|-----------|---------|---|---|---|----|-----|-------|-------|--------|--------|--------|--------|----|
| 2000..... | 110,648 | 4 | 5 | 4 | 23 | 232 | 1,787 | 5,515 | 10,709 | 23,341 | 39,590 | 29,427 | 11 |
| 1999..... | 112,638 | 4 | 1 | 6 | 26 | 237 | 1,760 | 5,630 | 10,702 | 24,480 | 40,688 | 29,097 | 7 |

WHITE, FEMALE

| | | | | | | | | | | | | | |
|-----------|---------|---|---|---|----|----|-----|-------|-------|--------|--------|--------|---|
| 2000..... | 113,535 | 2 | 3 | 4 | 11 | 58 | 466 | 1,474 | 4,107 | 12,428 | 34,120 | 60,857 | 5 |
| 1999..... | 116,973 | 4 | - | - | 12 | 76 | 482 | 1,566 | 4,312 | 13,232 | 35,393 | 61,896 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|

All other forms of chronic ischemic heart disease (I20,I25.1-I25.9)

BLACK, BOTH SEXES

| | | | | | | | | | | | | | |
|-----------|--------|---|---|---|----|----|-----|-------|-------|-------|-------|-------|---|
| 2000..... | 21,279 | 1 | - | - | 11 | 98 | 587 | 1,529 | 2,736 | 4,671 | 6,078 | 5,564 | 4 |
| 1999..... | 21,465 | 2 | - | 3 | 20 | 83 | 596 | 1,554 | 2,723 | 4,797 | 6,037 | 5,649 | 1 |

BLACK, MALE

| | | | | | | | | | | | | | |
|-----------|-------|---|---|---|----|----|-----|-------|-------|-------|-------|-------|---|
| 2000..... | 9,707 | 1 | - | - | 7 | 66 | 375 | 982 | 1,665 | 2,434 | 2,662 | 1,513 | 2 |
| 1999..... | 9,855 | 1 | - | 2 | 11 | 60 | 401 | 1,027 | 1,676 | 2,524 | 2,578 | 1,575 | - |

BLACK, FEMALE

| | | | | | | | | | | | | | |
|-----------|--------|---|---|---|---|----|-----|-----|-------|-------|-------|-------|---|
| 2000..... | 11,572 | - | - | - | 4 | 32 | 212 | 547 | 1,071 | 2,237 | 3,416 | 4,051 | 2 |
| 1999..... | 11,610 | 1 | - | 1 | 9 | 23 | 195 | 527 | 1,047 | 2,273 | 3,459 | 4,074 | 1 |

AMERICAN INDIAN 1/, BOTH SEXES

| | | | | | | | | | | | | | |
|-----------|-----|---|---|---|---|---|----|----|-----|-----|-----|-----|---|
| 2000..... | 775 | - | - | - | 1 | 2 | 29 | 66 | 128 | 181 | 206 | 162 | - |
| 1999..... | 714 | 1 | - | - | 1 | 5 | 27 | 61 | 113 | 180 | 191 | 135 | - |

AMERICAN INDIAN 1/, MALE

| | | | | | | | | | | | | | |
|-----------|-----|---|---|---|---|---|----|----|----|-----|-----|----|---|
| 2000..... | 439 | - | - | - | 1 | 1 | 24 | 51 | 84 | 113 | 107 | 58 | - |
| 1999..... | 396 | 1 | - | - | 1 | 2 | 20 | 47 | 71 | 110 | 101 | 43 | - |

AMERICAN INDIAN 1/, FEMALE

| | | | | | | | | | | | | | |
|-----------|-----|---|---|---|---|---|---|----|----|----|----|-----|---|
| 2000..... | 336 | - | - | - | - | 1 | 5 | 15 | 44 | 68 | 99 | 104 | - |
| 1999..... | 318 | - | - | - | - | 3 | 7 | 14 | 42 | 70 | 90 | 92 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|

All other forms of chronic ischemic heart disease (I20,I25.1-I25.9)

ASIAN OR PACIFIC ISLANDER 2/, BOTH SEX

| | | | | | | | | | | | | | |
|-----------|-------|---|---|---|---|----|----|-----|-----|-----|-------|-----|---|
| 2000..... | 3,152 | 1 | - | 1 | 2 | 10 | 50 | 167 | 318 | 594 | 1,037 | 972 | - |
| 1999..... | 3,257 | - | - | - | 2 | 13 | 68 | 152 | 290 | 641 | 1,100 | 991 | - |

ASIAN OR PACIFIC ISLANDER 2/, MALE

| | | | | | | | | | | | | | |
|-----------|-------|---|---|---|---|----|----|-----|-----|-----|-----|-----|---|
| 2000..... | 1,829 | 1 | - | - | 2 | 8 | 44 | 142 | 233 | 376 | 586 | 437 | - |
| 1999..... | 1,912 | - | - | - | 2 | 11 | 64 | 127 | 207 | 409 | 609 | 483 | - |

ASIAN OR PACIFIC ISLANDER 2/, FEMALE

| | | | | | | | | | | | | | |
|-----------|-------|---|---|---|---|---|---|----|----|-----|-----|-----|---|
| 2000..... | 1,323 | - | - | 1 | - | 2 | 6 | 25 | 85 | 218 | 451 | 535 | - |
| 1999..... | 1,345 | - | - | - | - | 2 | 4 | 25 | 83 | 232 | 491 | 508 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Other heart diseases (I26-I51) | | | | | | | | | | | | | |
| ALL RACES, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 165,428 | 457 | 168 | 248 | 853 | 1,749 | 4,457 | 8,087 | 12,362 | 24,679 | 48,367 | 63,993 | 8 |
| 1999..... | 165,828 | 490 | 177 | 248 | 880 | 1,779 | 4,647 | 7,888 | 12,580 | 25,572 | 48,712 | 62,848 | 7 |
| ALL RACES, MALE | | | | | | | | | | | | | |
| 2000..... | 72,122 | 238 | 98 | 150 | 518 | 1,049 | 2,746 | 5,151 | 7,532 | 13,621 | 22,006 | 19,008 | 5 |
| 1999..... | 72,601 | 255 | 100 | 137 | 533 | 1,067 | 2,894 | 4,979 | 7,700 | 14,320 | 22,128 | 18,483 | 5 |
| ALL RACES, FEMALE | | | | | | | | | | | | | |
| 2000..... | 93,306 | 219 | 70 | 98 | 335 | 700 | 1,711 | 2,936 | 4,830 | 11,058 | 26,361 | 44,985 | 3 |
| 1999..... | 93,227 | 235 | 77 | 111 | 347 | 712 | 1,753 | 2,909 | 4,880 | 11,252 | 26,584 | 44,365 | 2 |
| WHITE, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 143,761 | 315 | 114 | 158 | 538 | 1,133 | 3,006 | 5,737 | 9,598 | 20,617 | 43,379 | 59,159 | 7 |
| 1999..... | 143,786 | 329 | 119 | 175 | 595 | 1,154 | 3,127 | 5,582 | 9,628 | 21,374 | 43,578 | 58,120 | 5 |
| WHITE, MALE | | | | | | | | | | | | | |
| 2000..... | 61,933 | 164 | 71 | 100 | 333 | 702 | 1,905 | 3,746 | 5,959 | 11,561 | 19,865 | 17,522 | 5 |
| 1999..... | 62,054 | 174 | 70 | 95 | 352 | 712 | 2,021 | 3,621 | 5,989 | 12,138 | 19,917 | 16,961 | 4 |
| WHITE, FEMALE | | | | | | | | | | | | | |
| 2000..... | 81,828 | 151 | 43 | 58 | 205 | 431 | 1,101 | 1,991 | 3,639 | 9,056 | 23,514 | 41,637 | 2 |
| 1999..... | 81,732 | 155 | 49 | 80 | 243 | 442 | 1,106 | 1,961 | 3,639 | 9,236 | 23,661 | 41,159 | 1 |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Other heart diseases (I26-I51) | | | | | | | | | | | | | |
| BLACK, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 19,298 | 117 | 48 | 73 | 280 | 564 | 1,327 | 2,182 | 2,506 | 3,643 | 4,382 | 4,175 | 1 |
| 1999..... | 19,685 | 135 | 49 | 66 | 263 | 577 | 1,409 | 2,128 | 2,702 | 3,780 | 4,488 | 4,086 | 2 |
| BLACK, MALE | | | | | | | | | | | | | |
| 2000..... | 8,958 | 59 | 24 | 40 | 159 | 315 | 759 | 1,302 | 1,423 | 1,818 | 1,843 | 1,216 | - |
| 1999..... | 9,344 | 67 | 27 | 38 | 167 | 331 | 805 | 1,260 | 1,563 | 1,957 | 1,887 | 1,241 | 1 |
| BLACK, FEMALE | | | | | | | | | | | | | |
| 2000..... | 10,340 | 58 | 24 | 33 | 121 | 249 | 568 | 880 | 1,083 | 1,825 | 2,539 | 2,959 | 1 |
| 1999..... | 10,341 | 68 | 22 | 28 | 96 | 246 | 604 | 868 | 1,139 | 1,823 | 2,601 | 2,845 | 1 |
| AMERICAN INDIAN 1/, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 591 | 6 | 1 | 5 | 7 | 13 | 47 | 60 | 74 | 118 | 138 | 122 | - |
| 1999..... | 595 | 5 | 5 | 3 | 8 | 12 | 43 | 61 | 79 | 115 | 141 | 123 | - |
| AMERICAN INDIAN 1/, MALE | | | | | | | | | | | | | |
| 2000..... | 295 | 3 | - | 3 | 5 | 7 | 27 | 37 | 44 | 70 | 65 | 34 | - |
| 1999..... | 289 | 2 | 2 | 1 | 5 | 5 | 24 | 35 | 44 | 68 | 62 | 41 | - |
| AMERICAN INDIAN 1/, FEMALE | | | | | | | | | | | | | |
| 2000..... | 296 | 3 | 1 | 2 | 2 | 6 | 20 | 23 | 30 | 48 | 73 | 88 | - |
| 1999..... | 306 | 3 | 3 | 2 | 3 | 7 | 19 | 26 | 35 | 47 | 79 | 82 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|

Other heart diseases (I26-I51)

ASIAN OR PACIFIC ISLANDER 2/, BOTH SEX

| | | | | | | | | | | | | | |
|-----------|-------|----|---|----|----|----|----|-----|-----|-----|-----|-----|---|
| 2000..... | 1,778 | 19 | 5 | 12 | 28 | 39 | 77 | 108 | 184 | 301 | 468 | 537 | - |
| 1999..... | 1,762 | 21 | 4 | 4 | 14 | 36 | 68 | 117 | 171 | 303 | 505 | 519 | - |

ASIAN OR PACIFIC ISLANDER 2/, MALE

| | | | | | | | | | | | | | |
|-----------|-----|----|---|---|----|----|----|----|-----|-----|-----|-----|---|
| 2000..... | 936 | 12 | 3 | 7 | 21 | 25 | 55 | 66 | 106 | 172 | 233 | 236 | - |
| 1999..... | 914 | 12 | 1 | 3 | 9 | 19 | 44 | 63 | 104 | 157 | 262 | 240 | - |

ASIAN OR PACIFIC ISLANDER 2/, FEMALE

| | | | | | | | | | | | | | |
|-----------|-----|---|---|---|---|----|----|----|----|-----|-----|-----|---|
| 2000..... | 842 | 7 | 2 | 5 | 7 | 14 | 22 | 42 | 78 | 129 | 235 | 301 | - |
| 1999..... | 848 | 9 | 3 | 1 | 5 | 17 | 24 | 54 | 67 | 146 | 243 | 279 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Acute and subacute endocarditis (I33) | | | | | | | | | | | | | |
| ALL RACES, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 1,172 | 3 | 1 | 3 | 13 | 40 | 116 | 186 | 165 | 224 | 302 | 119 | - |
| 1999..... | 1,116 | 2 | 1 | - | 7 | 30 | 114 | 143 | 171 | 240 | 289 | 119 | - |
| ALL RACES, MALE | | | | | | | | | | | | | |
| 2000..... | 665 | 2 | - | 1 | 7 | 24 | 73 | 120 | 96 | 122 | 169 | 51 | - |
| 1999..... | 639 | 2 | 1 | - | 3 | 24 | 75 | 103 | 103 | 118 | 154 | 56 | - |
| ALL RACES, FEMALE | | | | | | | | | | | | | |
| 2000..... | 507 | 1 | 1 | 2 | 6 | 16 | 43 | 66 | 69 | 102 | 133 | 68 | - |
| 1999..... | 477 | - | - | - | 4 | 6 | 39 | 40 | 68 | 122 | 135 | 63 | - |
| WHITE, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 927 | 1 | 1 | 2 | 6 | 27 | 80 | 122 | 122 | 191 | 270 | 105 | - |
| 1999..... | 879 | 1 | 1 | - | 6 | 24 | 69 | 89 | 117 | 196 | 264 | 112 | - |
| WHITE, MALE | | | | | | | | | | | | | |
| 2000..... | 536 | 1 | - | - | 3 | 19 | 50 | 83 | 76 | 104 | 153 | 47 | - |
| 1999..... | 509 | 1 | 1 | - | 2 | 18 | 45 | 65 | 73 | 102 | 147 | 55 | - |
| WHITE, FEMALE | | | | | | | | | | | | | |
| 2000..... | 391 | - | 1 | 2 | 3 | 8 | 30 | 39 | 46 | 87 | 117 | 58 | - |
| 1999..... | 370 | - | - | - | 4 | 6 | 24 | 24 | 44 | 94 | 117 | 57 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Acute and subacute endocarditis (I33) | | | | | | | | | | | | | |
| BLACK, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 214 | 2 | - | - | 6 | 11 | 31 | 57 | 39 | 31 | 26 | 11 | - |
| 1999..... | 210 | - | - | - | 1 | 6 | 41 | 49 | 48 | 42 | 17 | 6 | - |
| BLACK, MALE | | | | | | | | | | | | | |
| 2000..... | 111 | 1 | - | - | 4 | 3 | 21 | 35 | 18 | 16 | 11 | 2 | - |
| 1999..... | 117 | - | - | - | 1 | 6 | 27 | 35 | 27 | 15 | 5 | 1 | - |
| BLACK, FEMALE | | | | | | | | | | | | | |
| 2000..... | 103 | 1 | - | - | 2 | 8 | 10 | 22 | 21 | 15 | 15 | 9 | - |
| 1999..... | 93 | - | - | - | - | - | 14 | 14 | 21 | 27 | 12 | 5 | - |
| AMERICAN INDIAN 1/, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 13 | - | - | - | - | - | 3 | 5 | 2 | - | 2 | 1 | - |
| 1999..... | 7 | - | - | - | - | - | 3 | 1 | 1 | - | 2 | - | - |
| AMERICAN INDIAN 1/, MALE | | | | | | | | | | | | | |
| 2000..... | 7 | - | - | - | - | - | 2 | 2 | 1 | - | 2 | - | - |
| 1999..... | 4 | - | - | - | - | - | 2 | 1 | - | - | 1 | - | - |
| AMERICAN INDIAN 1/, FEMALE | | | | | | | | | | | | | |
| 2000..... | 6 | - | - | - | - | - | 1 | 3 | 1 | - | - | 1 | - |
| 1999..... | 3 | - | - | - | - | - | 1 | - | 1 | - | 1 | - | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|

Acute and subacute endocarditis (I33)

ASIAN OR PACIFIC ISLANDER 2/, BOTH SEX

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|---|---|---|---|---|---|---|
| 2000..... | 18 | - | - | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 4 | 2 | - |
| 1999..... | 20 | 1 | - | - | - | - | 1 | 4 | 5 | 2 | 6 | 1 | - |

ASIAN OR PACIFIC ISLANDER 2/, MALE

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|---|---|---|---|---|---|---|
| 2000..... | 11 | - | - | 1 | - | 2 | - | - | 1 | 2 | 3 | 2 | - |
| 1999..... | 9 | 1 | - | - | - | - | 1 | 2 | 3 | 1 | 1 | - | - |

ASIAN OR PACIFIC ISLANDER 2/, FEMALE

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|---|---|---|---|---|---|---|
| 2000..... | 7 | - | - | - | 1 | - | 2 | 2 | 1 | - | 1 | - | - |
| 1999..... | 11 | - | - | - | - | - | - | 2 | 2 | 1 | 5 | 1 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Diseases of pericardium and acute myocarditis (I30-I31,I40) | | | | | | | | | | | | | |
| ALL RACES, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 767 | 20 | 24 | 20 | 38 | 53 | 86 | 85 | 89 | 131 | 145 | 76 | - |
| 1999..... | 890 | 27 | 25 | 21 | 32 | 50 | 114 | 105 | 125 | 146 | 160 | 85 | - |
| ALL RACES, MALE | | | | | | | | | | | | | |
| 2000..... | 404 | 10 | 13 | 9 | 21 | 29 | 58 | 46 | 52 | 67 | 73 | 26 | - |
| 1999..... | 442 | 13 | 14 | 7 | 20 | 34 | 64 | 56 | 70 | 69 | 65 | 30 | - |
| ALL RACES, FEMALE | | | | | | | | | | | | | |
| 2000..... | 363 | 10 | 11 | 11 | 17 | 24 | 28 | 39 | 37 | 64 | 72 | 50 | - |
| 1999..... | 448 | 14 | 11 | 14 | 12 | 16 | 50 | 49 | 55 | 77 | 95 | 55 | - |
| WHITE, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 590 | 11 | 15 | 10 | 25 | 34 | 58 | 59 | 72 | 108 | 130 | 68 | - |
| 1999..... | 703 | 12 | 12 | 13 | 24 | 35 | 79 | 82 | 106 | 122 | 142 | 76 | - |
| WHITE, MALE | | | | | | | | | | | | | |
| 2000..... | 309 | 6 | 11 | 5 | 13 | 18 | 39 | 32 | 45 | 52 | 65 | 23 | - |
| 1999..... | 351 | 7 | 5 | 6 | 15 | 24 | 47 | 42 | 61 | 57 | 60 | 27 | - |
| WHITE, FEMALE | | | | | | | | | | | | | |
| 2000..... | 281 | 5 | 4 | 5 | 12 | 16 | 19 | 27 | 27 | 56 | 65 | 45 | - |
| 1999..... | 352 | 5 | 7 | 7 | 9 | 11 | 32 | 40 | 45 | 65 | 82 | 49 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|

Diseases of pericardium and acute myocarditis (I30-I31,I40)

BLACK, BOTH SEXES

| | | | | | | | | | | | | | |
|-----------|-----|----|----|---|---|----|----|----|----|----|----|---|---|
| 2000..... | 142 | 7 | 8 | 8 | 8 | 16 | 24 | 21 | 15 | 18 | 10 | 7 | - |
| 1999..... | 160 | 10 | 12 | 8 | 6 | 14 | 31 | 20 | 17 | 20 | 16 | 6 | - |

BLACK, MALE

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|----|----|----|---|----|---|---|---|
| 2000..... | 72 | 4 | 2 | 3 | 3 | 10 | 16 | 10 | 6 | 11 | 5 | 2 | - |
| 1999..... | 77 | 4 | 9 | 1 | 3 | 10 | 14 | 12 | 9 | 11 | 4 | - | - |

BLACK, FEMALE

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|----|----|---|---|----|---|---|
| 2000..... | 70 | 3 | 6 | 5 | 5 | 6 | 8 | 11 | 9 | 7 | 5 | 5 | - |
| 1999..... | 83 | 6 | 3 | 7 | 3 | 4 | 17 | 8 | 8 | 9 | 12 | 6 | - |

AMERICAN INDIAN 1/, BOTH SEXES

| | | | | | | | | | | | | | |
|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2000..... | 6 | 1 | - | - | 1 | - | - | 1 | - | 1 | 2 | - | - |
| 1999..... | 9 | 1 | 1 | - | 1 | 1 | 1 | 1 | 1 | 2 | - | - | - |

AMERICAN INDIAN 1/, MALE

| | | | | | | | | | | | | | |
|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2000..... | 4 | - | - | - | 1 | - | - | 1 | - | 1 | 1 | - | - |
| 1999..... | 2 | - | - | - | 1 | - | - | 1 | - | - | - | - | - |

AMERICAN INDIAN 1/, FEMALE

| | | | | | | | | | | | | | |
|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2000..... | 2 | 1 | - | - | - | - | - | - | - | - | 1 | - | - |
| 1999..... | 7 | 1 | 1 | - | - | 1 | 1 | - | 1 | 2 | - | - | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|

Diseases of pericardium and acute myocarditis (I30-I31,I40)

ASIAN OR PACIFIC ISLANDER 2/, BOTH SEX

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|---|---|---|---|---|---|---|
| 2000..... | 29 | 1 | 1 | 2 | 4 | 3 | 4 | 4 | 2 | 4 | 3 | 1 | - |
| 1999..... | 18 | 4 | - | - | 1 | - | 3 | 2 | 1 | 2 | 2 | 3 | - |

ASIAN OR PACIFIC ISLANDER 2/, MALE

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|---|---|---|---|---|---|---|
| 2000..... | 19 | - | - | 1 | 4 | 1 | 3 | 3 | 1 | 3 | 2 | 1 | - |
| 1999..... | 12 | 2 | - | - | 1 | - | 3 | 1 | - | 1 | 1 | 3 | - |

ASIAN OR PACIFIC ISLANDER 2/, FEMALE

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|---|---|---|---|---|---|---|
| 2000..... | 10 | 1 | 1 | 1 | - | 2 | 1 | 1 | 1 | 1 | 1 | - | - |
| 1999..... | 6 | 2 | - | - | - | - | - | 1 | 1 | 1 | 1 | - | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Heart failure (I50) | | | | | | | | | | | | | |
| ALL RACES, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 55,704 | 31 | 9 | 21 | 34 | 63 | 262 | 811 | 2,211 | 6,403 | 16,820 | 29,035 | 4 |
| 1999..... | 54,913 | 11 | 10 | 12 | 31 | 65 | 272 | 782 | 2,107 | 6,524 | 16,771 | 28,327 | 1 |
| ALL RACES, MALE | | | | | | | | | | | | | |
| 2000..... | 21,175 | 22 | 7 | 9 | 20 | 36 | 159 | 496 | 1,264 | 3,414 | 7,498 | 8,248 | 2 |
| 1999..... | 20,755 | 5 | 7 | 6 | 23 | 32 | 164 | 486 | 1,228 | 3,526 | 7,318 | 7,959 | 1 |
| ALL RACES, FEMALE | | | | | | | | | | | | | |
| 2000..... | 34,529 | 9 | 2 | 12 | 14 | 27 | 103 | 315 | 947 | 2,989 | 9,322 | 20,787 | 2 |
| 1999..... | 34,158 | 6 | 3 | 6 | 8 | 33 | 108 | 296 | 879 | 2,998 | 9,453 | 20,368 | - |
| WHITE, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 50,142 | 19 | 5 | 16 | 17 | 38 | 164 | 558 | 1,715 | 5,384 | 15,216 | 27,006 | 4 |
| 1999..... | 49,317 | 8 | 8 | 9 | 18 | 34 | 174 | 509 | 1,632 | 5,511 | 15,081 | 26,333 | - |
| WHITE, MALE | | | | | | | | | | | | | |
| 2000..... | 18,949 | 14 | 5 | 7 | 10 | 22 | 109 | 351 | 1,007 | 2,941 | 6,831 | 7,650 | 2 |
| 1999..... | 18,469 | 3 | 5 | 5 | 14 | 17 | 111 | 322 | 972 | 3,038 | 6,643 | 7,339 | - |
| WHITE, FEMALE | | | | | | | | | | | | | |
| 2000..... | 31,193 | 5 | - | 9 | 7 | 16 | 55 | 207 | 708 | 2,443 | 8,385 | 19,356 | 2 |
| 1999..... | 30,848 | 5 | 3 | 4 | 4 | 17 | 63 | 187 | 660 | 2,473 | 8,438 | 18,994 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Heart failure (I50) | | | | | | | | | | | | | |
| BLACK, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 4,965 | 12 | 4 | 4 | 13 | 24 | 94 | 241 | 455 | 917 | 1,416 | 1,785 | - |
| 1999..... | 4,998 | 3 | 2 | 3 | 12 | 30 | 94 | 260 | 451 | 927 | 1,481 | 1,734 | 1 |
| BLACK, MALE | | | | | | | | | | | | | |
| 2000..... | 1,951 | 8 | 2 | 2 | 8 | 13 | 47 | 138 | 233 | 423 | 573 | 504 | - |
| 1999..... | 2,021 | 2 | 2 | 1 | 8 | 15 | 51 | 157 | 243 | 443 | 583 | 515 | 1 |
| BLACK, FEMALE | | | | | | | | | | | | | |
| 2000..... | 3,014 | 4 | 2 | 2 | 5 | 11 | 47 | 103 | 222 | 494 | 843 | 1,281 | - |
| 1999..... | 2,977 | 1 | - | 2 | 4 | 15 | 43 | 103 | 208 | 484 | 898 | 1,219 | - |
| AMERICAN INDIAN 1/, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 175 | - | - | - | 1 | - | 1 | 7 | 14 | 42 | 58 | 52 | - |
| 1999..... | 170 | - | - | - | 1 | - | 4 | 7 | 7 | 34 | 58 | 59 | - |
| AMERICAN INDIAN 1/, MALE | | | | | | | | | | | | | |
| 2000..... | 79 | - | - | - | 1 | - | 1 | 4 | 6 | 23 | 29 | 15 | - |
| 1999..... | 65 | - | - | - | 1 | - | 2 | 3 | 3 | 19 | 21 | 16 | - |
| AMERICAN INDIAN 1/, FEMALE | | | | | | | | | | | | | |
| 2000..... | 96 | - | - | - | - | - | - | 3 | 8 | 19 | 29 | 37 | - |
| 1999..... | 105 | - | - | - | - | - | 2 | 4 | 4 | 15 | 37 | 43 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|

Heart failure (I50)

ASIAN OR PACIFIC ISLANDER 2/, BOTH SEX

| | | | | | | | | | | | | | |
|-----------|-----|---|---|---|---|---|---|---|----|----|-----|-----|---|
| 2000..... | 422 | - | - | 1 | 3 | 1 | 3 | 5 | 27 | 60 | 130 | 192 | - |
| 1999..... | 428 | - | - | - | - | 1 | - | 6 | 17 | 52 | 151 | 201 | - |

ASIAN OR PACIFIC ISLANDER 2/, MALE

| | | | | | | | | | | | | | |
|-----------|-----|---|---|---|---|---|---|---|----|----|----|----|---|
| 2000..... | 196 | - | - | - | 1 | 1 | 2 | 3 | 18 | 27 | 65 | 79 | - |
| 1999..... | 200 | - | - | - | - | - | - | 4 | 10 | 26 | 71 | 89 | - |

ASIAN OR PACIFIC ISLANDER 2/, FEMALE

| | | | | | | | | | | | | | |
|-----------|-----|---|---|---|---|---|---|---|---|----|----|-----|---|
| 2000..... | 226 | - | - | 1 | 2 | - | 1 | 2 | 9 | 33 | 65 | 113 | - |
| 1999..... | 228 | - | - | - | - | 1 | - | 2 | 7 | 26 | 80 | 112 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|

All other forms of heart disease (I26-I28,I34-I38,I42-I49,I51)

ALL RACES, BOTH SEXES

| | | | | | | | | | | | | | |
|-----------|---------|-----|-----|-----|-----|-------|-------|-------|--------|--------|--------|--------|---|
| 2000..... | 107,785 | 403 | 134 | 204 | 768 | 1,593 | 3,993 | 7,005 | 9,897 | 17,921 | 31,100 | 34,763 | 4 |
| 1999..... | 108,909 | 450 | 141 | 215 | 810 | 1,634 | 4,147 | 6,858 | 10,177 | 18,662 | 31,492 | 34,317 | 6 |

ALL RACES, MALE

| | | | | | | | | | | | | | |
|-----------|--------|-----|----|-----|-----|-----|-------|-------|-------|--------|--------|--------|---|
| 2000..... | 49,878 | 204 | 78 | 131 | 470 | 960 | 2,456 | 4,489 | 6,120 | 10,018 | 14,266 | 10,683 | 3 |
| 1999..... | 50,765 | 235 | 78 | 124 | 487 | 977 | 2,591 | 4,334 | 6,299 | 10,607 | 14,591 | 10,438 | 4 |

ALL RACES, FEMALE

| | | | | | | | | | | | | | |
|-----------|--------|-----|----|----|-----|-----|-------|-------|-------|-------|--------|--------|---|
| 2000..... | 57,907 | 199 | 56 | 73 | 298 | 633 | 1,537 | 2,516 | 3,777 | 7,903 | 16,834 | 24,080 | 1 |
| 1999..... | 58,144 | 215 | 63 | 91 | 323 | 657 | 1,556 | 2,524 | 3,878 | 8,055 | 16,901 | 23,879 | 2 |

WHITE, BOTH SEXES

| | | | | | | | | | | | | | |
|-----------|--------|-----|----|-----|-----|-------|-------|-------|-------|--------|--------|--------|---|
| 2000..... | 92,102 | 284 | 93 | 130 | 490 | 1,034 | 2,704 | 4,998 | 7,689 | 14,934 | 27,763 | 31,980 | 3 |
| 1999..... | 92,887 | 308 | 98 | 153 | 547 | 1,061 | 2,805 | 4,902 | 7,773 | 15,545 | 28,091 | 31,599 | 5 |

WHITE, MALE

| | | | | | | | | | | | | | |
|-----------|--------|-----|----|----|-----|-----|-------|-------|-------|-------|--------|-------|---|
| 2000..... | 42,139 | 143 | 55 | 88 | 307 | 643 | 1,707 | 3,280 | 4,831 | 8,464 | 12,816 | 9,802 | 3 |
| 1999..... | 42,725 | 163 | 59 | 84 | 321 | 653 | 1,818 | 3,192 | 4,883 | 8,941 | 13,067 | 9,540 | 4 |

WHITE, FEMALE

| | | | | | | | | | | | | | |
|-----------|--------|-----|----|----|-----|-----|-----|-------|-------|-------|--------|--------|---|
| 2000..... | 49,963 | 141 | 38 | 42 | 183 | 391 | 997 | 1,718 | 2,858 | 6,470 | 14,947 | 22,178 | - |
| 1999..... | 50,162 | 145 | 39 | 69 | 226 | 408 | 987 | 1,710 | 2,890 | 6,604 | 15,024 | 22,059 | 1 |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|

All other forms of heart disease (I26-I28,I34-I38,I42-I49,I51)

BLACK, BOTH SEXES

| | | | | | | | | | | | | | |
|-----------|--------|-----|----|----|-----|-----|-------|-------|-------|-------|-------|-------|---|
| 2000..... | 13,977 | 96 | 36 | 61 | 253 | 513 | 1,178 | 1,863 | 1,997 | 2,677 | 2,930 | 2,372 | 1 |
| 1999..... | 14,317 | 122 | 35 | 55 | 244 | 527 | 1,243 | 1,799 | 2,186 | 2,791 | 2,974 | 2,340 | 1 |

BLACK, MALE

| | | | | | | | | | | | | | |
|-----------|-------|----|----|----|-----|-----|-----|-------|-------|-------|-------|-----|---|
| 2000..... | 6,824 | 46 | 20 | 35 | 144 | 289 | 675 | 1,119 | 1,166 | 1,368 | 1,254 | 708 | - |
| 1999..... | 7,129 | 61 | 16 | 36 | 155 | 300 | 713 | 1,056 | 1,284 | 1,488 | 1,295 | 725 | - |

BLACK, FEMALE

| | | | | | | | | | | | | | |
|-----------|-------|----|----|----|-----|-----|-----|-----|-----|-------|-------|-------|---|
| 2000..... | 7,153 | 50 | 16 | 26 | 109 | 224 | 503 | 744 | 831 | 1,309 | 1,676 | 1,664 | 1 |
| 1999..... | 7,188 | 61 | 19 | 19 | 89 | 227 | 530 | 743 | 902 | 1,303 | 1,679 | 1,615 | 1 |

AMERICAN INDIAN 1/, BOTH SEXES

| | | | | | | | | | | | | | |
|-----------|-----|---|---|---|---|----|----|----|----|----|----|----|---|
| 2000..... | 397 | 5 | 1 | 5 | 5 | 13 | 43 | 47 | 58 | 75 | 76 | 69 | - |
| 1999..... | 409 | 4 | 4 | 3 | 6 | 11 | 35 | 52 | 70 | 79 | 81 | 64 | - |

AMERICAN INDIAN 1/, MALE

| | | | | | | | | | | | | | |
|-----------|-----|---|---|---|---|---|----|----|----|----|----|----|---|
| 2000..... | 205 | 3 | - | 3 | 3 | 7 | 24 | 30 | 37 | 46 | 33 | 19 | - |
| 1999..... | 218 | 2 | 2 | 1 | 3 | 5 | 20 | 30 | 41 | 49 | 40 | 25 | - |

AMERICAN INDIAN 1/, FEMALE

| | | | | | | | | | | | | | |
|-----------|-----|---|---|---|---|---|----|----|----|----|----|----|---|
| 2000..... | 192 | 2 | 1 | 2 | 2 | 6 | 19 | 17 | 21 | 29 | 43 | 50 | - |
| 1999..... | 191 | 2 | 2 | 2 | 3 | 6 | 15 | 22 | 29 | 30 | 41 | 39 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|

All other forms of heart disease (I26-I28,I34-I38,I42-I49,I51)

ASIAN OR PACIFIC ISLANDER 2/, BOTH SEX

| | | | | | | | | | | | | | |
|-----------|-------|----|---|---|----|----|----|-----|-----|-----|-----|-----|---|
| 2000..... | 1,309 | 18 | 4 | 8 | 20 | 33 | 68 | 97 | 153 | 235 | 331 | 342 | - |
| 1999..... | 1,296 | 16 | 4 | 4 | 13 | 35 | 64 | 105 | 148 | 247 | 346 | 314 | - |

ASIAN OR PACIFIC ISLANDER 2/, MALE

| | | | | | | | | | | | | | |
|-----------|-----|----|---|---|----|----|----|----|----|-----|-----|-----|---|
| 2000..... | 710 | 12 | 3 | 5 | 16 | 21 | 50 | 60 | 86 | 140 | 163 | 154 | - |
| 1999..... | 693 | 9 | 1 | 3 | 8 | 19 | 40 | 56 | 91 | 129 | 189 | 148 | - |

ASIAN OR PACIFIC ISLANDER 2/, FEMALE

| | | | | | | | | | | | | | |
|-----------|-----|---|---|---|---|----|----|----|----|-----|-----|-----|---|
| 2000..... | 599 | 6 | 1 | 3 | 4 | 12 | 18 | 37 | 67 | 95 | 168 | 188 | - |
| 1999..... | 603 | 7 | 3 | 1 | 5 | 16 | 24 | 49 | 57 | 118 | 157 | 166 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Essential (primary) hypertension and hypertensive renal disease (I10,I12) | | | | | | | | | | | | | |
| ALL RACES, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 18,073 | 1 | 1 | 4 | 17 | 70 | 348 | 878 | 1,440 | 2,784 | 5,623 | 6,907 | - |
| 1999..... | 16,968 | 3 | 3 | 1 | 13 | 78 | 313 | 799 | 1,318 | 2,799 | 5,324 | 6,317 | - |
| ALL RACES, MALE | | | | | | | | | | | | | |
| 2000..... | 6,895 | 1 | - | 3 | 4 | 39 | 216 | 555 | 818 | 1,308 | 2,204 | 1,747 | - |
| 1999..... | 6,488 | 2 | 1 | 1 | 8 | 48 | 195 | 482 | 732 | 1,372 | 2,067 | 1,580 | - |
| ALL RACES, FEMALE | | | | | | | | | | | | | |
| 2000..... | 11,178 | - | 1 | 1 | 13 | 31 | 132 | 323 | 622 | 1,476 | 3,419 | 5,160 | - |
| 1999..... | 10,480 | 1 | 2 | - | 5 | 30 | 118 | 317 | 586 | 1,427 | 3,257 | 4,737 | - |
| WHITE, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 13,775 | 1 | 1 | 3 | 7 | 32 | 158 | 438 | 851 | 1,906 | 4,498 | 5,880 | - |
| 1999..... | 12,830 | 2 | 1 | - | 7 | 36 | 131 | 407 | 764 | 1,949 | 4,184 | 5,349 | - |
| WHITE, MALE | | | | | | | | | | | | | |
| 2000..... | 5,120 | 1 | - | 3 | 3 | 22 | 109 | 301 | 503 | 926 | 1,783 | 1,469 | - |
| 1999..... | 4,744 | 1 | - | - | 3 | 27 | 92 | 255 | 448 | 982 | 1,630 | 1,306 | - |
| WHITE, FEMALE | | | | | | | | | | | | | |
| 2000..... | 8,655 | - | 1 | - | 4 | 10 | 49 | 137 | 348 | 980 | 2,715 | 4,411 | - |
| 1999..... | 8,086 | 1 | 1 | - | 4 | 9 | 39 | 152 | 316 | 967 | 2,554 | 4,043 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|

Essential (primary) hypertension and hypertensive renal disease (I10,I12)

BLACK, BOTH SEXES

| | | | | | | | | | | | | | |
|-----------|-------|---|---|---|----|----|-----|-----|-----|-----|-------|-----|---|
| 2000..... | 3,887 | - | - | 1 | 10 | 35 | 179 | 409 | 559 | 806 | 982 | 906 | - |
| 1999..... | 3,732 | 1 | 1 | 1 | 6 | 38 | 177 | 371 | 513 | 767 | 1,012 | 845 | - |

BLACK, MALE

| | | | | | | | | | | | | | |
|-----------|-------|---|---|---|---|----|-----|-----|-----|-----|-----|-----|---|
| 2000..... | 1,592 | - | - | - | 1 | 16 | 100 | 233 | 303 | 345 | 360 | 234 | - |
| 1999..... | 1,565 | 1 | 1 | 1 | 5 | 18 | 98 | 218 | 261 | 349 | 386 | 227 | - |

BLACK, FEMALE

| | | | | | | | | | | | | | |
|-----------|-------|---|---|---|---|----|----|-----|-----|-----|-----|-----|---|
| 2000..... | 2,295 | - | - | 1 | 9 | 19 | 79 | 176 | 256 | 461 | 622 | 672 | - |
| 1999..... | 2,167 | - | - | - | 1 | 20 | 79 | 153 | 252 | 418 | 626 | 618 | - |

AMERICAN INDIAN 1/, BOTH SEXES

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|---|---|----|----|----|----|---|
| 2000..... | 73 | - | - | - | - | 1 | 3 | 5 | 14 | 13 | 16 | 21 | - |
| 1999..... | 55 | - | - | - | - | 2 | 3 | 2 | 9 | 10 | 11 | 18 | - |

AMERICAN INDIAN 1/, MALE

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|---|---|---|---|---|---|---|
| 2000..... | 24 | - | - | - | - | - | 2 | 3 | 5 | 3 | 5 | 6 | - |
| 1999..... | 25 | - | - | - | - | 1 | 3 | 2 | 4 | 5 | 3 | 7 | - |

AMERICAN INDIAN 1/, FEMALE

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|---|---|---|----|----|----|---|
| 2000..... | 49 | - | - | - | - | 1 | 1 | 2 | 9 | 10 | 11 | 15 | - |
| 1999..... | 30 | - | - | - | - | 1 | - | - | 5 | 5 | 8 | 11 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|

Essential (primary) hypertension and hypertensive renal disease (I10,I12)

ASIAN OR PACIFIC ISLANDER 2/, BOTH SEX

| | | | | | | | | | | | | | |
|-----------|-----|---|---|---|---|---|---|----|----|----|-----|-----|---|
| 2000..... | 338 | - | - | - | - | 2 | 8 | 26 | 16 | 59 | 127 | 100 | - |
| 1999..... | 351 | - | 1 | - | - | 2 | 2 | 19 | 32 | 73 | 117 | 105 | - |

ASIAN OR PACIFIC ISLANDER 2/, MALE

| | | | | | | | | | | | | | |
|-----------|-----|---|---|---|---|---|---|----|----|----|----|----|---|
| 2000..... | 159 | - | - | - | - | 1 | 5 | 18 | 7 | 34 | 56 | 38 | - |
| 1999..... | 154 | - | - | - | - | 2 | 2 | 7 | 19 | 36 | 48 | 40 | - |

ASIAN OR PACIFIC ISLANDER 2/, FEMALE

| | | | | | | | | | | | | | |
|-----------|-----|---|---|---|---|---|---|----|----|----|----|----|---|
| 2000..... | 179 | - | - | - | - | 1 | 3 | 8 | 9 | 25 | 71 | 62 | - |
| 1999..... | 197 | - | 1 | - | - | - | - | 12 | 13 | 37 | 69 | 65 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Cerebrovascular diseases (I60-I69) | | | | | | | | | | | | | |
| ALL RACES, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 167,661 | 124 | 47 | 76 | 199 | 602 | 2,599 | 6,011 | 9,956 | 23,649 | 57,020 | 67,376 | 2 |
| 1999..... | 167,366 | 103 | 46 | 65 | 182 | 580 | 2,574 | 5,563 | 9,652 | 24,092 | 57,427 | 67,080 | 2 |
| ALL RACES, MALE | | | | | | | | | | | | | |
| 2000..... | 64,769 | 74 | 19 | 33 | 106 | 308 | 1,297 | 3,235 | 5,496 | 12,042 | 23,946 | 18,212 | 1 |
| 1999..... | 64,485 | 65 | 22 | 34 | 95 | 299 | 1,308 | 2,996 | 5,305 | 12,220 | 24,088 | 18,052 | 1 |
| ALL RACES, FEMALE | | | | | | | | | | | | | |
| 2000..... | 102,892 | 50 | 28 | 43 | 93 | 294 | 1,302 | 2,776 | 4,460 | 11,607 | 33,074 | 49,164 | 1 |
| 1999..... | 102,881 | 38 | 24 | 31 | 87 | 281 | 1,266 | 2,567 | 4,347 | 11,872 | 33,339 | 49,028 | 1 |
| WHITE, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 144,580 | 75 | 30 | 55 | 148 | 420 | 1,645 | 3,914 | 7,239 | 19,224 | 50,367 | 61,462 | 1 |
| 1999..... | 144,827 | 70 | 34 | 49 | 135 | 402 | 1,646 | 3,609 | 6,940 | 19,577 | 50,917 | 61,448 | - |
| WHITE, MALE | | | | | | | | | | | | | |
| 2000..... | 54,938 | 46 | 14 | 26 | 84 | 225 | 842 | 2,138 | 3,998 | 9,828 | 21,210 | 16,526 | 1 |
| 1999..... | 54,867 | 43 | 16 | 27 | 72 | 213 | 856 | 1,949 | 3,843 | 10,000 | 21,413 | 16,435 | - |
| WHITE, FEMALE | | | | | | | | | | | | | |
| 2000..... | 89,642 | 29 | 16 | 29 | 64 | 195 | 803 | 1,776 | 3,241 | 9,396 | 29,157 | 44,936 | - |
| 1999..... | 89,960 | 27 | 18 | 22 | 63 | 189 | 790 | 1,660 | 3,097 | 9,577 | 29,504 | 45,013 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Cerebrovascular diseases (I60-I69) | | | | | | | | | | | | | |
| BLACK, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 19,221 | 46 | 14 | 15 | 43 | 160 | 836 | 1,836 | 2,291 | 3,689 | 5,399 | 4,891 | 1 |
| 1999..... | 18,884 | 28 | 10 | 15 | 41 | 150 | 816 | 1,683 | 2,295 | 3,813 | 5,351 | 4,681 | 1 |
| BLACK, MALE | | | | | | | | | | | | | |
| 2000..... | 8,026 | 27 | 3 | 5 | 19 | 71 | 397 | 969 | 1,258 | 1,835 | 2,177 | 1,265 | - |
| 1999..... | 7,894 | 18 | 4 | 7 | 19 | 72 | 393 | 910 | 1,251 | 1,868 | 2,116 | 1,236 | - |
| BLACK, FEMALE | | | | | | | | | | | | | |
| 2000..... | 11,195 | 19 | 11 | 10 | 24 | 89 | 439 | 867 | 1,033 | 1,854 | 3,222 | 3,626 | 1 |
| 1999..... | 10,990 | 10 | 6 | 8 | 22 | 78 | 423 | 773 | 1,044 | 1,945 | 3,235 | 3,445 | 1 |
| AMERICAN INDIAN 1/, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 572 | - | 1 | 2 | 1 | 5 | 22 | 47 | 79 | 108 | 178 | 129 | - |
| 1999..... | 546 | 2 | - | 1 | 1 | 11 | 30 | 40 | 63 | 105 | 166 | 127 | - |
| AMERICAN INDIAN 1/, MALE | | | | | | | | | | | | | |
| 2000..... | 250 | - | 1 | - | - | - | 11 | 22 | 43 | 65 | 69 | 39 | - |
| 1999..... | 236 | 2 | - | - | 1 | 4 | 15 | 21 | 26 | 59 | 75 | 33 | - |
| AMERICAN INDIAN 1/, FEMALE | | | | | | | | | | | | | |
| 2000..... | 322 | - | - | 2 | 1 | 5 | 11 | 25 | 36 | 43 | 109 | 90 | - |
| 1999..... | 310 | - | - | 1 | - | 7 | 15 | 19 | 37 | 46 | 91 | 94 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|

Cerebrovascular diseases (I60-I69)

ASIAN OR PACIFIC ISLANDER 2/, BOTH SEX

| | | | | | | | | | | | | | |
|-----------|-------|---|---|---|---|----|----|-----|-----|-----|-------|-----|---|
| 2000..... | 3,288 | 3 | 2 | 4 | 7 | 17 | 96 | 214 | 347 | 628 | 1,076 | 894 | - |
| 1999..... | 3,109 | 3 | 2 | - | 5 | 17 | 82 | 231 | 354 | 597 | 993 | 824 | 1 |

ASIAN OR PACIFIC ISLANDER 2/, MALE

| | | | | | | | | | | | | | |
|-----------|-------|---|---|---|---|----|----|-----|-----|-----|-----|-----|---|
| 2000..... | 1,555 | 1 | 1 | 2 | 3 | 12 | 47 | 106 | 197 | 314 | 490 | 382 | - |
| 1999..... | 1,488 | 2 | 2 | - | 3 | 10 | 44 | 116 | 185 | 293 | 484 | 348 | 1 |

ASIAN OR PACIFIC ISLANDER 2/, FEMALE

| | | | | | | | | | | | | | |
|-----------|-------|---|---|---|---|---|----|-----|-----|-----|-----|-----|---|
| 2000..... | 1,733 | 2 | 1 | 2 | 4 | 5 | 49 | 108 | 150 | 314 | 586 | 512 | - |
| 1999..... | 1,621 | 1 | - | - | 2 | 7 | 38 | 115 | 169 | 304 | 509 | 476 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Atherosclerosis (I70) | | | | | | | | | | | | | |
| ALL RACES, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 14,393 | 2 | - | - | 3 | 8 | 48 | 176 | 451 | 1,423 | 4,277 | 8,005 | - |
| 1999..... | 14,979 | 2 | - | - | 2 | 8 | 45 | 185 | 486 | 1,476 | 4,385 | 8,390 | - |
| ALL RACES, MALE | | | | | | | | | | | | | |
| 2000..... | 5,357 | - | - | - | 2 | 6 | 35 | 119 | 294 | 800 | 1,935 | 2,166 | - |
| 1999..... | 5,443 | 1 | - | - | - | 5 | 32 | 121 | 307 | 795 | 1,927 | 2,255 | - |
| ALL RACES, FEMALE | | | | | | | | | | | | | |
| 2000..... | 9,036 | 2 | - | - | 1 | 2 | 13 | 57 | 157 | 623 | 2,342 | 5,839 | - |
| 1999..... | 9,536 | 1 | - | - | 2 | 3 | 13 | 64 | 179 | 681 | 2,458 | 6,135 | - |
| WHITE, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 13,182 | 2 | - | - | 3 | 5 | 36 | 123 | 366 | 1,246 | 3,910 | 7,491 | - |
| 1999..... | 13,737 | 1 | - | - | 2 | 6 | 33 | 151 | 402 | 1,300 | 4,019 | 7,823 | - |
| WHITE, MALE | | | | | | | | | | | | | |
| 2000..... | 4,875 | - | - | - | 2 | 5 | 28 | 86 | 247 | 713 | 1,783 | 2,011 | - |
| 1999..... | 4,932 | 1 | - | - | - | 4 | 24 | 102 | 254 | 701 | 1,755 | 2,091 | - |
| WHITE, FEMALE | | | | | | | | | | | | | |
| 2000..... | 8,307 | 2 | - | - | 1 | - | 8 | 37 | 119 | 533 | 2,127 | 5,480 | - |
| 1999..... | 8,805 | - | - | - | 2 | 2 | 9 | 49 | 148 | 599 | 2,264 | 5,732 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Atherosclerosis (I70) | | | | | | | | | | | | | |
| BLACK, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 1,054 | - | - | - | - | 3 | 12 | 47 | 79 | 148 | 323 | 442 | - |
| 1999..... | 1,069 | 1 | - | - | - | 2 | 9 | 29 | 77 | 151 | 316 | 484 | - |
| BLACK, MALE | | | | | | | | | | | | | |
| 2000..... | 415 | - | - | - | - | 1 | 7 | 28 | 43 | 75 | 133 | 128 | - |
| 1999..... | 432 | - | - | - | - | 1 | 6 | 15 | 47 | 80 | 143 | 140 | - |
| BLACK, FEMALE | | | | | | | | | | | | | |
| 2000..... | 639 | - | - | - | - | 2 | 5 | 19 | 36 | 73 | 190 | 314 | - |
| 1999..... | 637 | 1 | - | - | - | 1 | 3 | 14 | 30 | 71 | 173 | 344 | - |
| AMERICAN INDIAN 1/, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 49 | - | - | - | - | - | - | - | 3 | 16 | 13 | 17 | - |
| 1999..... | 44 | - | - | - | - | - | - | 3 | 2 | 11 | 12 | 16 | - |
| AMERICAN INDIAN 1/, MALE | | | | | | | | | | | | | |
| 2000..... | 18 | - | - | - | - | - | - | - | 2 | 6 | 6 | 4 | - |
| 1999..... | 18 | - | - | - | - | - | - | 2 | 2 | 6 | 6 | 2 | - |
| AMERICAN INDIAN 1/, FEMALE | | | | | | | | | | | | | |
| 2000..... | 31 | - | - | - | - | - | - | - | 1 | 10 | 7 | 13 | - |
| 1999..... | 26 | - | - | - | - | - | - | 1 | - | 5 | 6 | 14 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|

Atherosclerosis (I70)

ASIAN OR PACIFIC ISLANDER 2/, BOTH SEX

| | | | | | | | | | | | | | |
|-----------|-----|---|---|---|---|---|---|---|---|----|----|----|---|
| 2000..... | 108 | - | - | - | - | - | - | 6 | 3 | 13 | 31 | 55 | - |
| 1999..... | 129 | - | - | - | - | - | 3 | 2 | 5 | 14 | 38 | 67 | - |

ASIAN OR PACIFIC ISLANDER 2/, MALE

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|---|---|---|---|----|----|---|
| 2000..... | 49 | - | - | - | - | - | - | 5 | 2 | 6 | 13 | 23 | - |
| 1999..... | 61 | - | - | - | - | - | 2 | 2 | 4 | 8 | 23 | 22 | - |

ASIAN OR PACIFIC ISLANDER 2/, FEMALE

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|---|---|---|---|----|----|---|
| 2000..... | 59 | - | - | - | - | - | - | 1 | 1 | 7 | 18 | 32 | - |
| 1999..... | 68 | - | - | - | - | - | 1 | - | 1 | 6 | 15 | 45 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Other diseases of circulatory system (I71-I78) | | | | | | | | | | | | | |
| ALL RACES, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 26,036 | 16 | 5 | 11 | 59 | 154 | 448 | 1,038 | 2,236 | 5,926 | 9,222 | 6,920 | 1 |
| 1999..... | 25,809 | 12 | 2 | 11 | 49 | 141 | 478 | 971 | 2,210 | 5,808 | 9,264 | 6,863 | - |
| ALL RACES, MALE | | | | | | | | | | | | | |
| 2000..... | 14,084 | 6 | 2 | 7 | 33 | 103 | 276 | 699 | 1,530 | 3,771 | 5,019 | 2,637 | 1 |
| 1999..... | 13,794 | 9 | - | 7 | 32 | 102 | 296 | 657 | 1,519 | 3,681 | 5,015 | 2,476 | - |
| ALL RACES, FEMALE | | | | | | | | | | | | | |
| 2000..... | 11,952 | 10 | 3 | 4 | 26 | 51 | 172 | 339 | 706 | 2,155 | 4,203 | 4,283 | - |
| 1999..... | 12,015 | 3 | 2 | 4 | 17 | 39 | 182 | 314 | 691 | 2,127 | 4,249 | 4,387 | - |
| WHITE, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 22,963 | 13 | 4 | 7 | 44 | 111 | 308 | 756 | 1,834 | 5,267 | 8,362 | 6,257 | - |
| 1999..... | 22,952 | 9 | 2 | 8 | 42 | 106 | 356 | 729 | 1,868 | 5,184 | 8,430 | 6,218 | - |
| WHITE, MALE | | | | | | | | | | | | | |
| 2000..... | 12,611 | 4 | 2 | 6 | 26 | 77 | 190 | 528 | 1,290 | 3,428 | 4,625 | 2,435 | - |
| 1999..... | 12,444 | 6 | - | 5 | 27 | 77 | 226 | 503 | 1,321 | 3,364 | 4,637 | 2,278 | - |
| WHITE, FEMALE | | | | | | | | | | | | | |
| 2000..... | 10,352 | 9 | 2 | 1 | 18 | 34 | 118 | 228 | 544 | 1,839 | 3,737 | 3,822 | - |
| 1999..... | 10,508 | 3 | 2 | 3 | 15 | 29 | 130 | 226 | 547 | 1,820 | 3,793 | 3,940 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Other diseases of circulatory system (I71-I78) | | | | | | | | | | | | | |
| BLACK, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 2,595 | 3 | - | 4 | 13 | 36 | 124 | 234 | 351 | 546 | 715 | 568 | 1 |
| 1999..... | 2,434 | 3 | - | - | 7 | 30 | 112 | 212 | 294 | 521 | 694 | 561 | - |
| BLACK, MALE | | | | | | | | | | | | | |
| 2000..... | 1,207 | 2 | - | 1 | 6 | 22 | 77 | 146 | 201 | 281 | 316 | 154 | 1 |
| 1999..... | 1,111 | 3 | - | - | 5 | 23 | 61 | 135 | 167 | 268 | 292 | 157 | - |
| BLACK, FEMALE | | | | | | | | | | | | | |
| 2000..... | 1,388 | 1 | - | 3 | 7 | 14 | 47 | 88 | 150 | 265 | 399 | 414 | - |
| 1999..... | 1,323 | - | - | - | 2 | 7 | 51 | 77 | 127 | 253 | 402 | 404 | - |
| AMERICAN INDIAN 1/, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 87 | - | - | - | - | - | 3 | 8 | 8 | 33 | 20 | 15 | - |
| 1999..... | 72 | - | - | 2 | - | - | - | 2 | 12 | 20 | 19 | 17 | - |
| AMERICAN INDIAN 1/, MALE | | | | | | | | | | | | | |
| 2000..... | 37 | - | - | - | - | - | - | 4 | 5 | 14 | 10 | 4 | - |
| 1999..... | 32 | - | - | 1 | - | - | - | 1 | 7 | 9 | 8 | 6 | - |
| AMERICAN INDIAN 1/, FEMALE | | | | | | | | | | | | | |
| 2000..... | 50 | - | - | - | - | - | 3 | 4 | 3 | 19 | 10 | 11 | - |
| 1999..... | 40 | - | - | 1 | - | - | - | 1 | 5 | 11 | 11 | 11 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|

Other diseases of circulatory system (I71-I78)

ASIAN OR PACIFIC ISLANDER 2/, BOTH SEX

| | | | | | | | | | | | | | |
|-----------|-----|---|---|---|---|---|----|----|----|----|-----|----|---|
| 2000..... | 391 | - | 1 | - | 2 | 7 | 13 | 40 | 43 | 80 | 125 | 80 | - |
| 1999..... | 351 | - | - | 1 | - | 5 | 10 | 28 | 36 | 83 | 121 | 67 | - |

ASIAN OR PACIFIC ISLANDER 2/, MALE

| | | | | | | | | | | | | | |
|-----------|-----|---|---|---|---|---|---|----|----|----|----|----|---|
| 2000..... | 229 | - | - | - | 1 | 4 | 9 | 21 | 34 | 48 | 68 | 44 | - |
| 1999..... | 207 | - | - | 1 | - | 2 | 9 | 18 | 24 | 40 | 78 | 35 | - |

ASIAN OR PACIFIC ISLANDER 2/, FEMALE

| | | | | | | | | | | | | | |
|-----------|-----|---|---|---|---|---|---|----|----|----|----|----|---|
| 2000..... | 162 | - | 1 | - | 1 | 3 | 4 | 19 | 9 | 32 | 57 | 36 | - |
| 1999..... | 144 | - | - | - | - | 3 | 1 | 10 | 12 | 43 | 43 | 32 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Aortic aneurysm and dissection (I71) | | | | | | | | | | | | | |
| ALL RACES, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 15,810 | - | - | 5 | 36 | 107 | 303 | 662 | 1,493 | 4,012 | 5,835 | 3,357 | - |
| 1999..... | 15,807 | 1 | 1 | 3 | 31 | 93 | 329 | 638 | 1,437 | 4,001 | 5,936 | 3,337 | - |
| ALL RACES, MALE | | | | | | | | | | | | | |
| 2000..... | 9,661 | - | - | 3 | 23 | 78 | 219 | 492 | 1,111 | 2,730 | 3,443 | 1,562 | - |
| 1999..... | 9,615 | 1 | - | 2 | 20 | 78 | 232 | 486 | 1,088 | 2,712 | 3,501 | 1,495 | - |
| ALL RACES, FEMALE | | | | | | | | | | | | | |
| 2000..... | 6,149 | - | - | 2 | 13 | 29 | 84 | 170 | 382 | 1,282 | 2,392 | 1,795 | - |
| 1999..... | 6,192 | - | 1 | 1 | 11 | 15 | 97 | 152 | 349 | 1,289 | 2,435 | 1,842 | - |
| WHITE, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 14,210 | - | - | 2 | 26 | 77 | 204 | 496 | 1,257 | 3,651 | 5,398 | 3,099 | - |
| 1999..... | 14,336 | 1 | 1 | 2 | 27 | 70 | 240 | 467 | 1,250 | 3,652 | 5,529 | 3,097 | - |
| WHITE, MALE | | | | | | | | | | | | | |
| 2000..... | 8,797 | - | - | 2 | 18 | 56 | 149 | 384 | 956 | 2,533 | 3,227 | 1,472 | - |
| 1999..... | 8,817 | 1 | - | 1 | 17 | 58 | 172 | 362 | 969 | 2,525 | 3,311 | 1,401 | - |
| WHITE, FEMALE | | | | | | | | | | | | | |
| 2000..... | 5,413 | - | - | - | 8 | 21 | 55 | 112 | 301 | 1,118 | 2,171 | 1,627 | - |
| 1999..... | 5,519 | - | 1 | 1 | 10 | 12 | 68 | 105 | 281 | 1,127 | 2,218 | 1,696 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Aortic aneurysm and dissection (I71) | | | | | | | | | | | | | |
| BLACK, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 1,277 | - | - | 3 | 9 | 25 | 90 | 137 | 200 | 281 | 333 | 199 | - |
| 1999..... | 1,181 | - | - | - | 4 | 21 | 80 | 152 | 155 | 274 | 306 | 189 | - |
| BLACK, MALE | | | | | | | | | | | | | |
| 2000..... | 671 | - | - | 1 | 5 | 19 | 64 | 91 | 125 | 151 | 155 | 60 | - |
| 1999..... | 619 | - | - | - | 3 | 19 | 52 | 109 | 97 | 149 | 125 | 65 | - |
| BLACK, FEMALE | | | | | | | | | | | | | |
| 2000..... | 606 | - | - | 2 | 4 | 6 | 26 | 46 | 75 | 130 | 178 | 139 | - |
| 1999..... | 562 | - | - | - | 1 | 2 | 28 | 43 | 58 | 125 | 181 | 124 | - |
| AMERICAN INDIAN 1/, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 41 | - | - | - | - | - | - | 1 | 3 | 21 | 12 | 4 | - |
| 1999..... | 36 | - | - | 1 | - | - | - | - | 5 | 12 | 11 | 7 | - |
| AMERICAN INDIAN 1/, MALE | | | | | | | | | | | | | |
| 2000..... | 21 | - | - | - | - | - | - | 1 | 1 | 11 | 7 | 1 | - |
| 1999..... | 19 | - | - | 1 | - | - | - | - | 3 | 6 | 6 | 3 | - |
| AMERICAN INDIAN 1/, FEMALE | | | | | | | | | | | | | |
| 2000..... | 20 | - | - | - | - | - | - | - | 2 | 10 | 5 | 3 | - |
| 1999..... | 17 | - | - | - | - | - | - | - | 2 | 6 | 5 | 4 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|

Aortic aneurysm and dissection (I71)

ASIAN OR PACIFIC ISLANDER 2/, BOTH SEX

| | | | | | | | | | | | | | |
|-----------|-----|---|---|---|---|---|---|----|----|----|----|----|---|
| 2000..... | 282 | - | - | - | 1 | 5 | 9 | 28 | 33 | 59 | 92 | 55 | - |
| 1999..... | 254 | - | - | - | - | 2 | 9 | 19 | 27 | 63 | 90 | 44 | - |

ASIAN OR PACIFIC ISLANDER 2/, MALE

| | | | | | | | | | | | | | |
|-----------|-----|---|---|---|---|---|---|----|----|----|----|----|---|
| 2000..... | 172 | - | - | - | - | 3 | 6 | 16 | 29 | 35 | 54 | 29 | - |
| 1999..... | 160 | - | - | - | - | 1 | 8 | 15 | 19 | 32 | 59 | 26 | - |

ASIAN OR PACIFIC ISLANDER 2/, FEMALE

| | | | | | | | | | | | | | |
|-----------|-----|---|---|---|---|---|---|----|---|----|----|----|---|
| 2000..... | 110 | - | - | - | 1 | 2 | 3 | 12 | 4 | 24 | 38 | 26 | - |
| 1999..... | 94 | - | - | - | - | 1 | 1 | 4 | 8 | 31 | 31 | 18 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Other diseases of arteries, arterioles and capillaries (I72-I78) | | | | | | | | | | | | | |
| ALL RACES, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 10,226 | 16 | 5 | 6 | 23 | 47 | 145 | 376 | 743 | 1,914 | 3,387 | 3,563 | 1 |
| 1999..... | 10,002 | 11 | 1 | 8 | 18 | 48 | 149 | 333 | 773 | 1,807 | 3,328 | 3,526 | - |
| ALL RACES, MALE | | | | | | | | | | | | | |
| 2000..... | 4,423 | 6 | 2 | 4 | 10 | 25 | 57 | 207 | 419 | 1,041 | 1,576 | 1,075 | 1 |
| 1999..... | 4,179 | 8 | - | 5 | 12 | 24 | 64 | 171 | 431 | 969 | 1,514 | 981 | - |
| ALL RACES, FEMALE | | | | | | | | | | | | | |
| 2000..... | 5,803 | 10 | 3 | 2 | 13 | 22 | 88 | 169 | 324 | 873 | 1,811 | 2,488 | - |
| 1999..... | 5,823 | 3 | 1 | 3 | 6 | 24 | 85 | 162 | 342 | 838 | 1,814 | 2,545 | - |
| WHITE, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 8,753 | 13 | 4 | 5 | 18 | 34 | 104 | 260 | 577 | 1,616 | 2,964 | 3,158 | - |
| 1999..... | 8,616 | 8 | 1 | 6 | 15 | 36 | 116 | 262 | 618 | 1,532 | 2,901 | 3,121 | - |
| WHITE, MALE | | | | | | | | | | | | | |
| 2000..... | 3,814 | 4 | 2 | 4 | 8 | 21 | 41 | 144 | 334 | 895 | 1,398 | 963 | - |
| 1999..... | 3,627 | 5 | - | 4 | 10 | 19 | 54 | 141 | 352 | 839 | 1,326 | 877 | - |
| WHITE, FEMALE | | | | | | | | | | | | | |
| 2000..... | 4,939 | 9 | 2 | 1 | 10 | 13 | 63 | 116 | 243 | 721 | 1,566 | 2,195 | - |
| 1999..... | 4,989 | 3 | 1 | 2 | 5 | 17 | 62 | 121 | 266 | 693 | 1,575 | 2,244 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|

Other diseases of arteries, arterioles and capillaries (I72-I78)

BLACK, BOTH SEXES

| | | | | | | | | | | | | | |
|-----------|-------|---|---|---|---|----|----|----|-----|-----|-----|-----|---|
| 2000..... | 1,318 | 3 | - | 1 | 4 | 11 | 34 | 97 | 151 | 265 | 382 | 369 | 1 |
| 1999..... | 1,253 | 3 | - | - | 3 | 9 | 32 | 60 | 139 | 247 | 388 | 372 | - |

BLACK, MALE

| | | | | | | | | | | | | | |
|-----------|-----|---|---|---|---|---|----|----|----|-----|-----|----|---|
| 2000..... | 536 | 2 | - | - | 1 | 3 | 13 | 55 | 76 | 130 | 161 | 94 | 1 |
| 1999..... | 492 | 3 | - | - | 2 | 4 | 9 | 26 | 70 | 119 | 167 | 92 | - |

BLACK, FEMALE

| | | | | | | | | | | | | | |
|-----------|-----|---|---|---|---|---|----|----|----|-----|-----|-----|---|
| 2000..... | 782 | 1 | - | 1 | 3 | 8 | 21 | 42 | 75 | 135 | 221 | 275 | - |
| 1999..... | 761 | - | - | - | 1 | 5 | 23 | 34 | 69 | 128 | 221 | 280 | - |

AMERICAN INDIAN 1/, BOTH SEXES

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|---|---|---|----|---|----|---|
| 2000..... | 46 | - | - | - | - | - | 3 | 7 | 5 | 12 | 8 | 11 | - |
| 1999..... | 36 | - | - | 1 | - | - | - | 2 | 7 | 8 | 8 | 10 | - |

AMERICAN INDIAN 1/, MALE

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|---|---|---|---|---|---|---|
| 2000..... | 16 | - | - | - | - | - | - | 3 | 4 | 3 | 3 | 3 | - |
| 1999..... | 13 | - | - | - | - | - | - | 1 | 4 | 3 | 2 | 3 | - |

AMERICAN INDIAN 1/, FEMALE

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|---|---|---|---|---|---|---|
| 2000..... | 30 | - | - | - | - | - | 3 | 4 | 1 | 9 | 5 | 8 | - |
| 1999..... | 23 | - | - | 1 | - | - | - | 1 | 3 | 5 | 6 | 7 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|

Other diseases of arteries, arterioles and capillaries (I72-I78)

ASIAN OR PACIFIC ISLANDER 2/, BOTH SEX

| | | | | | | | | | | | | | |
|-----------|-----|---|---|---|---|---|---|----|----|----|----|----|---|
| 2000..... | 109 | - | 1 | - | 1 | 2 | 4 | 12 | 10 | 21 | 33 | 25 | - |
| 1999..... | 97 | - | - | 1 | - | 3 | 1 | 9 | 9 | 20 | 31 | 23 | - |

ASIAN OR PACIFIC ISLANDER 2/, MALE

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|---|---|---|----|----|----|---|
| 2000..... | 57 | - | - | - | 1 | 1 | 3 | 5 | 5 | 13 | 14 | 15 | - |
| 1999..... | 47 | - | - | 1 | - | 1 | 1 | 3 | 5 | 8 | 19 | 9 | - |

ASIAN OR PACIFIC ISLANDER 2/, FEMALE

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|---|---|---|----|----|----|---|
| 2000..... | 52 | - | 1 | - | - | 1 | 1 | 7 | 5 | 8 | 19 | 10 | - |
| 1999..... | 50 | - | - | - | - | 2 | - | 6 | 4 | 12 | 12 | 14 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|

Other disorders of circulatory system (I80-I99)

ALL RACES, BOTH SEXES

| | | | | | | | | | | | | | |
|-----------|-------|----|---|----|----|-----|-----|-----|-----|-----|-------|-------|---|
| 2000..... | 4,603 | 27 | 4 | 12 | 37 | 133 | 319 | 515 | 516 | 795 | 1,161 | 1,084 | - |
| 1999..... | 4,025 | 23 | 1 | 2 | 30 | 93 | 271 | 378 | 445 | 692 | 1,117 | 972 | 1 |

ALL RACES, MALE

| | | | | | | | | | | | | | |
|-----------|-------|----|---|---|----|----|-----|-----|-----|-----|-----|-----|---|
| 2000..... | 1,981 | 16 | 2 | 6 | 16 | 57 | 190 | 295 | 264 | 390 | 472 | 273 | - |
| 1999..... | 1,714 | 13 | 1 | 1 | 13 | 44 | 159 | 198 | 224 | 350 | 463 | 248 | - |

ALL RACES, FEMALE

| | | | | | | | | | | | | | |
|-----------|-------|----|---|---|----|----|-----|-----|-----|-----|-----|-----|---|
| 2000..... | 2,622 | 11 | 2 | 6 | 21 | 76 | 129 | 220 | 252 | 405 | 689 | 811 | - |
| 1999..... | 2,311 | 10 | - | 1 | 17 | 49 | 112 | 180 | 221 | 342 | 654 | 724 | 1 |

WHITE, BOTH SEXES

| | | | | | | | | | | | | | |
|-----------|-------|----|---|---|----|----|-----|-----|-----|-----|-------|-----|---|
| 2000..... | 3,787 | 20 | 3 | 9 | 22 | 82 | 230 | 392 | 397 | 637 | 1,017 | 978 | - |
| 1999..... | 3,345 | 18 | - | 2 | 15 | 64 | 183 | 277 | 367 | 568 | 978 | 872 | 1 |

WHITE, MALE

| | | | | | | | | | | | | | |
|-----------|-------|----|---|---|---|----|-----|-----|-----|-----|-----|-----|---|
| 2000..... | 1,618 | 13 | 1 | 5 | 9 | 34 | 141 | 228 | 201 | 323 | 419 | 244 | - |
| 1999..... | 1,399 | 9 | - | 1 | 8 | 30 | 106 | 142 | 192 | 287 | 401 | 223 | - |

WHITE, FEMALE

| | | | | | | | | | | | | | |
|-----------|-------|---|---|---|----|----|----|-----|-----|-----|-----|-----|---|
| 2000..... | 2,169 | 7 | 2 | 4 | 13 | 48 | 89 | 164 | 196 | 314 | 598 | 734 | - |
| 1999..... | 1,946 | 9 | - | 1 | 7 | 34 | 77 | 135 | 175 | 281 | 577 | 649 | 1 |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|

Other disorders of circulatory system (I80-I99)

BLACK, BOTH SEXES

| | | | | | | | | | | | | | |
|-----------|-----|---|---|---|----|----|----|-----|-----|-----|-----|----|---|
| 2000..... | 761 | 5 | 1 | 3 | 14 | 49 | 87 | 118 | 109 | 147 | 132 | 96 | - |
| 1999..... | 616 | 4 | 1 | - | 14 | 28 | 81 | 96 | 69 | 109 | 125 | 89 | - |

BLACK, MALE

| | | | | | | | | | | | | | |
|-----------|-----|---|---|---|---|----|----|----|----|----|----|----|---|
| 2000..... | 335 | 2 | 1 | 1 | 7 | 22 | 48 | 66 | 56 | 62 | 44 | 26 | - |
| 1999..... | 282 | 3 | 1 | - | 4 | 14 | 49 | 53 | 28 | 56 | 55 | 19 | - |

BLACK, FEMALE

| | | | | | | | | | | | | | |
|-----------|-----|---|---|---|----|----|----|----|----|----|----|----|---|
| 2000..... | 426 | 3 | - | 2 | 7 | 27 | 39 | 52 | 53 | 85 | 88 | 70 | - |
| 1999..... | 334 | 1 | - | - | 10 | 14 | 32 | 43 | 41 | 53 | 70 | 70 | - |

AMERICAN INDIAN 1/, BOTH SEXES

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|---|---|---|---|---|---|---|
| 2000..... | 18 | - | - | - | 1 | 1 | - | 2 | 2 | 7 | 4 | 1 | - |
| 1999..... | 13 | - | - | - | - | 1 | 1 | 2 | 2 | 1 | 6 | - | - |

AMERICAN INDIAN 1/, MALE

| | | | | | | | | | | | | | |
|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2000..... | 8 | - | - | - | - | 1 | - | - | 1 | 3 | 3 | - | - |
| 1999..... | 4 | - | - | - | - | - | - | 2 | - | 1 | 1 | - | - |

AMERICAN INDIAN 1/, FEMALE

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|---|---|---|---|---|---|---|
| 2000..... | 10 | - | - | - | 1 | - | - | 2 | 1 | 4 | 1 | 1 | - |
| 1999..... | 9 | - | - | - | - | 1 | 1 | - | 2 | - | 5 | - | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|

Other disorders of circulatory system (I80-I99)

ASIAN OR PACIFIC ISLANDER 2/, BOTH SEX

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|---|---|---|----|---|----|---|
| 2000..... | 37 | 2 | - | - | - | 1 | 2 | 3 | 8 | 4 | 8 | 9 | - |
| 1999..... | 51 | 1 | - | - | 1 | - | 6 | 3 | 7 | 14 | 8 | 11 | - |

ASIAN OR PACIFIC ISLANDER 2/, MALE

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|---|---|---|---|---|---|---|
| 2000..... | 20 | 1 | - | - | - | - | 1 | 1 | 6 | 2 | 6 | 3 | - |
| 1999..... | 29 | 1 | - | - | 1 | - | 4 | 1 | 4 | 6 | 6 | 6 | - |

ASIAN OR PACIFIC ISLANDER 2/, FEMALE

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|---|---|---|---|---|---|---|
| 2000..... | 17 | 1 | - | - | - | 1 | 1 | 2 | 2 | 2 | 2 | 6 | - |
| 1999..... | 22 | - | - | - | - | - | 2 | 2 | 3 | 8 | 2 | 5 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Influenza and pneumonia (J10-J18) | | | | | | | | | | | | | |
| ALL RACES, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 65,313 | 289 | 103 | 87 | 189 | 364 | 1,068 | 1,774 | 2,879 | 7,189 | 19,821 | 31,547 | 3 |
| 1999..... | 63,730 | 320 | 130 | 93 | 179 | 339 | 1,063 | 1,697 | 2,625 | 6,861 | 19,192 | 31,229 | 2 |
| ALL RACES, MALE | | | | | | | | | | | | | |
| 2000..... | 28,658 | 163 | 54 | 48 | 102 | 204 | 630 | 1,066 | 1,680 | 4,013 | 9,751 | 10,945 | 2 |
| 1999..... | 27,718 | 171 | 66 | 53 | 90 | 197 | 592 | 1,059 | 1,462 | 3,893 | 9,458 | 10,676 | 1 |
| ALL RACES, FEMALE | | | | | | | | | | | | | |
| 2000..... | 36,655 | 126 | 49 | 39 | 87 | 160 | 438 | 708 | 1,199 | 3,176 | 10,070 | 20,602 | 1 |
| 1999..... | 36,012 | 149 | 64 | 40 | 89 | 142 | 471 | 638 | 1,163 | 2,968 | 9,734 | 20,553 | 1 |
| WHITE, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 57,914 | 172 | 69 | 70 | 138 | 261 | 767 | 1,297 | 2,258 | 5,969 | 17,811 | 29,101 | 1 |
| 1999..... | 56,694 | 184 | 75 | 72 | 121 | 222 | 714 | 1,223 | 2,059 | 5,832 | 17,405 | 28,785 | 2 |
| WHITE, MALE | | | | | | | | | | | | | |
| 2000..... | 25,002 | 98 | 30 | 39 | 79 | 138 | 455 | 759 | 1,302 | 3,314 | 8,742 | 10,045 | 1 |
| 1999..... | 24,281 | 103 | 33 | 42 | 62 | 134 | 390 | 750 | 1,137 | 3,288 | 8,566 | 9,775 | 1 |
| WHITE, FEMALE | | | | | | | | | | | | | |
| 2000..... | 32,912 | 74 | 39 | 31 | 59 | 123 | 312 | 538 | 956 | 2,655 | 9,069 | 19,056 | - |
| 1999..... | 32,413 | 81 | 42 | 30 | 59 | 88 | 324 | 473 | 922 | 2,544 | 8,839 | 19,010 | 1 |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Influenza and pneumonia (J10-J18) | | | | | | | | | | | | | |
| BLACK, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 5,990 | 103 | 30 | 11 | 44 | 93 | 257 | 425 | 538 | 997 | 1,569 | 1,921 | 2 |
| 1999..... | 5,876 | 115 | 43 | 15 | 49 | 107 | 312 | 431 | 498 | 889 | 1,426 | 1,991 | - |
| BLACK, MALE | | | | | | | | | | | | | |
| 2000..... | 2,915 | 56 | 21 | 7 | 21 | 59 | 152 | 272 | 327 | 571 | 773 | 655 | 1 |
| 1999..... | 2,825 | 58 | 25 | 8 | 23 | 58 | 178 | 282 | 289 | 523 | 695 | 686 | - |
| BLACK, FEMALE | | | | | | | | | | | | | |
| 2000..... | 3,075 | 47 | 9 | 4 | 23 | 34 | 105 | 153 | 211 | 426 | 796 | 1,266 | 1 |
| 1999..... | 3,051 | 57 | 18 | 7 | 26 | 49 | 134 | 149 | 209 | 366 | 731 | 1,305 | - |
| AMERICAN INDIAN 1/, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 289 | 6 | - | 3 | 2 | 5 | 28 | 21 | 24 | 45 | 71 | 84 | - |
| 1999..... | 315 | 9 | 3 | 3 | 5 | 4 | 20 | 26 | 30 | 37 | 72 | 106 | - |
| AMERICAN INDIAN 1/, MALE | | | | | | | | | | | | | |
| 2000..... | 149 | 2 | - | - | 1 | 3 | 18 | 16 | 16 | 29 | 33 | 31 | - |
| 1999..... | 147 | 4 | 3 | 2 | 4 | 1 | 12 | 17 | 13 | 16 | 39 | 36 | - |
| AMERICAN INDIAN 1/, FEMALE | | | | | | | | | | | | | |
| 2000..... | 140 | 4 | - | 3 | 1 | 2 | 10 | 5 | 8 | 16 | 38 | 53 | - |
| 1999..... | 168 | 5 | - | 1 | 1 | 3 | 8 | 9 | 17 | 21 | 33 | 70 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|

Influenza and pneumonia (J10-J18)

ASIAN OR PACIFIC ISLANDER 2/, BOTH SEX

| | | | | | | | | | | | | | |
|-----------|-------|----|---|---|---|---|----|----|----|-----|-----|-----|---|
| 2000..... | 1,120 | 8 | 4 | 3 | 5 | 5 | 16 | 31 | 59 | 178 | 370 | 441 | - |
| 1999..... | 845 | 12 | 9 | 3 | 4 | 6 | 17 | 17 | 38 | 103 | 289 | 347 | - |

ASIAN OR PACIFIC ISLANDER 2/, MALE

| | | | | | | | | | | | | | |
|-----------|-----|---|---|---|---|---|----|----|----|----|-----|-----|---|
| 2000..... | 592 | 7 | 3 | 2 | 1 | 4 | 5 | 19 | 35 | 99 | 203 | 214 | - |
| 1999..... | 465 | 6 | 5 | 1 | 1 | 4 | 12 | 10 | 23 | 66 | 158 | 179 | - |

ASIAN OR PACIFIC ISLANDER 2/, FEMALE

| | | | | | | | | | | | | | |
|-----------|-----|---|---|---|---|---|----|----|----|----|-----|-----|---|
| 2000..... | 528 | 1 | 1 | 1 | 4 | 1 | 11 | 12 | 24 | 79 | 167 | 227 | - |
| 1999..... | 380 | 6 | 4 | 2 | 3 | 2 | 5 | 7 | 15 | 37 | 131 | 168 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Influenza (J10-J11) | | | | | | | | | | | | | |
| ALL RACES, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 1,765 | 9 | 10 | 11 | 13 | 13 | 22 | 48 | 93 | 199 | 492 | 855 | - |
| 1999..... | 1,665 | 13 | 12 | 11 | 11 | 9 | 16 | 26 | 71 | 164 | 451 | 881 | - |
| ALL RACES, MALE | | | | | | | | | | | | | |
| 2000..... | 664 | 5 | 4 | 5 | 6 | 5 | 14 | 25 | 44 | 106 | 196 | 254 | - |
| 1999..... | 602 | 6 | 9 | 5 | 2 | 5 | 9 | 15 | 37 | 74 | 202 | 238 | - |
| ALL RACES, FEMALE | | | | | | | | | | | | | |
| 2000..... | 1,101 | 4 | 6 | 6 | 7 | 8 | 8 | 23 | 49 | 93 | 296 | 601 | - |
| 1999..... | 1,063 | 7 | 3 | 6 | 9 | 4 | 7 | 11 | 34 | 90 | 249 | 643 | - |
| WHITE, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 1,662 | 7 | 9 | 9 | 12 | 11 | 18 | 40 | 87 | 180 | 469 | 820 | - |
| 1999..... | 1,574 | 7 | 8 | 10 | 10 | 8 | 10 | 22 | 65 | 148 | 429 | 857 | - |
| WHITE, MALE | | | | | | | | | | | | | |
| 2000..... | 617 | 5 | 4 | 4 | 5 | 3 | 10 | 19 | 41 | 99 | 187 | 240 | - |
| 1999..... | 569 | 1 | 6 | 5 | 2 | 5 | 6 | 13 | 36 | 67 | 194 | 234 | - |
| WHITE, FEMALE | | | | | | | | | | | | | |
| 2000..... | 1,045 | 2 | 5 | 5 | 7 | 8 | 8 | 21 | 46 | 81 | 282 | 580 | - |
| 1999..... | 1,005 | 6 | 2 | 5 | 8 | 3 | 4 | 9 | 29 | 81 | 235 | 623 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Influenza (J10-J11) | | | | | | | | | | | | | |
| BLACK, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 81 | 2 | 1 | 1 | 1 | 1 | 3 | 7 | 6 | 16 | 13 | 30 | - |
| 1999..... | 66 | 4 | 1 | - | 1 | 1 | 5 | 3 | 5 | 13 | 15 | 18 | - |
| BLACK, MALE | | | | | | | | | | | | | |
| 2000..... | 35 | - | - | 1 | 1 | 1 | 3 | 5 | 3 | 5 | 5 | 11 | - |
| 1999..... | 24 | 3 | 1 | - | - | - | 2 | 2 | 1 | 6 | 6 | 3 | - |
| BLACK, FEMALE | | | | | | | | | | | | | |
| 2000..... | 46 | 2 | 1 | - | - | - | - | 2 | 3 | 11 | 8 | 19 | - |
| 1999..... | 42 | 1 | - | - | 1 | 1 | 3 | 1 | 4 | 7 | 9 | 15 | - |
| AMERICAN INDIAN 1/, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 4 | - | - | 1 | - | - | - | - | - | - | 1 | 2 | - |
| 1999..... | 5 | 1 | - | 1 | - | - | - | - | - | 1 | 2 | - | - |
| AMERICAN INDIAN 1/, MALE | | | | | | | | | | | | | |
| 2000..... | 1 | - | - | - | - | - | - | - | - | - | - | 1 | - |
| 1999..... | 2 | 1 | - | - | - | - | - | - | - | - | 1 | - | - |
| AMERICAN INDIAN 1/, FEMALE | | | | | | | | | | | | | |
| 2000..... | 3 | - | - | 1 | - | - | - | - | - | - | 1 | 1 | - |
| 1999..... | 3 | - | - | 1 | - | - | - | - | - | 1 | 1 | - | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|

Influenza (J10-J11)

ASIAN OR PACIFIC ISLANDER 2/, BOTH SEX

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|---|---|---|---|---|---|---|
| 2000..... | 18 | - | - | - | - | 1 | 1 | 1 | - | 3 | 9 | 3 | - |
| 1999..... | 20 | 1 | 3 | - | - | - | 1 | 1 | 1 | 2 | 5 | 6 | - |

ASIAN OR PACIFIC ISLANDER 2/, MALE

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|---|---|---|---|---|---|---|
| 2000..... | 11 | - | - | - | - | 1 | 1 | 1 | - | 2 | 4 | 2 | - |
| 1999..... | 7 | 1 | 2 | - | - | - | 1 | - | - | 1 | 1 | 1 | - |

ASIAN OR PACIFIC ISLANDER 2/, FEMALE

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|---|---|---|---|---|---|---|
| 2000..... | 7 | - | - | - | - | - | - | - | - | 1 | 5 | 1 | - |
| 1999..... | 13 | - | 1 | - | - | - | - | 1 | 1 | 1 | 4 | 5 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Pneumonia (J12-J18) | | | | | | | | | | | | | |
| ALL RACES, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 63,548 | 280 | 93 | 76 | 176 | 351 | 1,046 | 1,726 | 2,786 | 6,990 | 19,329 | 30,692 | 3 |
| 1999..... | 62,065 | 307 | 118 | 82 | 168 | 330 | 1,047 | 1,671 | 2,554 | 6,697 | 18,741 | 30,348 | 2 |
| ALL RACES, MALE | | | | | | | | | | | | | |
| 2000..... | 27,994 | 158 | 50 | 43 | 96 | 199 | 616 | 1,041 | 1,636 | 3,907 | 9,555 | 10,691 | 2 |
| 1999..... | 27,116 | 165 | 57 | 48 | 88 | 192 | 583 | 1,044 | 1,425 | 3,819 | 9,256 | 10,438 | 1 |
| ALL RACES, FEMALE | | | | | | | | | | | | | |
| 2000..... | 35,554 | 122 | 43 | 33 | 80 | 152 | 430 | 685 | 1,150 | 3,083 | 9,774 | 20,001 | 1 |
| 1999..... | 34,949 | 142 | 61 | 34 | 80 | 138 | 464 | 627 | 1,129 | 2,878 | 9,485 | 19,910 | 1 |
| WHITE, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 56,252 | 165 | 60 | 61 | 126 | 250 | 749 | 1,257 | 2,171 | 5,789 | 17,342 | 28,281 | 1 |
| 1999..... | 55,120 | 177 | 67 | 62 | 111 | 214 | 704 | 1,201 | 1,994 | 5,684 | 16,976 | 27,928 | 2 |
| WHITE, MALE | | | | | | | | | | | | | |
| 2000..... | 24,385 | 93 | 26 | 35 | 74 | 135 | 445 | 740 | 1,261 | 3,215 | 8,555 | 9,805 | 1 |
| 1999..... | 23,712 | 102 | 27 | 37 | 60 | 129 | 384 | 737 | 1,101 | 3,221 | 8,372 | 9,541 | 1 |
| WHITE, FEMALE | | | | | | | | | | | | | |
| 2000..... | 31,867 | 72 | 34 | 26 | 52 | 115 | 304 | 517 | 910 | 2,574 | 8,787 | 18,476 | - |
| 1999..... | 31,408 | 75 | 40 | 25 | 51 | 85 | 320 | 464 | 893 | 2,463 | 8,604 | 18,387 | 1 |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Pneumonia (J12-J18) | | | | | | | | | | | | | |
| BLACK, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 5,909 | 101 | 29 | 10 | 43 | 92 | 254 | 418 | 532 | 981 | 1,556 | 1,891 | 2 |
| 1999..... | 5,810 | 111 | 42 | 15 | 48 | 106 | 307 | 428 | 493 | 876 | 1,411 | 1,973 | - |
| BLACK, MALE | | | | | | | | | | | | | |
| 2000..... | 2,880 | 56 | 21 | 6 | 20 | 58 | 149 | 267 | 324 | 566 | 768 | 644 | 1 |
| 1999..... | 2,801 | 55 | 24 | 8 | 23 | 58 | 176 | 280 | 288 | 517 | 689 | 683 | - |
| BLACK, FEMALE | | | | | | | | | | | | | |
| 2000..... | 3,029 | 45 | 8 | 4 | 23 | 34 | 105 | 151 | 208 | 415 | 788 | 1,247 | 1 |
| 1999..... | 3,009 | 56 | 18 | 7 | 25 | 48 | 131 | 148 | 205 | 359 | 722 | 1,290 | - |
| AMERICAN INDIAN 1/, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 285 | 6 | - | 2 | 2 | 5 | 28 | 21 | 24 | 45 | 70 | 82 | - |
| 1999..... | 310 | 8 | 3 | 2 | 5 | 4 | 20 | 26 | 30 | 36 | 70 | 106 | - |
| AMERICAN INDIAN 1/, MALE | | | | | | | | | | | | | |
| 2000..... | 148 | 2 | - | - | 1 | 3 | 18 | 16 | 16 | 29 | 33 | 30 | - |
| 1999..... | 145 | 3 | 3 | 2 | 4 | 1 | 12 | 17 | 13 | 16 | 38 | 36 | - |
| AMERICAN INDIAN 1/, FEMALE | | | | | | | | | | | | | |
| 2000..... | 137 | 4 | - | 2 | 1 | 2 | 10 | 5 | 8 | 16 | 37 | 52 | - |
| 1999..... | 165 | 5 | - | - | 1 | 3 | 8 | 9 | 17 | 20 | 32 | 70 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|

Pneumonia (J12-J18)

ASIAN OR PACIFIC ISLANDER 2/, BOTH SEX

| | | | | | | | | | | | | | |
|-----------|-------|----|---|---|---|---|----|----|----|-----|-----|-----|---|
| 2000..... | 1,102 | 8 | 4 | 3 | 5 | 4 | 15 | 30 | 59 | 175 | 361 | 438 | - |
| 1999..... | 825 | 11 | 6 | 3 | 4 | 6 | 16 | 16 | 37 | 101 | 284 | 341 | - |

ASIAN OR PACIFIC ISLANDER 2/, MALE

| | | | | | | | | | | | | | |
|-----------|-----|---|---|---|---|---|----|----|----|----|-----|-----|---|
| 2000..... | 581 | 7 | 3 | 2 | 1 | 3 | 4 | 18 | 35 | 97 | 199 | 212 | - |
| 1999..... | 458 | 5 | 3 | 1 | 1 | 4 | 11 | 10 | 23 | 65 | 157 | 178 | - |

ASIAN OR PACIFIC ISLANDER 2/, FEMALE

| | | | | | | | | | | | | | |
|-----------|-----|---|---|---|---|---|----|----|----|----|-----|-----|---|
| 2000..... | 521 | 1 | 1 | 1 | 4 | 1 | 11 | 12 | 24 | 78 | 162 | 226 | - |
| 1999..... | 367 | 6 | 3 | 2 | 3 | 2 | 5 | 6 | 14 | 36 | 127 | 163 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|

Other acute lower respiratory infections (J20-J22)

ALL RACES, BOTH SEXES

| | | | | | | | | | | | | | |
|-----------|-----|----|----|---|---|---|----|----|----|----|-----|-----|---|
| 2000..... | 425 | 43 | 11 | 7 | 5 | 8 | 12 | 12 | 10 | 43 | 82 | 192 | - |
| 1999..... | 540 | 63 | 25 | 5 | 5 | 4 | 11 | 15 | 21 | 35 | 107 | 249 | - |

ALL RACES, MALE

| | | | | | | | | | | | | | |
|-----------|-----|----|----|---|---|---|---|---|----|----|----|----|---|
| 2000..... | 160 | 25 | 4 | 3 | 4 | 6 | 7 | 4 | 3 | 22 | 35 | 47 | - |
| 1999..... | 196 | 36 | 15 | 2 | 1 | 3 | 5 | 8 | 10 | 17 | 51 | 48 | - |

ALL RACES, FEMALE

| | | | | | | | | | | | | | |
|-----------|-----|----|----|---|---|---|---|---|----|----|----|-----|---|
| 2000..... | 265 | 18 | 7 | 4 | 1 | 2 | 5 | 8 | 7 | 21 | 47 | 145 | - |
| 1999..... | 344 | 27 | 10 | 3 | 4 | 1 | 6 | 7 | 11 | 18 | 56 | 201 | - |

WHITE, BOTH SEXES

| | | | | | | | | | | | | | |
|-----------|-----|----|----|---|---|---|---|----|----|----|----|-----|---|
| 2000..... | 372 | 25 | 8 | 3 | 5 | 5 | 8 | 9 | 10 | 41 | 77 | 181 | - |
| 1999..... | 462 | 36 | 15 | 4 | 4 | 3 | 9 | 11 | 17 | 27 | 99 | 237 | - |

WHITE, MALE

| | | | | | | | | | | | | | |
|-----------|-----|----|---|---|---|---|---|---|---|----|----|----|---|
| 2000..... | 134 | 12 | 4 | 2 | 4 | 4 | 6 | 4 | 3 | 20 | 33 | 42 | - |
| 1999..... | 156 | 19 | 8 | 2 | 1 | 2 | 4 | 8 | 9 | 12 | 48 | 43 | - |

WHITE, FEMALE

| | | | | | | | | | | | | | |
|-----------|-----|----|---|---|---|---|---|---|---|----|----|-----|---|
| 2000..... | 238 | 13 | 4 | 1 | 1 | 1 | 2 | 5 | 7 | 21 | 44 | 139 | - |
| 1999..... | 306 | 17 | 7 | 2 | 3 | 1 | 5 | 3 | 8 | 15 | 51 | 194 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|

Other acute lower respiratory infections (J20-J22)

BLACK, BOTH SEXES

| | | | | | | | | | | | | | |
|-----------|----|----|---|---|---|---|---|---|---|---|---|----|---|
| 2000..... | 46 | 14 | 3 | 3 | - | 2 | 4 | 3 | - | 2 | 5 | 10 | - |
| 1999..... | 64 | 24 | 6 | - | 1 | 1 | 2 | 4 | 2 | 8 | 6 | 10 | - |

BLACK, MALE

| | | | | | | | | | | | | | |
|-----------|----|----|---|---|---|---|---|---|---|---|---|---|---|
| 2000..... | 22 | 10 | - | 1 | - | 2 | 1 | - | - | 2 | 2 | 4 | - |
| 1999..... | 30 | 15 | 3 | - | - | 1 | 1 | - | 1 | 5 | 1 | 3 | - |

BLACK, FEMALE

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|---|---|---|---|---|---|---|
| 2000..... | 24 | 4 | 3 | 2 | - | - | 3 | 3 | - | - | 3 | 6 | - |
| 1999..... | 34 | 9 | 3 | - | 1 | - | 1 | 4 | 1 | 3 | 5 | 7 | - |

AMERICAN INDIAN 1/, BOTH SEXES

| | | | | | | | | | | | | | |
|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2000..... | 2 | 1 | - | - | - | - | - | - | - | - | - | 1 | - |
| 1999..... | 5 | 1 | 2 | 1 | - | - | - | - | 1 | - | - | - | - |

AMERICAN INDIAN 1/, MALE

| | | | | | | | | | | | | | |
|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2000..... | 1 | - | - | - | - | - | - | - | - | - | - | 1 | - |
| 1999..... | 3 | 1 | 2 | - | - | - | - | - | - | - | - | - | - |

AMERICAN INDIAN 1/, FEMALE

| | | | | | | | | | | | | | |
|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2000..... | 1 | 1 | - | - | - | - | - | - | - | - | - | - | - |
| 1999..... | 2 | - | - | 1 | - | - | - | - | 1 | - | - | - | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|

Other acute lower respiratory infections (J20-J22)

ASIAN OR PACIFIC ISLANDER 2/, BOTH SEX

| | | | | | | | | | | | | | |
|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2000..... | 5 | 3 | - | 1 | - | 1 | - | - | - | - | - | - | - |
| 1999..... | 9 | 2 | 2 | - | - | - | - | - | 1 | - | 2 | 2 | - |

ASIAN OR PACIFIC ISLANDER 2/, MALE

| | | | | | | | | | | | | | |
|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2000..... | 3 | 3 | - | - | - | - | - | - | - | - | - | - | - |
| 1999..... | 7 | 1 | 2 | - | - | - | - | - | - | - | 2 | 2 | - |

ASIAN OR PACIFIC ISLANDER 2/, FEMALE

| | | | | | | | | | | | | | |
|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2000..... | 2 | - | - | 1 | - | 1 | - | - | - | - | - | - | - |
| 1999..... | 2 | 1 | - | - | - | - | - | - | 1 | - | - | - | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Acute bronchitis and bronchiolitis (J20-J21) | | | | | | | | | | | | | |
| ALL RACES, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 290 | 42 | 11 | 6 | 4 | 6 | 10 | 9 | 7 | 31 | 53 | 111 | - |
| 1999..... | 388 | 62 | 24 | 4 | 5 | 3 | 10 | 14 | 18 | 29 | 69 | 150 | - |
| ALL RACES, MALE | | | | | | | | | | | | | |
| 2000..... | 119 | 24 | 4 | 2 | 3 | 4 | 6 | 3 | 3 | 14 | 27 | 29 | - |
| 1999..... | 154 | 36 | 14 | 2 | 1 | 2 | 4 | 7 | 8 | 15 | 34 | 31 | - |
| ALL RACES, FEMALE | | | | | | | | | | | | | |
| 2000..... | 171 | 18 | 7 | 4 | 1 | 2 | 4 | 6 | 4 | 17 | 26 | 82 | - |
| 1999..... | 234 | 26 | 10 | 2 | 4 | 1 | 6 | 7 | 10 | 14 | 35 | 119 | - |
| WHITE, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 244 | 25 | 8 | 2 | 4 | 3 | 6 | 6 | 7 | 29 | 49 | 105 | - |
| 1999..... | 320 | 35 | 15 | 3 | 4 | 3 | 8 | 10 | 14 | 21 | 63 | 144 | - |
| WHITE, MALE | | | | | | | | | | | | | |
| 2000..... | 98 | 12 | 4 | 1 | 3 | 2 | 5 | 3 | 3 | 12 | 26 | 27 | - |
| 1999..... | 119 | 19 | 8 | 2 | 1 | 2 | 3 | 7 | 7 | 10 | 32 | 28 | - |
| WHITE, FEMALE | | | | | | | | | | | | | |
| 2000..... | 146 | 13 | 4 | 1 | 1 | 1 | 1 | 3 | 4 | 17 | 23 | 78 | - |
| 1999..... | 201 | 16 | 7 | 1 | 3 | 1 | 5 | 3 | 7 | 11 | 31 | 116 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Acute bronchitis and bronchiolitis (J20-J21) | | | | | | | | | | | | | |
| BLACK, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 40 | 13 | 3 | 3 | - | 2 | 4 | 3 | - | 2 | 4 | 6 | - |
| 1999..... | 55 | 24 | 5 | - | 1 | - | 2 | 4 | 2 | 8 | 4 | 5 | - |
| BLACK, MALE | | | | | | | | | | | | | |
| 2000..... | 18 | 9 | - | 1 | - | 2 | 1 | - | - | 2 | 1 | 2 | - |
| 1999..... | 26 | 15 | 2 | - | - | - | 1 | - | 1 | 5 | - | 2 | - |
| BLACK, FEMALE | | | | | | | | | | | | | |
| 2000..... | 22 | 4 | 3 | 2 | - | - | 3 | 3 | - | - | 3 | 4 | - |
| 1999..... | 29 | 9 | 3 | - | 1 | - | 1 | 4 | 1 | 3 | 4 | 3 | - |
| AMERICAN INDIAN 1/, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 1 | 1 | - | - | - | - | - | - | - | - | - | - | - |
| 1999..... | 5 | 1 | 2 | 1 | - | - | - | - | 1 | - | - | - | - |
| AMERICAN INDIAN 1/, MALE | | | | | | | | | | | | | |
| 2000..... | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 1999..... | 3 | 1 | 2 | - | - | - | - | - | - | - | - | - | - |
| AMERICAN INDIAN 1/, FEMALE | | | | | | | | | | | | | |
| 2000..... | 1 | 1 | - | - | - | - | - | - | - | - | - | - | - |
| 1999..... | 2 | - | - | 1 | - | - | - | - | 1 | - | - | - | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|

Acute bronchitis and bronchiolitis (J20-J21)

ASIAN OR PACIFIC ISLANDER 2/, BOTH SEX

| | | | | | | | | | | | | | |
|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2000..... | 5 | 3 | - | 1 | - | 1 | - | - | - | - | - | - | - |
| 1999..... | 8 | 2 | 2 | - | - | - | - | - | 1 | - | 2 | 1 | - |

ASIAN OR PACIFIC ISLANDER 2/, MALE

| | | | | | | | | | | | | | |
|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2000..... | 3 | 3 | - | - | - | - | - | - | - | - | - | - | - |
| 1999..... | 6 | 1 | 2 | - | - | - | - | - | - | - | 2 | 1 | - |

ASIAN OR PACIFIC ISLANDER 2/, FEMALE

| | | | | | | | | | | | | | |
|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2000..... | 2 | - | - | 1 | - | 1 | - | - | - | - | - | - | - |
| 1999..... | 2 | 1 | - | - | - | - | - | - | 1 | - | - | - | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Unspecified acute lower respiratory infection (J22) | | | | | | | | | | | | | |
| ALL RACES, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 135 | 1 | - | 1 | 1 | 2 | 2 | 3 | 3 | 12 | 29 | 81 | - |
| 1999..... | 152 | 1 | 1 | 1 | - | 1 | 1 | 1 | 3 | 6 | 38 | 99 | - |
| ALL RACES, MALE | | | | | | | | | | | | | |
| 2000..... | 41 | 1 | - | 1 | 1 | 2 | 1 | 1 | - | 8 | 8 | 18 | - |
| 1999..... | 42 | - | 1 | - | - | 1 | 1 | 1 | 2 | 2 | 17 | 17 | - |
| ALL RACES, FEMALE | | | | | | | | | | | | | |
| 2000..... | 94 | - | - | - | - | - | 1 | 2 | 3 | 4 | 21 | 63 | - |
| 1999..... | 110 | 1 | - | 1 | - | - | - | - | 1 | 4 | 21 | 82 | - |
| WHITE, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 128 | - | - | 1 | 1 | 2 | 2 | 3 | 3 | 12 | 28 | 76 | - |
| 1999..... | 142 | 1 | - | 1 | - | - | 1 | 1 | 3 | 6 | 36 | 93 | - |
| WHITE, MALE | | | | | | | | | | | | | |
| 2000..... | 36 | - | - | 1 | 1 | 2 | 1 | 1 | - | 8 | 7 | 15 | - |
| 1999..... | 37 | - | - | - | - | - | 1 | 1 | 2 | 2 | 16 | 15 | - |
| WHITE, FEMALE | | | | | | | | | | | | | |
| 2000..... | 92 | - | - | - | - | - | 1 | 2 | 3 | 4 | 21 | 61 | - |
| 1999..... | 105 | 1 | - | 1 | - | - | - | - | 1 | 4 | 20 | 78 | - |

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

[illegible]

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

[illegible]

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|

Chronic lower respiratory diseases (J40-J47)

ALL RACES, BOTH SEXES

| | | | | | | | | | | | | | |
|-----------|---------|----|----|-----|-----|-----|-----|-------|--------|--------|--------|--------|---|
| 2000..... | 122,009 | 36 | 51 | 139 | 190 | 296 | 930 | 3,251 | 10,739 | 31,157 | 47,722 | 27,496 | 2 |
| 1999..... | 124,181 | 36 | 54 | 139 | 209 | 330 | 890 | 3,110 | 11,297 | 32,644 | 48,635 | 26,833 | 4 |

ALL RACES, MALE

| | | | | | | | | | | | | | |
|-----------|--------|----|----|----|-----|-----|-----|-------|-------|--------|--------|--------|---|
| 2000..... | 60,004 | 23 | 28 | 80 | 120 | 165 | 437 | 1,661 | 5,564 | 16,210 | 23,838 | 11,876 | 2 |
| 1999..... | 62,415 | 19 | 30 | 93 | 123 | 152 | 410 | 1,551 | 5,958 | 17,477 | 24,705 | 11,894 | 3 |

ALL RACES, FEMALE

| | | | | | | | | | | | | | |
|-----------|--------|----|----|----|----|-----|-----|-------|-------|--------|--------|--------|---|
| 2000..... | 62,005 | 13 | 23 | 59 | 70 | 131 | 493 | 1,590 | 5,175 | 14,947 | 23,884 | 15,620 | - |
| 1999..... | 61,766 | 17 | 24 | 46 | 86 | 178 | 480 | 1,559 | 5,339 | 15,167 | 23,930 | 14,939 | 1 |

WHITE, BOTH SEXES

| | | | | | | | | | | | | | |
|-----------|---------|----|----|----|-----|-----|-----|-------|--------|--------|--------|--------|---|
| 2000..... | 112,840 | 23 | 28 | 63 | 103 | 166 | 624 | 2,584 | 9,532 | 28,765 | 45,025 | 25,926 | 1 |
| 1999..... | 114,735 | 16 | 31 | 71 | 125 | 176 | 608 | 2,498 | 10,056 | 30,111 | 45,698 | 25,342 | 3 |

WHITE, MALE

| | | | | | | | | | | | | | |
|-----------|--------|----|----|----|----|----|-----|-------|-------|--------|--------|--------|---|
| 2000..... | 54,816 | 16 | 13 | 33 | 65 | 84 | 292 | 1,321 | 4,893 | 14,786 | 22,254 | 11,058 | 1 |
| 1999..... | 57,000 | 10 | 14 | 45 | 68 | 78 | 271 | 1,237 | 5,247 | 15,973 | 22,944 | 11,111 | 2 |

WHITE, FEMALE

| | | | | | | | | | | | | | |
|-----------|--------|---|----|----|----|----|-----|-------|-------|--------|--------|--------|---|
| 2000..... | 58,024 | 7 | 15 | 30 | 38 | 82 | 332 | 1,263 | 4,639 | 13,979 | 22,771 | 14,868 | - |
| 1999..... | 57,735 | 6 | 17 | 26 | 57 | 98 | 337 | 1,261 | 4,809 | 14,138 | 22,754 | 14,231 | 1 |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|

Chronic lower respiratory diseases (J40-J47)

BLACK, BOTH SEXES

| | | | | | | | | | | | | | |
|-----------|-------|----|----|----|----|-----|-----|-----|-------|-------|-------|-------|---|
| 2000..... | 7,607 | 11 | 21 | 70 | 81 | 116 | 275 | 599 | 1,073 | 2,014 | 2,152 | 1,195 | - |
| 1999..... | 7,915 | 18 | 18 | 68 | 78 | 144 | 264 | 561 | 1,091 | 2,112 | 2,380 | 1,180 | 1 |

BLACK, MALE

| | | | | | | | | | | | | | |
|-----------|-------|---|----|----|----|----|-----|-----|-----|-------|-------|-----|---|
| 2000..... | 4,238 | 6 | 14 | 43 | 51 | 72 | 130 | 294 | 595 | 1,209 | 1,223 | 601 | - |
| 1999..... | 4,500 | 9 | 13 | 48 | 52 | 69 | 126 | 286 | 629 | 1,255 | 1,413 | 599 | 1 |

BLACK, FEMALE

| | | | | | | | | | | | | | |
|-----------|-------|---|---|----|----|----|-----|-----|-----|-----|-----|-----|---|
| 2000..... | 3,369 | 5 | 7 | 27 | 30 | 44 | 145 | 305 | 478 | 805 | 929 | 594 | - |
| 1999..... | 3,415 | 9 | 5 | 20 | 26 | 75 | 138 | 275 | 462 | 857 | 967 | 581 | - |

AMERICAN INDIAN 1/, BOTH SEXES

| | | | | | | | | | | | | | |
|-----------|-----|---|---|---|---|---|----|----|----|-----|-----|----|---|
| 2000..... | 429 | 1 | 2 | - | 3 | 4 | 10 | 17 | 71 | 124 | 126 | 71 | - |
| 1999..... | 406 | 1 | - | - | 1 | 2 | 9 | 19 | 63 | 123 | 139 | 49 | - |

AMERICAN INDIAN 1/, MALE

| | | | | | | | | | | | | | |
|-----------|-----|---|---|---|---|---|---|----|----|----|----|----|---|
| 2000..... | 228 | 1 | 1 | - | 3 | 3 | 4 | 12 | 41 | 50 | 77 | 36 | - |
| 1999..... | 197 | - | - | - | - | 1 | 5 | 10 | 28 | 68 | 63 | 22 | - |

AMERICAN INDIAN 1/, FEMALE

| | | | | | | | | | | | | | |
|-----------|-----|---|---|---|---|---|---|---|----|----|----|----|---|
| 2000..... | 201 | - | 1 | - | - | 1 | 6 | 5 | 30 | 74 | 49 | 35 | - |
| 1999..... | 209 | 1 | - | - | 1 | 1 | 4 | 9 | 35 | 55 | 76 | 27 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|

Chronic lower respiratory diseases (J40-J47)

ASIAN OR PACIFIC ISLANDER 2/, BOTH SEX

| | | | | | | | | | | | | | |
|-----------|-------|---|---|---|---|----|----|----|----|-----|-----|-----|---|
| 2000..... | 1,133 | 1 | - | 6 | 3 | 10 | 21 | 51 | 63 | 254 | 419 | 304 | 1 |
| 1999..... | 1,125 | 1 | 5 | - | 5 | 8 | 9 | 32 | 87 | 298 | 418 | 262 | - |

ASIAN OR PACIFIC ISLANDER 2/, MALE

| | | | | | | | | | | | | | |
|-----------|-----|---|---|---|---|---|----|----|----|-----|-----|-----|---|
| 2000..... | 722 | - | - | 4 | 1 | 6 | 11 | 34 | 35 | 165 | 284 | 181 | 1 |
| 1999..... | 718 | - | 3 | - | 3 | 4 | 8 | 18 | 54 | 181 | 285 | 162 | - |

ASIAN OR PACIFIC ISLANDER 2/, FEMALE

| | | | | | | | | | | | | | |
|-----------|-----|---|---|---|---|---|----|----|----|-----|-----|-----|---|
| 2000..... | 411 | 1 | - | 2 | 2 | 4 | 10 | 17 | 28 | 89 | 135 | 123 | - |
| 1999..... | 407 | 1 | 2 | - | 2 | 4 | 1 | 14 | 33 | 117 | 133 | 100 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Bronchitis, chronic and unspecified (J40-J42) | | | | | | | | | | | | | |
| ALL RACES, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 1,167 | 18 | 14 | 5 | 5 | 8 | 20 | 38 | 67 | 158 | 333 | 501 | - |
| 1999..... | 1,172 | 20 | 19 | 4 | 7 | 11 | 18 | 38 | 97 | 173 | 339 | 446 | - |
| ALL RACES, MALE | | | | | | | | | | | | | |
| 2000..... | 503 | 9 | 7 | 3 | 4 | 7 | 14 | 16 | 32 | 79 | 174 | 158 | - |
| 1999..... | 498 | 9 | 11 | 3 | 4 | 3 | 5 | 19 | 51 | 94 | 157 | 142 | - |
| ALL RACES, FEMALE | | | | | | | | | | | | | |
| 2000..... | 664 | 9 | 7 | 2 | 1 | 1 | 6 | 22 | 35 | 79 | 159 | 343 | - |
| 1999..... | 674 | 11 | 8 | 1 | 3 | 8 | 13 | 19 | 46 | 79 | 182 | 304 | - |
| WHITE, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 1,073 | 9 | 7 | 4 | 4 | 6 | 14 | 32 | 61 | 140 | 310 | 486 | - |
| 1999..... | 1,056 | 11 | 15 | 4 | 6 | 8 | 16 | 24 | 88 | 155 | 306 | 423 | - |
| WHITE, MALE | | | | | | | | | | | | | |
| 2000..... | 458 | 5 | 3 | 2 | 3 | 5 | 8 | 15 | 28 | 71 | 165 | 153 | - |
| 1999..... | 440 | 6 | 8 | 3 | 3 | 2 | 5 | 11 | 45 | 85 | 138 | 134 | - |
| WHITE, FEMALE | | | | | | | | | | | | | |
| 2000..... | 615 | 4 | 4 | 2 | 1 | 1 | 6 | 17 | 33 | 69 | 145 | 333 | - |
| 1999..... | 616 | 5 | 7 | 1 | 3 | 6 | 11 | 13 | 43 | 70 | 168 | 289 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Bronchitis, chronic and unspecified (J40-J42) | | | | | | | | | | | | | |
| BLACK, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 80 | 7 | 6 | 1 | 1 | 1 | 6 | 6 | 4 | 16 | 20 | 12 | - |
| 1999..... | 89 | 7 | 1 | - | 1 | 3 | 2 | 12 | 8 | 15 | 26 | 14 | - |
| BLACK, MALE | | | | | | | | | | | | | |
| 2000..... | 35 | 3 | 3 | 1 | 1 | 1 | 6 | 1 | 3 | 6 | 7 | 3 | - |
| 1999..... | 44 | 3 | 1 | - | 1 | 1 | - | 7 | 5 | 7 | 16 | 3 | - |
| BLACK, FEMALE | | | | | | | | | | | | | |
| 2000..... | 45 | 4 | 3 | - | - | - | - | 5 | 1 | 10 | 13 | 9 | - |
| 1999..... | 45 | 4 | - | - | - | 2 | 2 | 5 | 3 | 8 | 10 | 11 | - |
| AMERICAN INDIAN 1/, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 2 | 1 | 1 | - | - | - | - | - | - | - | - | - | - |
| 1999..... | 7 | 1 | - | - | - | - | - | 2 | - | 1 | 1 | 2 | - |
| AMERICAN INDIAN 1/, MALE | | | | | | | | | | | | | |
| 2000..... | 2 | 1 | 1 | - | - | - | - | - | - | - | - | - | - |
| 1999..... | 2 | - | - | - | - | - | - | 1 | - | 1 | - | - | - |
| AMERICAN INDIAN 1/, FEMALE | | | | | | | | | | | | | |
| 2000..... | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 1999..... | 5 | 1 | - | - | - | - | - | 1 | - | - | 1 | 2 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|

Bronchitis, chronic and unspecified (J40-J42)

ASIAN OR PACIFIC ISLANDER 2/, BOTH SEX

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|---|---|---|---|---|---|---|
| 2000..... | 12 | 1 | - | - | - | 1 | - | - | 2 | 2 | 3 | 3 | - |
| 1999..... | 20 | 1 | 3 | - | - | - | - | - | 1 | 2 | 6 | 7 | - |

ASIAN OR PACIFIC ISLANDER 2/, MALE

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|---|---|---|---|---|---|---|
| 2000..... | 8 | - | - | - | - | 1 | - | - | 1 | 2 | 2 | 2 | - |
| 1999..... | 12 | - | 2 | - | - | - | - | - | 1 | 1 | 3 | 5 | - |

ASIAN OR PACIFIC ISLANDER 2/, FEMALE

| | | | | | | | | | | | | | |
|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2000..... | 4 | 1 | - | - | - | - | - | - | 1 | - | 1 | 1 | - |
| 1999..... | 8 | 1 | 1 | - | - | - | - | - | - | 1 | 3 | 2 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Emphysema (J43) | | | | | | | | | | | | | |
| ALL RACES, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 16,700 | 3 | 2 | - | 5 | 11 | 82 | 474 | 1,807 | 5,120 | 6,511 | 2,685 | - |
| 1999..... | 17,787 | 1 | - | 1 | 1 | 9 | 97 | 468 | 2,019 | 5,656 | 6,955 | 2,580 | - |
| ALL RACES, MALE | | | | | | | | | | | | | |
| 2000..... | 8,671 | 3 | - | - | 5 | 5 | 46 | 280 | 943 | 2,738 | 3,373 | 1,278 | - |
| 1999..... | 9,480 | - | - | - | 1 | 6 | 49 | 268 | 1,085 | 3,136 | 3,677 | 1,258 | - |
| ALL RACES, FEMALE | | | | | | | | | | | | | |
| 2000..... | 8,029 | - | 2 | - | - | 6 | 36 | 194 | 864 | 2,382 | 3,138 | 1,407 | - |
| 1999..... | 8,307 | 1 | - | 1 | - | 3 | 48 | 200 | 934 | 2,520 | 3,278 | 1,322 | - |
| WHITE, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 15,607 | 3 | - | - | 2 | 10 | 63 | 383 | 1,645 | 4,783 | 6,193 | 2,525 | - |
| 1999..... | 16,674 | - | - | 1 | - | 7 | 70 | 390 | 1,851 | 5,320 | 6,597 | 2,438 | - |
| WHITE, MALE | | | | | | | | | | | | | |
| 2000..... | 7,985 | 3 | - | - | 2 | 4 | 34 | 218 | 847 | 2,519 | 3,188 | 1,170 | - |
| 1999..... | 8,754 | - | - | - | - | 4 | 35 | 212 | 975 | 2,900 | 3,449 | 1,179 | - |
| WHITE, FEMALE | | | | | | | | | | | | | |
| 2000..... | 7,622 | - | - | - | - | 6 | 29 | 165 | 798 | 2,264 | 3,005 | 1,355 | - |
| 1999..... | 7,920 | - | - | 1 | - | 3 | 35 | 178 | 876 | 2,420 | 3,148 | 1,259 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Emphysema (J43) | | | | | | | | | | | | | |
| BLACK, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 901 | - | 1 | - | 3 | 1 | 17 | 85 | 147 | 281 | 247 | 119 | - |
| 1999..... | 930 | 1 | - | - | - | - | 25 | 75 | 146 | 281 | 284 | 118 | - |
| BLACK, MALE | | | | | | | | | | | | | |
| 2000..... | 559 | - | - | - | 3 | 1 | 11 | 56 | 88 | 187 | 137 | 76 | - |
| 1999..... | 598 | - | - | - | - | - | 13 | 54 | 94 | 197 | 178 | 62 | - |
| BLACK, FEMALE | | | | | | | | | | | | | |
| 2000..... | 342 | - | 1 | - | - | - | 6 | 29 | 59 | 94 | 110 | 43 | - |
| 1999..... | 332 | 1 | - | - | - | - | 12 | 21 | 52 | 84 | 106 | 56 | - |
| AMERICAN INDIAN 1/, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 59 | - | 1 | - | - | - | 1 | 2 | 11 | 19 | 18 | 7 | - |
| 1999..... | 45 | - | - | - | - | 1 | 2 | 2 | 7 | 16 | 13 | 4 | - |
| AMERICAN INDIAN 1/, MALE | | | | | | | | | | | | | |
| 2000..... | 29 | - | - | - | - | - | 1 | 2 | 5 | 6 | 9 | 6 | - |
| 1999..... | 23 | - | - | - | - | 1 | 1 | 1 | 4 | 8 | 6 | 2 | - |
| AMERICAN INDIAN 1/, FEMALE | | | | | | | | | | | | | |
| 2000..... | 30 | - | 1 | - | - | - | - | - | 6 | 13 | 9 | 1 | - |
| 1999..... | 22 | - | - | - | - | - | 1 | 1 | 3 | 8 | 7 | 2 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Emphysema (J43) | | | | | | | | | | | | | |
| ASIAN OR PACIFIC ISLANDER 2/, BOTH SEX | | | | | | | | | | | | | |
| 2000..... | 133 | - | - | - | - | - | 1 | 4 | 4 | 37 | 53 | 34 | - |
| 1999..... | 138 | - | - | - | 1 | 1 | - | 1 | 15 | 39 | 61 | 20 | - |
| ASIAN OR PACIFIC ISLANDER 2/, MALE | | | | | | | | | | | | | |
| 2000..... | 98 | - | - | - | - | - | - | 4 | 3 | 26 | 39 | 26 | - |
| 1999..... | 105 | - | - | - | 1 | 1 | - | 1 | 12 | 31 | 44 | 15 | - |
| ASIAN OR PACIFIC ISLANDER 2/, FEMALE | | | | | | | | | | | | | |
| 2000..... | 35 | - | - | - | - | - | 1 | - | 1 | 11 | 14 | 8 | - |
| 1999..... | 33 | - | - | - | - | - | - | - | 3 | 8 | 17 | 5 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Asthma (J45-J46) | | | | | | | | | | | | | |
| ALL RACES, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 4,487 | 8 | 32 | 129 | 167 | 249 | 458 | 614 | 540 | 734 | 849 | 707 | - |
| 1999..... | 4,657 | 5 | 27 | 126 | 182 | 262 | 447 | 607 | 583 | 773 | 925 | 720 | - |
| ALL RACES, MALE | | | | | | | | | | | | | |
| 2000..... | 1,632 | 6 | 20 | 74 | 102 | 142 | 196 | 238 | 200 | 253 | 243 | 158 | - |
| 1999..... | 1,620 | 3 | 16 | 85 | 108 | 128 | 184 | 197 | 207 | 267 | 273 | 152 | - |
| ALL RACES, FEMALE | | | | | | | | | | | | | |
| 2000..... | 2,855 | 2 | 12 | 55 | 65 | 107 | 262 | 376 | 340 | 481 | 606 | 549 | - |
| 1999..... | 3,037 | 2 | 11 | 41 | 74 | 134 | 263 | 410 | 376 | 506 | 652 | 568 | - |
| WHITE, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 3,144 | 5 | 18 | 54 | 89 | 132 | 256 | 360 | 347 | 547 | 726 | 610 | - |
| 1999..... | 3,328 | 1 | 11 | 59 | 106 | 127 | 266 | 374 | 390 | 570 | 798 | 626 | - |
| WHITE, MALE | | | | | | | | | | | | | |
| 2000..... | 1,057 | 3 | 9 | 28 | 55 | 70 | 105 | 150 | 119 | 185 | 207 | 126 | - |
| 1999..... | 1,046 | 1 | 5 | 38 | 60 | 58 | 99 | 118 | 136 | 183 | 231 | 117 | - |
| WHITE, FEMALE | | | | | | | | | | | | | |
| 2000..... | 2,087 | 2 | 9 | 26 | 34 | 62 | 151 | 210 | 228 | 362 | 519 | 484 | - |
| 1999..... | 2,282 | - | 6 | 21 | 46 | 69 | 167 | 256 | 254 | 387 | 567 | 509 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Asthma (J45-J46) | | | | | | | | | | | | | |
| BLACK, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 1,158 | 3 | 14 | 69 | 74 | 104 | 179 | 228 | 168 | 153 | 95 | 71 | - |
| 1999..... | 1,145 | 4 | 14 | 67 | 71 | 130 | 168 | 213 | 162 | 158 | 94 | 64 | - |
| BLACK, MALE | | | | | | | | | | | | | |
| 2000..... | 481 | 3 | 11 | 42 | 44 | 64 | 79 | 74 | 67 | 54 | 21 | 22 | - |
| 1999..... | 481 | 2 | 10 | 47 | 46 | 68 | 74 | 72 | 57 | 62 | 27 | 16 | - |
| BLACK, FEMALE | | | | | | | | | | | | | |
| 2000..... | 677 | - | 3 | 27 | 30 | 40 | 100 | 154 | 101 | 99 | 74 | 49 | - |
| 1999..... | 664 | 2 | 4 | 20 | 25 | 62 | 94 | 141 | 105 | 96 | 67 | 48 | - |
| AMERICAN INDIAN 1/, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 31 | - | - | - | 2 | 4 | 7 | 1 | 7 | 6 | 2 | 2 | - |
| 1999..... | 29 | - | - | - | 1 | 1 | 4 | 4 | 7 | 6 | 4 | 2 | - |
| AMERICAN INDIAN 1/, MALE | | | | | | | | | | | | | |
| 2000..... | 14 | - | - | - | 2 | 3 | 2 | - | 3 | 1 | 2 | 1 | - |
| 1999..... | 12 | - | - | - | - | - | 3 | - | 2 | 3 | 2 | 2 | - |
| AMERICAN INDIAN 1/, FEMALE | | | | | | | | | | | | | |
| 2000..... | 17 | - | - | - | - | 1 | 5 | 1 | 4 | 5 | - | 1 | - |
| 1999..... | 17 | - | - | - | 1 | 1 | 1 | 4 | 5 | 3 | 2 | - | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|

Asthma (J45-J46)

ASIAN OR PACIFIC ISLANDER 2/, BOTH SEX

| | | | | | | | | | | | | | |
|-----------|-----|---|---|---|---|---|----|----|----|----|----|----|---|
| 2000..... | 154 | - | - | 6 | 2 | 9 | 16 | 25 | 18 | 28 | 26 | 24 | - |
| 1999..... | 155 | - | 2 | - | 4 | 4 | 9 | 16 | 24 | 39 | 29 | 28 | - |

ASIAN OR PACIFIC ISLANDER 2/, MALE

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|----|----|----|----|----|----|---|
| 2000..... | 80 | - | - | 4 | 1 | 5 | 10 | 14 | 11 | 13 | 13 | 9 | - |
| 1999..... | 81 | - | 1 | - | 2 | 2 | 8 | 7 | 12 | 19 | 13 | 17 | - |

ASIAN OR PACIFIC ISLANDER 2/, FEMALE

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|---|----|----|----|----|----|---|
| 2000..... | 74 | - | - | 2 | 1 | 4 | 6 | 11 | 7 | 15 | 13 | 15 | - |
| 1999..... | 74 | - | 1 | - | 2 | 2 | 1 | 9 | 12 | 20 | 16 | 11 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Other chronic lower respiratory diseases (J44,J47) | | | | | | | | | | | | | |
| ALL RACES, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 99,655 | 7 | 3 | 5 | 13 | 28 | 370 | 2,125 | 8,325 | 25,145 | 40,029 | 23,603 | 2 |
| 1999..... | 100,565 | 10 | 8 | 8 | 19 | 48 | 328 | 1,997 | 8,598 | 26,042 | 40,416 | 23,087 | 4 |
| ALL RACES, MALE | | | | | | | | | | | | | |
| 2000..... | 49,198 | 5 | 1 | 3 | 9 | 11 | 181 | 1,127 | 4,389 | 13,140 | 20,048 | 10,282 | 2 |
| 1999..... | 50,817 | 7 | 3 | 5 | 10 | 15 | 172 | 1,067 | 4,615 | 13,980 | 20,598 | 10,342 | 3 |
| ALL RACES, FEMALE | | | | | | | | | | | | | |
| 2000..... | 50,457 | 2 | 2 | 2 | 4 | 17 | 189 | 998 | 3,936 | 12,005 | 19,981 | 13,321 | - |
| 1999..... | 49,748 | 3 | 5 | 3 | 9 | 33 | 156 | 930 | 3,983 | 12,062 | 19,818 | 12,745 | 1 |
| WHITE, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 93,016 | 6 | 3 | 5 | 8 | 18 | 291 | 1,809 | 7,479 | 23,295 | 37,796 | 22,305 | 1 |
| 1999..... | 93,677 | 4 | 5 | 7 | 13 | 34 | 256 | 1,710 | 7,727 | 24,066 | 37,997 | 21,855 | 3 |
| WHITE, MALE | | | | | | | | | | | | | |
| 2000..... | 45,316 | 5 | 1 | 3 | 5 | 5 | 145 | 938 | 3,899 | 12,011 | 18,694 | 9,609 | 1 |
| 1999..... | 46,760 | 3 | 1 | 4 | 5 | 14 | 132 | 896 | 4,091 | 12,805 | 19,126 | 9,681 | 2 |
| WHITE, FEMALE | | | | | | | | | | | | | |
| 2000..... | 47,700 | 1 | 2 | 2 | 3 | 13 | 146 | 871 | 3,580 | 11,284 | 19,102 | 12,696 | - |
| 1999..... | 46,917 | 1 | 4 | 3 | 8 | 20 | 124 | 814 | 3,636 | 11,261 | 18,871 | 12,174 | 1 |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Other chronic lower respiratory diseases (J44,J47) | | | | | | | | | | | | | |
| BLACK, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 5,468 | 1 | - | - | 3 | 10 | 73 | 280 | 754 | 1,564 | 1,790 | 993 | - |
| 1999..... | 5,751 | 6 | 3 | 1 | 6 | 11 | 69 | 261 | 775 | 1,658 | 1,976 | 984 | 1 |
| BLACK, MALE | | | | | | | | | | | | | |
| 2000..... | 3,163 | - | - | - | 3 | 6 | 34 | 163 | 437 | 962 | 1,058 | 500 | - |
| 1999..... | 3,377 | 4 | 2 | 1 | 5 | - | 39 | 153 | 473 | 989 | 1,192 | 518 | 1 |
| BLACK, FEMALE | | | | | | | | | | | | | |
| 2000..... | 2,305 | 1 | - | - | - | 4 | 39 | 117 | 317 | 602 | 732 | 493 | - |
| 1999..... | 2,374 | 2 | 1 | - | 1 | 11 | 30 | 108 | 302 | 669 | 784 | 466 | - |
| AMERICAN INDIAN 1/, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 337 | - | - | - | 1 | - | 2 | 14 | 53 | 99 | 106 | 62 | - |
| 1999..... | 325 | - | - | - | - | - | 3 | 11 | 49 | 100 | 121 | 41 | - |
| AMERICAN INDIAN 1/, MALE | | | | | | | | | | | | | |
| 2000..... | 183 | - | - | - | 1 | - | 1 | 10 | 33 | 43 | 66 | 29 | - |
| 1999..... | 160 | - | - | - | - | - | 1 | 8 | 22 | 56 | 55 | 18 | - |
| AMERICAN INDIAN 1/, FEMALE | | | | | | | | | | | | | |
| 2000..... | 154 | - | - | - | - | - | 1 | 4 | 20 | 56 | 40 | 33 | - |
| 1999..... | 165 | - | - | - | - | - | 2 | 3 | 27 | 44 | 66 | 23 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION

| OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|---|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
|---|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|

Other chronic lower respiratory diseases (J44,J47)

ASIAN OR PACIFIC ISLANDER 2/, BOTH SEX

| | | | | | | | | | | | | | |
|-----------|-----|---|---|---|---|---|---|----|----|-----|-----|-----|---|
| 2000..... | 834 | - | - | - | 1 | - | 4 | 22 | 39 | 187 | 337 | 243 | 1 |
| 1999..... | 812 | - | - | - | - | 3 | - | 15 | 47 | 218 | 322 | 207 | - |

ASIAN OR PACIFIC ISLANDER 2/, MALE

| | | | | | | | | | | | | | |
|-----------|-----|---|---|---|---|---|---|----|----|-----|-----|-----|---|
| 2000..... | 536 | - | - | - | - | - | 1 | 16 | 20 | 124 | 230 | 144 | 1 |
| 1999..... | 520 | - | - | - | - | 1 | - | 10 | 29 | 130 | 225 | 125 | - |

ASIAN OR PACIFIC ISLANDER 2/, FEMALE

| | | | | | | | | | | | | | |
|-----------|-----|---|---|---|---|---|---|---|----|----|-----|----|---|
| 2000..... | 298 | - | - | - | 1 | - | 3 | 6 | 19 | 63 | 107 | 99 | - |
| 1999..... | 292 | - | - | - | - | 2 | - | 5 | 18 | 88 | 97 | 82 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|

Pneumoconioses and chemical effects (J60-J66,J68)

ALL RACES, BOTH SEXES

| | | | | | | | | | | | | | |
|-----------|-------|---|---|---|---|---|---|----|----|-----|-----|-----|---|
| 2000..... | 1,161 | - | - | - | - | 3 | 7 | 12 | 57 | 281 | 484 | 317 | - |
| 1999..... | 1,113 | - | 3 | - | 1 | - | 7 | 15 | 57 | 274 | 503 | 253 | - |

ALL RACES, MALE

| | | | | | | | | | | | | | |
|-----------|-------|---|---|---|---|---|---|----|----|-----|-----|-----|---|
| 2000..... | 1,113 | - | - | - | - | 3 | 6 | 12 | 54 | 265 | 467 | 306 | - |
| 1999..... | 1,079 | - | 3 | - | 1 | - | 5 | 15 | 57 | 269 | 486 | 243 | - |

ALL RACES, FEMALE

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|---|---|---|----|----|----|---|
| 2000..... | 48 | - | - | - | - | - | 1 | - | 3 | 16 | 17 | 11 | - |
| 1999..... | 34 | - | - | - | - | - | 2 | - | - | 5 | 17 | 10 | - |

WHITE, BOTH SEXES

| | | | | | | | | | | | | | |
|-----------|-------|---|---|---|---|---|---|----|----|-----|-----|-----|---|
| 2000..... | 1,099 | - | - | - | - | 3 | 4 | 11 | 55 | 266 | 456 | 304 | - |
| 1999..... | 1,037 | - | - | - | - | - | 4 | 11 | 47 | 255 | 484 | 236 | - |

WHITE, MALE

| | | | | | | | | | | | | | |
|-----------|-------|---|---|---|---|---|---|----|----|-----|-----|-----|---|
| 2000..... | 1,053 | - | - | - | - | 3 | 3 | 11 | 52 | 250 | 441 | 293 | - |
| 1999..... | 1,006 | - | - | - | - | - | 3 | 11 | 47 | 251 | 467 | 227 | - |

WHITE, FEMALE

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|---|---|---|----|----|----|---|
| 2000..... | 46 | - | - | - | - | - | 1 | - | 3 | 16 | 15 | 11 | - |
| 1999..... | 31 | - | - | - | - | - | 1 | - | - | 4 | 17 | 9 | - |

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

[illegible]

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

[illegible]

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Pneumonitis due to solids and liquids (J69) | | | | | | | | | | | | | |
| ALL RACES, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 16,636 | 10 | 11 | 13 | 37 | 62 | 181 | 366 | 598 | 1,899 | 5,505 | 7,954 | - |
| 1999..... | 15,268 | 16 | 12 | 16 | 32 | 78 | 166 | 284 | 586 | 1,754 | 5,030 | 7,294 | - |
| ALL RACES, MALE | | | | | | | | | | | | | |
| 2000..... | 8,390 | 4 | 5 | 9 | 23 | 35 | 115 | 225 | 354 | 1,195 | 3,038 | 3,387 | - |
| 1999..... | 7,755 | 9 | 3 | 6 | 22 | 47 | 97 | 165 | 365 | 1,083 | 2,875 | 3,083 | - |
| ALL RACES, FEMALE | | | | | | | | | | | | | |
| 2000..... | 8,246 | 6 | 6 | 4 | 14 | 27 | 66 | 141 | 244 | 704 | 2,467 | 4,567 | - |
| 1999..... | 7,513 | 7 | 9 | 10 | 10 | 31 | 69 | 119 | 221 | 671 | 2,155 | 4,211 | - |
| WHITE, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 14,869 | 8 | 9 | 12 | 27 | 46 | 142 | 281 | 485 | 1,580 | 4,948 | 7,331 | - |
| 1999..... | 13,582 | 13 | 8 | 12 | 22 | 57 | 121 | 219 | 473 | 1,461 | 4,492 | 6,704 | - |
| WHITE, MALE | | | | | | | | | | | | | |
| 2000..... | 7,488 | 4 | 4 | 8 | 18 | 22 | 93 | 171 | 291 | 982 | 2,746 | 3,149 | - |
| 1999..... | 6,853 | 7 | 2 | 5 | 14 | 33 | 71 | 128 | 291 | 895 | 2,562 | 2,845 | - |
| WHITE, FEMALE | | | | | | | | | | | | | |
| 2000..... | 7,381 | 4 | 5 | 4 | 9 | 24 | 49 | 110 | 194 | 598 | 2,202 | 4,182 | - |
| 1999..... | 6,729 | 6 | 6 | 7 | 8 | 24 | 50 | 91 | 182 | 566 | 1,930 | 3,859 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Pneumonitis due to solids and liquids (J69) | | | | | | | | | | | | | |
| BLACK, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 1,521 | 1 | 2 | 1 | 9 | 15 | 38 | 80 | 102 | 290 | 472 | 511 | - |
| 1999..... | 1,505 | 2 | 4 | 3 | 10 | 18 | 41 | 59 | 105 | 266 | 473 | 524 | - |
| BLACK, MALE | | | | | | | | | | | | | |
| 2000..... | 765 | - | 1 | 1 | 4 | 12 | 21 | 53 | 55 | 190 | 246 | 182 | - |
| 1999..... | 775 | 1 | 1 | 1 | 8 | 12 | 23 | 33 | 68 | 170 | 263 | 195 | - |
| BLACK, FEMALE | | | | | | | | | | | | | |
| 2000..... | 756 | 1 | 1 | - | 5 | 3 | 17 | 27 | 47 | 100 | 226 | 329 | - |
| 1999..... | 730 | 1 | 3 | 2 | 2 | 6 | 18 | 26 | 37 | 96 | 210 | 329 | - |
| AMERICAN INDIAN 1/, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 49 | - | - | - | - | 1 | - | 3 | 7 | 9 | 14 | 15 | - |
| 1999..... | 46 | - | - | - | - | 3 | 2 | 2 | 5 | 9 | 8 | 17 | - |
| AMERICAN INDIAN 1/, MALE | | | | | | | | | | | | | |
| 2000..... | 27 | - | - | - | - | 1 | - | - | 4 | 7 | 8 | 7 | - |
| 1999..... | 28 | - | - | - | - | 2 | 1 | 2 | 4 | 4 | 5 | 10 | - |
| AMERICAN INDIAN 1/, FEMALE | | | | | | | | | | | | | |
| 2000..... | 22 | - | - | - | - | - | - | 3 | 3 | 2 | 6 | 8 | - |
| 1999..... | 18 | - | - | - | - | 1 | 1 | - | 1 | 5 | 3 | 7 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|

Pneumonitis due to solids and liquids (J69)

ASIAN OR PACIFIC ISLANDER 2/, BOTH SEX

| | | | | | | | | | | | | | |
|-----------|-----|---|---|---|---|---|---|---|---|----|----|----|---|
| 2000..... | 197 | 1 | - | - | 1 | - | 1 | 2 | 4 | 20 | 71 | 97 | - |
| 1999..... | 135 | 1 | - | 1 | - | - | 2 | 4 | 3 | 18 | 57 | 49 | - |

ASIAN OR PACIFIC ISLANDER 2/, MALE

| | | | | | | | | | | | | | |
|-----------|-----|---|---|---|---|---|---|---|---|----|----|----|---|
| 2000..... | 110 | - | - | - | 1 | - | 1 | 1 | 4 | 16 | 38 | 49 | - |
| 1999..... | 99 | 1 | - | - | - | - | 2 | 2 | 2 | 14 | 45 | 33 | - |

ASIAN OR PACIFIC ISLANDER 2/, FEMALE

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|---|---|---|---|----|----|---|
| 2000..... | 87 | 1 | - | - | - | - | - | 1 | - | 4 | 33 | 48 | - |
| 1999..... | 36 | - | - | 1 | - | - | - | 2 | 1 | 4 | 12 | 16 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|

Other diseases of respiratory system (J00-J06,J30-J39,J67,J70-J98)

ALL RACES, BOTH SEXES

| | | | | | | | | | | | | | |
|-----------|--------|-----|----|----|-----|-----|-----|-------|-------|-------|-------|-------|---|
| 2000..... | 25,535 | 273 | 87 | 74 | 131 | 253 | 615 | 1,332 | 2,411 | 5,448 | 8,900 | 6,008 | 3 |
| 1999..... | 25,031 | 252 | 91 | 76 | 115 | 257 | 576 | 1,219 | 2,260 | 5,409 | 8,646 | 6,130 | - |

ALL RACES, MALE

| | | | | | | | | | | | | | |
|-----------|--------|-----|----|----|----|-----|-----|-----|-------|-------|-------|-------|---|
| 2000..... | 12,391 | 154 | 45 | 38 | 73 | 127 | 335 | 712 | 1,324 | 2,961 | 4,415 | 2,205 | 2 |
| 1999..... | 12,110 | 145 | 55 | 39 | 69 | 127 | 317 | 637 | 1,213 | 3,005 | 4,328 | 2,175 | - |

ALL RACES, FEMALE

| | | | | | | | | | | | | | |
|-----------|--------|-----|----|----|----|-----|-----|-----|-------|-------|-------|-------|---|
| 2000..... | 13,144 | 119 | 42 | 36 | 58 | 126 | 280 | 620 | 1,087 | 2,487 | 4,485 | 3,803 | 1 |
| 1999..... | 12,921 | 107 | 36 | 37 | 46 | 130 | 259 | 582 | 1,047 | 2,404 | 4,318 | 3,955 | - |

WHITE, BOTH SEXES

| | | | | | | | | | | | | | |
|-----------|--------|-----|----|----|----|-----|-----|-------|-------|-------|-------|-------|---|
| 2000..... | 22,664 | 166 | 63 | 53 | 86 | 182 | 443 | 1,009 | 2,017 | 4,836 | 8,208 | 5,600 | 1 |
| 1999..... | 22,161 | 147 | 62 | 55 | 90 | 178 | 395 | 922 | 1,883 | 4,787 | 7,968 | 5,674 | - |

WHITE, MALE

| | | | | | | | | | | | | | |
|-----------|--------|-----|----|----|----|----|-----|-----|-------|-------|-------|-------|---|
| 2000..... | 10,979 | 100 | 30 | 28 | 46 | 93 | 241 | 540 | 1,118 | 2,650 | 4,088 | 2,044 | 1 |
| 1999..... | 10,764 | 85 | 34 | 29 | 58 | 98 | 228 | 489 | 1,014 | 2,706 | 4,019 | 2,004 | - |

WHITE, FEMALE

| | | | | | | | | | | | | | |
|-----------|--------|----|----|----|----|----|-----|-----|-----|-------|-------|-------|---|
| 2000..... | 11,685 | 66 | 33 | 25 | 40 | 89 | 202 | 469 | 899 | 2,186 | 4,120 | 3,556 | - |
| 1999..... | 11,397 | 62 | 28 | 26 | 32 | 80 | 167 | 433 | 869 | 2,081 | 3,949 | 3,670 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|

Other diseases of respiratory system (J00-J06,J30-J39,J67,J70-J98)

BLACK, BOTH SEXES

| | | | | | | | | | | | | | |
|-----------|-------|-----|----|----|----|----|-----|-----|-----|-----|-----|-----|---|
| 2000..... | 2,361 | 103 | 21 | 18 | 40 | 59 | 153 | 288 | 327 | 504 | 532 | 314 | 2 |
| 1999..... | 2,356 | 93 | 26 | 19 | 21 | 74 | 163 | 259 | 319 | 507 | 525 | 350 | - |

BLACK, MALE

| | | | | | | | | | | | | | |
|-----------|-------|----|----|----|----|----|----|-----|-----|-----|-----|-----|---|
| 2000..... | 1,135 | 51 | 14 | 10 | 23 | 30 | 85 | 153 | 166 | 246 | 241 | 115 | 1 |
| 1999..... | 1,092 | 54 | 19 | 9 | 9 | 27 | 77 | 133 | 165 | 239 | 236 | 124 | - |

BLACK, FEMALE

| | | | | | | | | | | | | | |
|-----------|-------|----|---|----|----|----|----|-----|-----|-----|-----|-----|---|
| 2000..... | 1,226 | 52 | 7 | 8 | 17 | 29 | 68 | 135 | 161 | 258 | 291 | 199 | 1 |
| 1999..... | 1,264 | 39 | 7 | 10 | 12 | 47 | 86 | 126 | 154 | 268 | 289 | 226 | - |

AMERICAN INDIAN 1/, BOTH SEXES

| | | | | | | | | | | | | | |
|-----------|-----|---|---|---|---|---|---|----|----|----|----|----|---|
| 2000..... | 157 | 1 | 2 | 1 | 1 | 7 | 8 | 17 | 24 | 39 | 37 | 20 | - |
| 1999..... | 148 | 3 | 1 | - | 1 | 3 | 5 | 18 | 14 | 28 | 46 | 29 | - |

AMERICAN INDIAN 1/, MALE

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|---|----|----|----|----|----|---|
| 2000..... | 73 | - | 1 | - | 1 | 2 | 5 | 10 | 14 | 15 | 16 | 9 | - |
| 1999..... | 71 | 3 | 1 | - | 1 | 1 | 2 | 8 | 9 | 15 | 19 | 12 | - |

AMERICAN INDIAN 1/, FEMALE

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|---|----|----|----|----|----|---|
| 2000..... | 84 | 1 | 1 | 1 | - | 5 | 3 | 7 | 10 | 24 | 21 | 11 | - |
| 1999..... | 77 | - | - | - | - | 2 | 3 | 10 | 5 | 13 | 27 | 17 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|

Other diseases of respiratory system (J00-J06,J30-J39,J67,J70-J98)

ASIAN OR PACIFIC ISLANDER 2/, BOTH SEX

| | | | | | | | | | | | | | |
|-----------|-----|---|---|---|---|---|----|----|----|----|-----|----|---|
| 2000..... | 353 | 3 | 1 | 2 | 4 | 5 | 11 | 18 | 43 | 69 | 123 | 74 | - |
| 1999..... | 366 | 9 | 2 | 2 | 3 | 2 | 13 | 20 | 44 | 87 | 107 | 77 | - |

ASIAN OR PACIFIC ISLANDER 2/, MALE

| | | | | | | | | | | | | | |
|-----------|-----|---|---|---|---|---|----|---|----|----|----|----|---|
| 2000..... | 204 | 3 | - | - | 3 | 2 | 4 | 9 | 26 | 50 | 70 | 37 | - |
| 1999..... | 183 | 3 | 1 | 1 | 1 | 1 | 10 | 7 | 25 | 45 | 54 | 35 | - |

ASIAN OR PACIFIC ISLANDER 2/, FEMALE

| | | | | | | | | | | | | | |
|-----------|-----|---|---|---|---|---|---|----|----|----|----|----|---|
| 2000..... | 149 | - | 1 | 2 | 1 | 3 | 7 | 9 | 17 | 19 | 53 | 37 | - |
| 1999..... | 183 | 6 | 1 | 1 | 2 | 1 | 3 | 13 | 19 | 42 | 53 | 42 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Peptic ulcer (K25-K28) | | | | | | | | | | | | | |
| ALL RACES, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 4,558 | - | - | - | 9 | 14 | 113 | 307 | 443 | 748 | 1,415 | 1,509 | - |
| 1999..... | 4,604 | 2 | 2 | - | 2 | 21 | 123 | 255 | 422 | 836 | 1,500 | 1,439 | 2 |
| ALL RACES, MALE | | | | | | | | | | | | | |
| 2000..... | 2,201 | - | - | - | 7 | 6 | 79 | 217 | 284 | 442 | 667 | 499 | - |
| 1999..... | 2,189 | - | - | - | 2 | 12 | 76 | 169 | 265 | 504 | 712 | 448 | 1 |
| ALL RACES, FEMALE | | | | | | | | | | | | | |
| 2000..... | 2,357 | - | - | - | 2 | 8 | 34 | 90 | 159 | 306 | 748 | 1,010 | - |
| 1999..... | 2,415 | 2 | 2 | - | - | 9 | 47 | 86 | 157 | 332 | 788 | 991 | 1 |
| WHITE, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 4,021 | - | - | - | 9 | 9 | 81 | 227 | 370 | 647 | 1,286 | 1,392 | - |
| 1999..... | 4,040 | 1 | 2 | - | 2 | 15 | 77 | 186 | 350 | 716 | 1,360 | 1,330 | 1 |
| WHITE, MALE | | | | | | | | | | | | | |
| 2000..... | 1,900 | - | - | - | 7 | 4 | 56 | 164 | 240 | 380 | 598 | 451 | - |
| 1999..... | 1,887 | - | - | - | 2 | 8 | 44 | 121 | 215 | 432 | 650 | 414 | 1 |
| WHITE, FEMALE | | | | | | | | | | | | | |
| 2000..... | 2,121 | - | - | - | 2 | 5 | 25 | 63 | 130 | 267 | 688 | 941 | - |
| 1999..... | 2,153 | 1 | 2 | - | - | 7 | 33 | 65 | 135 | 284 | 710 | 916 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Peptic ulcer (K25-K28) | | | | | | | | | | | | | |
| BLACK, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 425 | - | - | - | - | 4 | 29 | 70 | 65 | 80 | 92 | 85 | - |
| 1999..... | 448 | 1 | - | - | - | 4 | 44 | 60 | 66 | 93 | 99 | 80 | 1 |
| BLACK, MALE | | | | | | | | | | | | | |
| 2000..... | 229 | - | - | - | - | 2 | 21 | 45 | 40 | 48 | 46 | 27 | - |
| 1999..... | 243 | - | - | - | - | 3 | 31 | 43 | 47 | 55 | 40 | 24 | - |
| BLACK, FEMALE | | | | | | | | | | | | | |
| 2000..... | 196 | - | - | - | - | 2 | 8 | 25 | 25 | 32 | 46 | 58 | - |
| 1999..... | 205 | 1 | - | - | - | 1 | 13 | 17 | 19 | 38 | 59 | 56 | 1 |
| AMERICAN INDIAN 1/, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 19 | - | - | - | - | - | 1 | 5 | 4 | 5 | 3 | 1 | - |
| 1999..... | 10 | - | - | - | - | - | 2 | 2 | - | 2 | 3 | 1 | - |
| AMERICAN INDIAN 1/, MALE | | | | | | | | | | | | | |
| 2000..... | 11 | - | - | - | - | - | 1 | 3 | 2 | 3 | 2 | - | - |
| 1999..... | 5 | - | - | - | - | - | 1 | 1 | - | 1 | 2 | - | - |
| AMERICAN INDIAN 1/, FEMALE | | | | | | | | | | | | | |
| 2000..... | 8 | - | - | - | - | - | - | 2 | 2 | 2 | 1 | 1 | - |
| 1999..... | 5 | - | - | - | - | - | 1 | 1 | - | 1 | 1 | 1 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Peptic ulcer (K25-K28) | | | | | | | | | | | | | |

ASIAN OR PACIFIC ISLANDER 2/, BOTH SEX

| | | | | | | | | | | | | | |
|-----------|-----|---|---|---|---|---|---|---|---|----|----|----|---|
| 2000..... | 93 | - | - | - | - | 1 | 2 | 5 | 4 | 16 | 34 | 31 | - |
| 1999..... | 106 | - | - | - | - | 2 | - | 7 | 6 | 25 | 38 | 28 | - |

ASIAN OR PACIFIC ISLANDER 2/, MALE

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|---|---|---|----|----|----|---|
| 2000..... | 61 | - | - | - | - | - | 1 | 5 | 2 | 11 | 21 | 21 | - |
| 1999..... | 54 | - | - | - | - | 1 | - | 4 | 3 | 16 | 20 | 10 | - |

ASIAN OR PACIFIC ISLANDER 2/, FEMALE

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|---|---|---|---|----|----|---|
| 2000..... | 32 | - | - | - | - | 1 | 1 | - | 2 | 5 | 13 | 10 | - |
| 1999..... | 52 | - | - | - | - | 1 | - | 3 | 3 | 9 | 18 | 18 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Diseases of appendix (K35-K38) | | | | | | | | | | | | | |
| ALL RACES, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 435 | 3 | 5 | 15 | 11 | 11 | 27 | 43 | 60 | 71 | 121 | 68 | - |
| 1999..... | 390 | 3 | 2 | 26 | 5 | 6 | 24 | 49 | 48 | 69 | 96 | 62 | - |
| ALL RACES, MALE | | | | | | | | | | | | | |
| 2000..... | 237 | 2 | 2 | 4 | 7 | 10 | 16 | 29 | 43 | 40 | 60 | 24 | - |
| 1999..... | 236 | 1 | 2 | 15 | 5 | 5 | 17 | 37 | 34 | 38 | 47 | 35 | - |
| ALL RACES, FEMALE | | | | | | | | | | | | | |
| 2000..... | 198 | 1 | 3 | 11 | 4 | 1 | 11 | 14 | 17 | 31 | 61 | 44 | - |
| 1999..... | 154 | 2 | - | 11 | - | 1 | 7 | 12 | 14 | 31 | 49 | 27 | - |
| WHITE, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 348 | 3 | 4 | 13 | 8 | 4 | 18 | 29 | 50 | 54 | 100 | 65 | - |
| 1999..... | 314 | 3 | - | 18 | 3 | 4 | 19 | 38 | 30 | 57 | 84 | 58 | - |
| WHITE, MALE | | | | | | | | | | | | | |
| 2000..... | 183 | 2 | 2 | 4 | 5 | 4 | 9 | 19 | 34 | 31 | 51 | 22 | - |
| 1999..... | 184 | 1 | - | 10 | 3 | 3 | 13 | 28 | 24 | 30 | 39 | 33 | - |
| WHITE, FEMALE | | | | | | | | | | | | | |
| 2000..... | 165 | 1 | 2 | 9 | 3 | - | 9 | 10 | 16 | 23 | 49 | 43 | - |
| 1999..... | 130 | 2 | - | 8 | - | 1 | 6 | 10 | 6 | 27 | 45 | 25 | - |

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

[illegible]

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|

Diseases of appendix (K35-K38)

ASIAN OR PACIFIC ISLANDER 2/, BOTH SEX

| | | | | | | | | | | | | | |
|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2000..... | 8 | - | - | - | 1 | - | - | 2 | - | 1 | 4 | - | - |
| 1999..... | 6 | - | - | 1 | - | - | - | 1 | - | 2 | 1 | 1 | - |

ASIAN OR PACIFIC ISLANDER 2/, MALE

| | | | | | | | | | | | | | |
|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2000..... | 6 | - | - | - | 1 | - | - | 2 | - | - | 3 | - | - |
| 1999..... | 2 | - | - | 1 | - | - | - | - | - | 1 | - | - | - |

ASIAN OR PACIFIC ISLANDER 2/, FEMALE

| | | | | | | | | | | | | | |
|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2000..... | 2 | - | - | - | - | - | - | - | - | 1 | 1 | - | - |
| 1999..... | 4 | - | - | - | - | - | - | 1 | - | 1 | 1 | 1 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Hernia (K40-K46) | | | | | | | | | | | | | |
| ALL RACES, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 1,522 | 46 | 4 | 3 | 5 | 5 | 31 | 84 | 113 | 210 | 466 | 555 | - |
| 1999..... | 1,464 | 44 | 3 | 2 | 3 | 16 | 39 | 55 | 107 | 215 | 451 | 529 | - |
| ALL RACES, MALE | | | | | | | | | | | | | |
| 2000..... | 586 | 28 | 3 | 3 | 3 | 1 | 13 | 45 | 49 | 92 | 195 | 154 | - |
| 1999..... | 597 | 26 | 2 | 1 | 3 | 8 | 23 | 32 | 60 | 93 | 192 | 157 | - |
| ALL RACES, FEMALE | | | | | | | | | | | | | |
| 2000..... | 936 | 18 | 1 | - | 2 | 4 | 18 | 39 | 64 | 118 | 271 | 401 | - |
| 1999..... | 867 | 18 | 1 | 1 | - | 8 | 16 | 23 | 47 | 122 | 259 | 372 | - |
| WHITE, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 1,354 | 36 | 2 | 3 | 3 | 4 | 22 | 67 | 99 | 185 | 421 | 512 | - |
| 1999..... | 1,298 | 34 | 3 | 2 | 2 | 10 | 30 | 41 | 94 | 183 | 408 | 491 | - |
| WHITE, MALE | | | | | | | | | | | | | |
| 2000..... | 520 | 23 | 2 | 3 | 1 | 1 | 10 | 34 | 43 | 82 | 180 | 141 | - |
| 1999..... | 535 | 20 | 2 | 1 | 2 | 5 | 20 | 26 | 57 | 86 | 177 | 139 | - |
| WHITE, FEMALE | | | | | | | | | | | | | |
| 2000..... | 834 | 13 | - | - | 2 | 3 | 12 | 33 | 56 | 103 | 241 | 371 | - |
| 1999..... | 763 | 14 | 1 | 1 | - | 5 | 10 | 15 | 37 | 97 | 231 | 352 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Hernia (K40-K46) | | | | | | | | | | | | | |
| BLACK, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 145 | 7 | 2 | - | 2 | 1 | 8 | 13 | 13 | 21 | 38 | 40 | - |
| 1999..... | 140 | 9 | - | - | 1 | 4 | 9 | 12 | 12 | 24 | 38 | 31 | - |
| BLACK, MALE | | | | | | | | | | | | | |
| 2000..... | 54 | 3 | 1 | - | 2 | - | 2 | 9 | 5 | 9 | 12 | 11 | - |
| 1999..... | 53 | 6 | - | - | 1 | 1 | 3 | 6 | 2 | 7 | 13 | 14 | - |
| BLACK, FEMALE | | | | | | | | | | | | | |
| 2000..... | 91 | 4 | 1 | - | - | 1 | 6 | 4 | 8 | 12 | 26 | 29 | - |
| 1999..... | 87 | 3 | - | - | - | 3 | 6 | 6 | 10 | 17 | 25 | 17 | - |
| AMERICAN INDIAN 1/, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 11 | 2 | - | - | - | - | 1 | 2 | 1 | 3 | 2 | - | - |
| 1999..... | 8 | 1 | - | - | - | 1 | - | 1 | 1 | 2 | - | 2 | - |
| AMERICAN INDIAN 1/, MALE | | | | | | | | | | | | | |
| 2000..... | 5 | 1 | - | - | - | - | 1 | 1 | 1 | 1 | - | - | - |
| 1999..... | 2 | - | - | - | - | 1 | - | - | 1 | - | - | - | - |
| AMERICAN INDIAN 1/, FEMALE | | | | | | | | | | | | | |
| 2000..... | 6 | 1 | - | - | - | - | - | 1 | - | 2 | 2 | - | - |
| 1999..... | 6 | 1 | - | - | - | - | - | 1 | - | 2 | - | 2 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|

Hernia (K40-K46)

ASIAN OR PACIFIC ISLANDER 2/, BOTH SEX

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|---|---|---|---|---|---|---|
| 2000..... | 12 | 1 | - | - | - | - | - | 2 | - | 1 | 5 | 3 | - |
| 1999..... | 18 | - | - | - | - | 1 | - | 1 | - | 6 | 5 | 5 | - |

ASIAN OR PACIFIC ISLANDER 2/, MALE

| | | | | | | | | | | | | | |
|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2000..... | 7 | 1 | - | - | - | - | - | 1 | - | - | 3 | 2 | - |
| 1999..... | 7 | - | - | - | - | 1 | - | - | - | - | 2 | 4 | - |

ASIAN OR PACIFIC ISLANDER 2/, FEMALE

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|---|---|---|---|---|---|---|
| 2000..... | 5 | - | - | - | - | - | - | 1 | - | 1 | 2 | 1 | - |
| 1999..... | 11 | - | - | - | - | - | - | 1 | - | 6 | 3 | 1 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|

Chronic liver disease and cirrhosis (K70,K73-K74)

ALL RACES, BOTH SEXES

| | | | | | | | | | | | | | |
|-----------|--------|---|---|---|----|-----|-------|-------|-------|-------|-------|-----|---|
| 2000..... | 26,552 | 3 | 3 | 3 | 36 | 415 | 3,371 | 6,654 | 5,774 | 5,482 | 3,829 | 979 | 3 |
| 1999..... | 26,259 | 5 | 2 | 2 | 26 | 407 | 3,302 | 6,368 | 5,637 | 5,642 | 3,901 | 965 | 2 |

ALL RACES, MALE

| | | | | | | | | | | | | | |
|-----------|--------|---|---|---|----|-----|-------|-------|-------|-------|-------|-----|---|
| 2000..... | 17,214 | 3 | 1 | 2 | 19 | 280 | 2,314 | 4,975 | 4,005 | 3,317 | 1,874 | 421 | 3 |
| 1999..... | 17,115 | 4 | - | 1 | 11 | 257 | 2,314 | 4,829 | 3,943 | 3,454 | 1,905 | 395 | 2 |

ALL RACES, FEMALE

| | | | | | | | | | | | | | |
|-----------|-------|---|---|---|----|-----|-------|-------|-------|-------|-------|-----|---|
| 2000..... | 9,338 | - | 2 | 1 | 17 | 135 | 1,057 | 1,679 | 1,769 | 2,165 | 1,955 | 558 | - |
| 1999..... | 9,144 | 1 | 2 | 1 | 15 | 150 | 988 | 1,539 | 1,694 | 2,188 | 1,996 | 570 | - |

WHITE, BOTH SEXES

| | | | | | | | | | | | | | |
|-----------|--------|---|---|---|----|-----|-------|-------|-------|-------|-------|-----|---|
| 2000..... | 22,982 | - | 3 | 2 | 21 | 312 | 2,745 | 5,515 | 4,948 | 4,925 | 3,591 | 918 | 2 |
| 1999..... | 22,620 | 4 | - | 1 | 15 | 323 | 2,676 | 5,230 | 4,760 | 5,073 | 3,640 | 896 | 2 |

WHITE, MALE

| | | | | | | | | | | | | | |
|-----------|--------|---|---|---|----|-----|-------|-------|-------|-------|-------|-----|---|
| 2000..... | 15,002 | - | 1 | 1 | 11 | 224 | 1,921 | 4,205 | 3,475 | 3,006 | 1,762 | 394 | 2 |
| 1999..... | 14,790 | 4 | - | - | 8 | 213 | 1,906 | 4,021 | 3,372 | 3,114 | 1,781 | 369 | 2 |

WHITE, FEMALE

| | | | | | | | | | | | | | |
|-----------|-------|---|---|---|----|-----|-----|-------|-------|-------|-------|-----|---|
| 2000..... | 7,980 | - | 2 | 1 | 10 | 88 | 824 | 1,310 | 1,473 | 1,919 | 1,829 | 524 | - |
| 1999..... | 7,830 | - | - | 1 | 7 | 110 | 770 | 1,209 | 1,388 | 1,959 | 1,859 | 527 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|

Chronic liver disease and cirrhosis (K70,K73-K74)

BLACK, BOTH SEXES

| | | | | | | | | | | | | | |
|-----------|-------|---|---|---|----|----|-----|-----|-----|-----|-----|----|---|
| 2000..... | 2,737 | 2 | - | 1 | 12 | 57 | 451 | 937 | 633 | 434 | 165 | 44 | 1 |
| 1999..... | 2,833 | - | 2 | 1 | 10 | 55 | 457 | 922 | 699 | 438 | 195 | 54 | - |

BLACK, MALE

| | | | | | | | | | | | | | |
|-----------|-------|---|---|---|---|----|-----|-----|-----|-----|----|----|---|
| 2000..... | 1,730 | 2 | - | 1 | 6 | 27 | 284 | 639 | 414 | 258 | 81 | 17 | 1 |
| 1999..... | 1,842 | - | - | 1 | 3 | 28 | 296 | 663 | 460 | 277 | 96 | 18 | - |

BLACK, FEMALE

| | | | | | | | | | | | | | |
|-----------|-------|---|---|---|---|----|-----|-----|-----|-----|----|----|---|
| 2000..... | 1,007 | - | - | - | 6 | 30 | 167 | 298 | 219 | 176 | 84 | 27 | - |
| 1999..... | 991 | - | 2 | - | 7 | 27 | 161 | 259 | 239 | 161 | 99 | 36 | - |

AMERICAN INDIAN 1/, BOTH SEXES

| | | | | | | | | | | | | | |
|-----------|-----|---|---|---|---|----|-----|-----|-----|----|----|---|---|
| 2000..... | 534 | - | - | - | 2 | 39 | 137 | 147 | 123 | 59 | 25 | 2 | - |
| 1999..... | 513 | - | - | - | 1 | 21 | 135 | 158 | 123 | 58 | 15 | 2 | - |

AMERICAN INDIAN 1/, MALE

| | | | | | | | | | | | | | |
|-----------|-----|---|---|---|---|----|----|----|----|----|----|---|---|
| 2000..... | 298 | - | - | - | 1 | 23 | 78 | 91 | 71 | 21 | 12 | 1 | - |
| 1999..... | 299 | - | - | - | - | 10 | 84 | 99 | 70 | 28 | 7 | 1 | - |

AMERICAN INDIAN 1/, FEMALE

| | | | | | | | | | | | | | |
|-----------|-----|---|---|---|---|----|----|----|----|----|----|---|---|
| 2000..... | 236 | - | - | - | 1 | 16 | 59 | 56 | 52 | 38 | 13 | 1 | - |
| 1999..... | 214 | - | - | - | 1 | 11 | 51 | 59 | 53 | 30 | 8 | 1 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|

Chronic liver disease and cirrhosis (K70,K73-K74)

ASIAN OR PACIFIC ISLANDER 2/, BOTH SEX

| | | | | | | | | | | | | | |
|-----------|-----|---|---|---|---|---|----|----|----|----|----|----|---|
| 2000..... | 299 | 1 | - | - | 1 | 7 | 38 | 55 | 70 | 64 | 48 | 15 | - |
| 1999..... | 293 | 1 | - | - | - | 8 | 34 | 58 | 55 | 73 | 51 | 13 | - |

ASIAN OR PACIFIC ISLANDER 2/, MALE

| | | | | | | | | | | | | | |
|-----------|-----|---|---|---|---|---|----|----|----|----|----|---|---|
| 2000..... | 184 | 1 | - | - | 1 | 6 | 31 | 40 | 45 | 32 | 19 | 9 | - |
| 1999..... | 184 | - | - | - | - | 6 | 28 | 46 | 41 | 35 | 21 | 7 | - |

ASIAN OR PACIFIC ISLANDER 2/, FEMALE

| | | | | | | | | | | | | | |
|-----------|-----|---|---|---|---|---|---|----|----|----|----|---|---|
| 2000..... | 115 | - | - | - | - | 1 | 7 | 15 | 25 | 32 | 29 | 6 | - |
| 1999..... | 109 | 1 | - | - | - | 2 | 6 | 12 | 14 | 38 | 30 | 6 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Alcoholic liver disease (K70) | | | | | | | | | | | | | |
| ALL RACES, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 12,109 | - | - | - | 8 | 279 | 2,226 | 3,888 | 2,969 | 1,891 | 751 | 95 | 2 |
| 1999..... | 11,958 | - | - | - | 8 | 259 | 2,186 | 3,802 | 2,859 | 1,935 | 789 | 118 | 2 |
| ALL RACES, MALE | | | | | | | | | | | | | |
| 2000..... | 8,985 | - | - | - | 5 | 202 | 1,533 | 2,968 | 2,216 | 1,433 | 561 | 65 | 2 |
| 1999..... | 8,922 | - | - | - | 6 | 165 | 1,520 | 2,927 | 2,194 | 1,497 | 538 | 73 | 2 |
| ALL RACES, FEMALE | | | | | | | | | | | | | |
| 2000..... | 3,124 | - | - | - | 3 | 77 | 693 | 920 | 753 | 458 | 190 | 30 | - |
| 1999..... | 3,036 | - | - | - | 2 | 94 | 666 | 875 | 665 | 438 | 251 | 45 | - |
| WHITE, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 10,272 | - | - | - | 6 | 218 | 1,810 | 3,246 | 2,533 | 1,689 | 681 | 88 | 1 |
| 1999..... | 10,041 | - | - | - | 5 | 205 | 1,764 | 3,152 | 2,405 | 1,698 | 708 | 102 | 2 |
| WHITE, MALE | | | | | | | | | | | | | |
| 2000..... | 7,770 | - | - | - | 4 | 168 | 1,264 | 2,538 | 1,930 | 1,288 | 517 | 60 | 1 |
| 1999..... | 7,602 | - | - | - | 4 | 136 | 1,249 | 2,469 | 1,876 | 1,317 | 486 | 63 | 2 |
| WHITE, FEMALE | | | | | | | | | | | | | |
| 2000..... | 2,502 | - | - | - | 2 | 50 | 546 | 708 | 603 | 401 | 164 | 28 | - |
| 1999..... | 2,439 | - | - | - | 1 | 69 | 515 | 683 | 529 | 381 | 222 | 39 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Alcoholic liver disease (K70) | | | | | | | | | | | | | |
| BLACK, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 1,380 | - | - | - | - | 34 | 287 | 508 | 325 | 170 | 50 | 5 | 1 |
| 1999..... | 1,466 | - | - | - | 2 | 29 | 283 | 519 | 361 | 194 | 64 | 14 | - |
| BLACK, MALE | | | | | | | | | | | | | |
| 2000..... | 918 | - | - | - | - | 17 | 187 | 341 | 211 | 124 | 33 | 4 | 1 |
| 1999..... | 1,018 | - | - | - | 2 | 15 | 179 | 368 | 257 | 148 | 41 | 8 | - |
| BLACK, FEMALE | | | | | | | | | | | | | |
| 2000..... | 462 | - | - | - | - | 17 | 100 | 167 | 114 | 46 | 17 | 1 | - |
| 1999..... | 448 | - | - | - | - | 14 | 104 | 151 | 104 | 46 | 23 | 6 | - |
| AMERICAN INDIAN 1/, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 339 | - | - | - | 1 | 25 | 99 | 102 | 79 | 23 | 10 | - | - |
| 1999..... | 356 | - | - | - | 1 | 19 | 118 | 107 | 75 | 27 | 8 | 1 | - |
| AMERICAN INDIAN 1/, MALE | | | | | | | | | | | | | |
| 2000..... | 205 | - | - | - | - | 15 | 56 | 63 | 51 | 14 | 6 | - | - |
| 1999..... | 224 | - | - | - | - | 9 | 73 | 72 | 45 | 19 | 5 | 1 | - |
| AMERICAN INDIAN 1/, FEMALE | | | | | | | | | | | | | |
| 2000..... | 134 | - | - | - | 1 | 10 | 43 | 39 | 28 | 9 | 4 | - | - |
| 1999..... | 132 | - | - | - | 1 | 10 | 45 | 35 | 30 | 8 | 3 | - | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|

Alcoholic liver disease (K70)

ASIAN OR PACIFIC ISLANDER 2/, BOTH SEX

| | | | | | | | | | | | | | |
|-----------|-----|---|---|---|---|---|----|----|----|----|----|---|---|
| 2000..... | 118 | - | - | - | 1 | 2 | 30 | 32 | 32 | 9 | 10 | 2 | - |
| 1999..... | 95 | - | - | - | - | 6 | 21 | 24 | 18 | 16 | 9 | 1 | - |

ASIAN OR PACIFIC ISLANDER 2/, MALE

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|----|----|----|----|---|---|---|
| 2000..... | 92 | - | - | - | 1 | 2 | 26 | 26 | 24 | 7 | 5 | 1 | - |
| 1999..... | 78 | - | - | - | - | 5 | 19 | 18 | 16 | 13 | 6 | 1 | - |

ASIAN OR PACIFIC ISLANDER 2/, FEMALE

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|---|---|---|---|---|---|---|
| 2000..... | 26 | - | - | - | - | - | 4 | 6 | 8 | 2 | 5 | 1 | - |
| 1999..... | 17 | - | - | - | - | 1 | 2 | 6 | 2 | 3 | 3 | - | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|

Other chronic liver disease and cirrhosis (K73-K74)

ALL RACES, BOTH SEXES

| | | | | | | | | | | | | | |
|-----------|--------|---|---|---|----|-----|-------|-------|-------|-------|-------|-----|---|
| 2000..... | 14,443 | 3 | 3 | 3 | 28 | 136 | 1,145 | 2,766 | 2,805 | 3,591 | 3,078 | 884 | 1 |
| 1999..... | 14,301 | 5 | 2 | 2 | 18 | 148 | 1,116 | 2,566 | 2,778 | 3,707 | 3,112 | 847 | - |

ALL RACES, MALE

| | | | | | | | | | | | | | |
|-----------|-------|---|---|---|----|----|-----|-------|-------|-------|-------|-----|---|
| 2000..... | 8,229 | 3 | 1 | 2 | 14 | 78 | 781 | 2,007 | 1,789 | 1,884 | 1,313 | 356 | 1 |
| 1999..... | 8,193 | 4 | - | 1 | 5 | 92 | 794 | 1,902 | 1,749 | 1,957 | 1,367 | 322 | - |

ALL RACES, FEMALE

| | | | | | | | | | | | | | |
|-----------|-------|---|---|---|----|----|-----|-----|-------|-------|-------|-----|---|
| 2000..... | 6,214 | - | 2 | 1 | 14 | 58 | 364 | 759 | 1,016 | 1,707 | 1,765 | 528 | - |
| 1999..... | 6,108 | 1 | 2 | 1 | 13 | 56 | 322 | 664 | 1,029 | 1,750 | 1,745 | 525 | - |

WHITE, BOTH SEXES

| | | | | | | | | | | | | | |
|-----------|--------|---|---|---|----|-----|-----|-------|-------|-------|-------|-----|---|
| 2000..... | 12,710 | - | 3 | 2 | 15 | 94 | 935 | 2,269 | 2,415 | 3,236 | 2,910 | 830 | 1 |
| 1999..... | 12,579 | 4 | - | 1 | 10 | 118 | 912 | 2,078 | 2,355 | 3,375 | 2,932 | 794 | - |

WHITE, MALE

| | | | | | | | | | | | | | |
|-----------|-------|---|---|---|---|----|-----|-------|-------|-------|-------|-----|---|
| 2000..... | 7,232 | - | 1 | 1 | 7 | 56 | 657 | 1,667 | 1,545 | 1,718 | 1,245 | 334 | 1 |
| 1999..... | 7,188 | 4 | - | - | 4 | 77 | 657 | 1,552 | 1,496 | 1,797 | 1,295 | 306 | - |

WHITE, FEMALE

| | | | | | | | | | | | | | |
|-----------|-------|---|---|---|---|----|-----|-----|-----|-------|-------|-----|---|
| 2000..... | 5,478 | - | 2 | 1 | 8 | 38 | 278 | 602 | 870 | 1,518 | 1,665 | 496 | - |
| 1999..... | 5,391 | - | - | 1 | 6 | 41 | 255 | 526 | 859 | 1,578 | 1,637 | 488 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|

Other chronic liver disease and cirrhosis (K73-K74)

BLACK, BOTH SEXES

| | | | | | | | | | | | | | |
|-----------|-------|---|---|---|----|----|-----|-----|-----|-----|-----|----|---|
| 2000..... | 1,357 | 2 | - | 1 | 12 | 23 | 164 | 429 | 308 | 264 | 115 | 39 | - |
| 1999..... | 1,367 | - | 2 | 1 | 8 | 26 | 174 | 403 | 338 | 244 | 131 | 40 | - |

BLACK, MALE

| | | | | | | | | | | | | | |
|-----------|-----|---|---|---|---|----|-----|-----|-----|-----|----|----|---|
| 2000..... | 812 | 2 | - | 1 | 6 | 10 | 97 | 298 | 203 | 134 | 48 | 13 | - |
| 1999..... | 824 | - | - | 1 | 1 | 13 | 117 | 295 | 203 | 129 | 55 | 10 | - |

BLACK, FEMALE

| | | | | | | | | | | | | | |
|-----------|-----|---|---|---|---|----|----|-----|-----|-----|----|----|---|
| 2000..... | 545 | - | - | - | 6 | 13 | 67 | 131 | 105 | 130 | 67 | 26 | - |
| 1999..... | 543 | - | 2 | - | 7 | 13 | 57 | 108 | 135 | 115 | 76 | 30 | - |

AMERICAN INDIAN 1/, BOTH SEXES

| | | | | | | | | | | | | | |
|-----------|-----|---|---|---|---|----|----|----|----|----|----|---|---|
| 2000..... | 195 | - | - | - | 1 | 14 | 38 | 45 | 44 | 36 | 15 | 2 | - |
| 1999..... | 157 | - | - | - | - | 2 | 17 | 51 | 48 | 31 | 7 | 1 | - |

AMERICAN INDIAN 1/, MALE

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|----|----|----|---|---|---|---|
| 2000..... | 93 | - | - | - | 1 | 8 | 22 | 28 | 20 | 7 | 6 | 1 | - |
| 1999..... | 75 | - | - | - | - | 1 | 11 | 27 | 25 | 9 | 2 | - | - |

AMERICAN INDIAN 1/, FEMALE

| | | | | | | | | | | | | | |
|-----------|-----|---|---|---|---|---|----|----|----|----|---|---|---|
| 2000..... | 102 | - | - | - | - | 6 | 16 | 17 | 24 | 29 | 9 | 1 | - |
| 1999..... | 82 | - | - | - | - | 1 | 6 | 24 | 23 | 22 | 5 | 1 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|

Other chronic liver disease and cirrhosis (K73-K74)

ASIAN OR PACIFIC ISLANDER 2/, BOTH SEX

| | | | | | | | | | | | | | |
|-----------|-----|---|---|---|---|---|----|----|----|----|----|----|---|
| 2000..... | 181 | 1 | - | - | - | 5 | 8 | 23 | 38 | 55 | 38 | 13 | - |
| 1999..... | 198 | 1 | - | - | - | 2 | 13 | 34 | 37 | 57 | 42 | 12 | - |

ASIAN OR PACIFIC ISLANDER 2/, MALE

| | | | | | | | | | | | | | |
|-----------|-----|---|---|---|---|---|---|----|----|----|----|---|---|
| 2000..... | 92 | 1 | - | - | - | 4 | 5 | 14 | 21 | 25 | 14 | 8 | - |
| 1999..... | 106 | - | - | - | - | 1 | 9 | 28 | 25 | 22 | 15 | 6 | - |

ASIAN OR PACIFIC ISLANDER 2/, FEMALE

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|---|---|----|----|----|---|---|
| 2000..... | 89 | - | - | - | - | 1 | 3 | 9 | 17 | 30 | 24 | 5 | - |
| 1999..... | 92 | 1 | - | - | - | 1 | 4 | 6 | 12 | 35 | 27 | 6 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|

Cholelithiasis and other disorders of gallbladder (K80-K82)

ALL RACES, BOTH SEXES

| | | | | | | | | | | | | | |
|-----------|-------|---|---|---|----|----|----|-----|-----|-----|-----|-------|---|
| 2000..... | 2,810 | - | - | 2 | 9 | 19 | 53 | 109 | 189 | 450 | 926 | 1,053 | - |
| 1999..... | 2,830 | 2 | - | 1 | 10 | 16 | 59 | 124 | 203 | 475 | 948 | 992 | - |

ALL RACES, MALE

| | | | | | | | | | | | | | |
|-----------|-------|---|---|---|---|---|----|----|-----|-----|-----|-----|---|
| 2000..... | 1,244 | - | - | 1 | 4 | 7 | 27 | 53 | 110 | 242 | 461 | 339 | - |
| 1999..... | 1,248 | 1 | - | 1 | 5 | 4 | 30 | 58 | 120 | 252 | 447 | 330 | - |

ALL RACES, FEMALE

| | | | | | | | | | | | | | |
|-----------|-------|---|---|---|---|----|----|----|----|-----|-----|-----|---|
| 2000..... | 1,566 | - | - | 1 | 5 | 12 | 26 | 56 | 79 | 208 | 465 | 714 | - |
| 1999..... | 1,582 | 1 | - | - | 5 | 12 | 29 | 66 | 83 | 223 | 501 | 662 | - |

WHITE, BOTH SEXES

| | | | | | | | | | | | | | |
|-----------|-------|---|---|---|---|----|----|----|-----|-----|-----|-----|---|
| 2000..... | 2,457 | - | - | 1 | 7 | 10 | 38 | 75 | 151 | 366 | 827 | 982 | - |
| 1999..... | 2,487 | - | - | 1 | 6 | 13 | 37 | 97 | 153 | 398 | 864 | 918 | - |

WHITE, MALE

| | | | | | | | | | | | | | |
|-----------|-------|---|---|---|---|---|----|----|----|-----|-----|-----|---|
| 2000..... | 1,111 | - | - | 1 | 3 | 5 | 22 | 39 | 92 | 206 | 423 | 320 | - |
| 1999..... | 1,101 | - | - | 1 | 4 | 2 | 20 | 45 | 91 | 217 | 418 | 303 | - |

WHITE, FEMALE

| | | | | | | | | | | | | | |
|-----------|-------|---|---|---|---|----|----|----|----|-----|-----|-----|---|
| 2000..... | 1,346 | - | - | - | 4 | 5 | 16 | 36 | 59 | 160 | 404 | 662 | - |
| 1999..... | 1,386 | - | - | - | 2 | 11 | 17 | 52 | 62 | 181 | 446 | 615 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|

Cholelithiasis and other disorders of gallbladder (K80-K82)

BLACK, BOTH SEXES

| | | | | | | | | | | | | | |
|-----------|-----|---|---|---|---|---|----|----|----|----|----|----|---|
| 2000..... | 280 | - | - | 1 | 2 | 8 | 14 | 28 | 29 | 65 | 76 | 57 | - |
| 1999..... | 257 | 2 | - | - | 4 | 3 | 20 | 21 | 35 | 59 | 65 | 48 | - |

BLACK, MALE

| | | | | | | | | | | | | | |
|-----------|-----|---|---|---|---|---|---|----|----|----|----|----|---|
| 2000..... | 96 | - | - | - | 1 | 2 | 4 | 11 | 14 | 25 | 27 | 12 | - |
| 1999..... | 102 | 1 | - | - | 1 | 2 | 9 | 9 | 19 | 25 | 23 | 13 | - |

BLACK, FEMALE

| | | | | | | | | | | | | | |
|-----------|-----|---|---|---|---|---|----|----|----|----|----|----|---|
| 2000..... | 184 | - | - | 1 | 1 | 6 | 10 | 17 | 15 | 40 | 49 | 45 | - |
| 1999..... | 155 | 1 | - | - | 3 | 1 | 11 | 12 | 16 | 34 | 42 | 35 | - |

AMERICAN INDIAN 1/, BOTH SEXES

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|---|---|---|---|---|---|---|
| 2000..... | 20 | - | - | - | - | 1 | - | 2 | 2 | 2 | 8 | 5 | - |
| 1999..... | 24 | - | - | - | - | - | 2 | 3 | 3 | 6 | 4 | 6 | - |

AMERICAN INDIAN 1/, MALE

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|---|---|---|---|---|---|---|
| 2000..... | 7 | - | - | - | - | - | - | 1 | 1 | 1 | 3 | 1 | - |
| 1999..... | 11 | - | - | - | - | - | 1 | 3 | 2 | 3 | 1 | 1 | - |

AMERICAN INDIAN 1/, FEMALE

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|---|---|---|---|---|---|---|
| 2000..... | 13 | - | - | - | - | 1 | - | 1 | 1 | 1 | 5 | 4 | - |
| 1999..... | 13 | - | - | - | - | - | 1 | - | 1 | 3 | 3 | 5 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN
REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, SEX AND YEAR

| ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|

Cholelithiasis and other disorders of gallbladder (K80-K82)

ASIAN OR PACIFIC ISLANDER 2/, BOTH SEX

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|---|---|----|----|----|----|---|
| 2000..... | 53 | - | - | - | - | - | 1 | 4 | 7 | 17 | 15 | 9 | - |
| 1999..... | 62 | - | - | - | - | - | - | 3 | 12 | 12 | 15 | 20 | - |

ASIAN OR PACIFIC ISLANDER 2/, MALE

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|---|---|---|----|---|----|---|
| 2000..... | 30 | - | - | - | - | - | 1 | 2 | 3 | 10 | 8 | 6 | - |
| 1999..... | 34 | - | - | - | - | - | - | 1 | 8 | 7 | 5 | 13 | - |

ASIAN OR PACIFIC ISLANDER 2/, FEMALE

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|---|---|---|---|----|---|---|
| 2000..... | 23 | - | - | - | - | - | - | 2 | 4 | 7 | 7 | 3 | - |
| 1999..... | 28 | - | - | - | - | - | - | 2 | 4 | 5 | 10 | 7 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27) | | | | | | | | | | | | | |
| ALL RACES, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 37,251 | 162 | 14 | 25 | 88 | 244 | 740 | 1,651 | 3,100 | 6,990 | 12,458 | 11,777 | 2 |
| 1999..... | 35,525 | 166 | 15 | 31 | 72 | 252 | 707 | 1,480 | 2,864 | 6,841 | 11,927 | 11,170 | - |
| ALL RACES, MALE | | | | | | | | | | | | | |
| 2000..... | 17,811 | 103 | 7 | 17 | 43 | 129 | 429 | 982 | 1,651 | 3,564 | 6,213 | 4,671 | 2 |
| 1999..... | 17,016 | 90 | 9 | 18 | 33 | 125 | 402 | 846 | 1,530 | 3,504 | 6,031 | 4,428 | - |
| ALL RACES, FEMALE | | | | | | | | | | | | | |
| 2000..... | 19,440 | 59 | 7 | 8 | 45 | 115 | 311 | 669 | 1,449 | 3,426 | 6,245 | 7,106 | - |
| 1999..... | 18,509 | 76 | 6 | 13 | 39 | 127 | 305 | 634 | 1,334 | 3,337 | 5,896 | 6,742 | - |
| WHITE, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 29,598 | 87 | 8 | 20 | 63 | 136 | 412 | 936 | 2,009 | 5,144 | 10,470 | 10,311 | 2 |
| 1999..... | 28,041 | 102 | 13 | 22 | 42 | 137 | 381 | 825 | 1,868 | 5,087 | 9,934 | 9,630 | - |
| WHITE, MALE | | | | | | | | | | | | | |
| 2000..... | 14,385 | 58 | 5 | 14 | 33 | 73 | 243 | 558 | 1,106 | 2,769 | 5,353 | 4,171 | 2 |
| 1999..... | 13,632 | 62 | 7 | 15 | 19 | 70 | 218 | 474 | 1,043 | 2,711 | 5,119 | 3,894 | - |
| WHITE, FEMALE | | | | | | | | | | | | | |
| 2000..... | 15,213 | 29 | 3 | 6 | 30 | 63 | 169 | 378 | 903 | 2,375 | 5,117 | 6,140 | - |
| 1999..... | 14,409 | 40 | 6 | 7 | 23 | 67 | 163 | 351 | 825 | 2,376 | 4,815 | 5,736 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|

Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)

BLACK, BOTH SEXES

| | | | | | | | | | | | | | |
|-----------|-------|----|---|---|----|-----|-----|-----|-----|-------|-------|-------|---|
| 2000..... | 6,911 | 71 | 5 | 4 | 24 | 100 | 306 | 669 | 991 | 1,653 | 1,789 | 1,299 | - |
| 1999..... | 6,711 | 58 | 1 | 8 | 30 | 103 | 310 | 617 | 887 | 1,569 | 1,769 | 1,359 | - |

BLACK, MALE

| | | | | | | | | | | | | | |
|-----------|-------|----|---|---|----|----|-----|-----|-----|-----|-----|-----|---|
| 2000..... | 3,074 | 42 | 2 | 2 | 10 | 50 | 175 | 398 | 489 | 716 | 765 | 425 | - |
| 1999..... | 3,008 | 25 | 1 | 3 | 14 | 47 | 173 | 354 | 429 | 700 | 813 | 449 | - |

BLACK, FEMALE

| | | | | | | | | | | | | | |
|-----------|-------|----|---|---|----|----|-----|-----|-----|-----|-------|-----|---|
| 2000..... | 3,837 | 29 | 3 | 2 | 14 | 50 | 131 | 271 | 502 | 937 | 1,024 | 874 | - |
| 1999..... | 3,703 | 33 | - | 5 | 16 | 56 | 137 | 263 | 458 | 869 | 956 | 910 | - |

AMERICAN INDIAN 1/, BOTH SEXES

| | | | | | | | | | | | | | |
|-----------|-----|---|---|---|---|---|----|----|----|----|----|----|---|
| 2000..... | 215 | 1 | - | - | - | 3 | 12 | 22 | 39 | 65 | 46 | 27 | - |
| 1999..... | 194 | - | - | - | - | 4 | 7 | 18 | 36 | 55 | 42 | 32 | - |

AMERICAN INDIAN 1/, MALE

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|---|----|----|----|----|----|---|
| 2000..... | 98 | - | - | - | - | 2 | 7 | 11 | 21 | 28 | 16 | 13 | - |
| 1999..... | 79 | - | - | - | - | 4 | 6 | 9 | 17 | 23 | 12 | 8 | - |

AMERICAN INDIAN 1/, FEMALE

| | | | | | | | | | | | | | |
|-----------|-----|---|---|---|---|---|---|----|----|----|----|----|---|
| 2000..... | 117 | 1 | - | - | - | 1 | 5 | 11 | 18 | 37 | 30 | 14 | - |
| 1999..... | 115 | - | - | - | - | - | 1 | 9 | 19 | 32 | 30 | 24 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|

Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)

ASIAN OR PACIFIC ISLANDER 2/, BOTH SEX

| | | | | | | | | | | | | | |
|-----------|-----|---|---|---|---|---|----|----|----|-----|-----|-----|---|
| 2000..... | 527 | 3 | 1 | 1 | 1 | 5 | 10 | 24 | 61 | 128 | 153 | 140 | - |
| 1999..... | 579 | 6 | 1 | 1 | - | 8 | 9 | 20 | 73 | 130 | 182 | 149 | - |

ASIAN OR PACIFIC ISLANDER 2/, MALE

| | | | | | | | | | | | | | |
|-----------|-----|---|---|---|---|---|---|----|----|----|----|----|---|
| 2000..... | 254 | 3 | - | 1 | - | 4 | 4 | 15 | 35 | 51 | 79 | 62 | - |
| 1999..... | 297 | 3 | 1 | - | - | 4 | 5 | 9 | 41 | 70 | 87 | 77 | - |

ASIAN OR PACIFIC ISLANDER 2/, FEMALE

| | | | | | | | | | | | | | |
|-----------|-----|---|---|---|---|---|---|----|----|----|----|----|---|
| 2000..... | 273 | - | 1 | - | 1 | 1 | 6 | 9 | 26 | 77 | 74 | 78 | - |
| 1999..... | 282 | 3 | - | 1 | - | 4 | 4 | 11 | 32 | 60 | 95 | 72 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Acute and rapidly progressive nephritic and nephrotic syndrome (N00-N01,N04) | | | | | | | | | | | | | |
| ALL RACES, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 177 | 8 | 3 | 2 | 1 | 4 | 3 | 16 | 10 | 29 | 52 | 49 | - |
| 1999..... | 182 | 3 | 2 | 5 | 2 | 5 | 5 | 11 | 16 | 37 | 62 | 34 | - |
| ALL RACES, MALE | | | | | | | | | | | | | |
| 2000..... | 91 | 3 | 2 | 2 | 1 | 3 | 1 | 11 | 8 | 12 | 26 | 22 | - |
| 1999..... | 90 | 3 | 2 | 2 | 2 | 4 | 2 | 6 | 6 | 17 | 32 | 14 | - |
| ALL RACES, FEMALE | | | | | | | | | | | | | |
| 2000..... | 86 | 5 | 1 | - | - | 1 | 2 | 5 | 2 | 17 | 26 | 27 | - |
| 1999..... | 92 | - | - | 3 | - | 1 | 3 | 5 | 10 | 20 | 30 | 20 | - |
| WHITE, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 141 | 6 | 1 | 1 | 1 | 3 | 1 | 6 | 10 | 22 | 46 | 44 | - |
| 1999..... | 144 | 3 | 2 | 4 | 1 | 2 | 3 | 7 | 9 | 32 | 52 | 29 | - |
| WHITE, MALE | | | | | | | | | | | | | |
| 2000..... | 72 | 3 | 1 | 1 | 1 | 2 | 1 | 5 | 8 | 9 | 23 | 18 | - |
| 1999..... | 67 | 3 | 2 | 2 | 1 | 1 | 1 | 4 | 3 | 14 | 26 | 10 | - |
| WHITE, FEMALE | | | | | | | | | | | | | |
| 2000..... | 69 | 3 | - | - | - | 1 | - | 1 | 2 | 13 | 23 | 26 | - |
| 1999..... | 77 | - | - | 2 | - | 1 | 2 | 3 | 6 | 18 | 26 | 19 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|

Acute and rapidly progressive nephritic and nephrotic syndrome (N00-N01,N04)

BLACK, BOTH SEXES

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|---|----|---|---|---|---|---|
| 2000..... | 30 | 2 | 2 | - | - | 1 | 2 | 10 | - | 6 | 5 | 2 | - |
| 1999..... | 28 | - | - | 1 | 1 | 2 | 2 | 4 | 5 | 3 | 6 | 4 | - |

BLACK, MALE

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|---|---|---|---|---|---|---|
| 2000..... | 13 | - | 1 | - | - | 1 | - | 6 | - | 2 | 2 | 1 | - |
| 1999..... | 16 | - | - | - | 1 | 2 | 1 | 2 | 2 | 2 | 3 | 3 | - |

BLACK, FEMALE

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|---|---|---|---|---|---|---|
| 2000..... | 17 | 2 | 1 | - | - | - | 2 | 4 | - | 4 | 3 | 1 | - |
| 1999..... | 12 | - | - | 1 | - | - | 1 | 2 | 3 | 1 | 3 | 1 | - |

AMERICAN INDIAN 1/, BOTH SEXES

| | | | | | | | | | | | | | |
|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2000..... | 1 | - | - | - | - | - | - | - | - | - | - | 1 | - |
| 1999..... | 3 | - | - | - | - | 1 | - | - | 1 | - | 1 | - | - |

AMERICAN INDIAN 1/, MALE

| | | | | | | | | | | | | | |
|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2000..... | 1 | - | - | - | - | - | - | - | - | - | - | 1 | - |
| 1999..... | 2 | - | - | - | - | 1 | - | - | 1 | - | - | - | - |

AMERICAN INDIAN 1/, FEMALE

| | | | | | | | | | | | | | |
|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2000..... | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 1999..... | 1 | - | - | - | - | - | - | - | - | - | 1 | - | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|

Acute and rapidly progressive nephritic and nephrotic syndrome (N00-N01,N04)

ASIAN OR PACIFIC ISLANDER 2/, BOTH SEX

| | | | | | | | | | | | | | |
|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2000..... | 5 | - | - | 1 | - | - | - | - | - | 1 | 1 | 2 | - |
| 1999..... | 7 | - | - | - | - | - | - | - | 1 | 2 | 3 | 1 | - |

ASIAN OR PACIFIC ISLANDER 2/, MALE

| | | | | | | | | | | | | | |
|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2000..... | 5 | - | - | 1 | - | - | - | - | - | 1 | 1 | 2 | - |
| 1999..... | 5 | - | - | - | - | - | - | - | - | 1 | 3 | 1 | - |

ASIAN OR PACIFIC ISLANDER 2/, FEMALE

| | | | | | | | | | | | | | |
|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2000..... | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 1999..... | 2 | - | - | - | - | - | - | - | 1 | 1 | - | - | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|---|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Chronic glomerulonephritis, nephritis and nephropathy not specified as acute or chronic, and renal sclerosis unspecified (N02-N03, N05-N07,N26) | | | | | | | | | | | | | |
| ALL RACES, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 556 | 1 | - | 4 | 9 | 17 | 34 | 39 | 59 | 103 | 172 | 118 | - |
| 1999..... | 589 | - | 1 | 1 | 7 | 15 | 28 | 44 | 60 | 101 | 200 | 132 | - |
| ALL RACES, MALE | | | | | | | | | | | | | |
| 2000..... | 284 | - | - | 1 | 2 | 11 | 20 | 27 | 31 | 54 | 83 | 55 | - |
| 1999..... | 304 | - | - | 1 | 6 | 10 | 18 | 25 | 32 | 45 | 107 | 60 | - |
| ALL RACES, FEMALE | | | | | | | | | | | | | |
| 2000..... | 272 | 1 | - | 3 | 7 | 6 | 14 | 12 | 28 | 49 | 89 | 63 | - |
| 1999..... | 285 | - | 1 | - | 1 | 5 | 10 | 19 | 28 | 56 | 93 | 72 | - |
| WHITE, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 439 | - | - | 3 | 7 | 11 | 20 | 26 | 43 | 85 | 150 | 94 | - |
| 1999..... | 467 | - | 1 | 1 | 4 | 11 | 15 | 32 | 43 | 78 | 173 | 109 | - |
| WHITE, MALE | | | | | | | | | | | | | |
| 2000..... | 226 | - | - | 1 | 1 | 7 | 12 | 18 | 23 | 45 | 75 | 44 | - |
| 1999..... | 244 | - | - | 1 | 3 | 8 | 10 | 19 | 24 | 35 | 94 | 50 | - |
| WHITE, FEMALE | | | | | | | | | | | | | |
| 2000..... | 213 | - | - | 2 | 6 | 4 | 8 | 8 | 20 | 40 | 75 | 50 | - |
| 1999..... | 223 | - | 1 | - | 1 | 3 | 5 | 13 | 19 | 43 | 79 | 59 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|---|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Chronic glomerulonephritis, nephritis and nephropathy not specified as acute or chronic, and renal sclerosis unspecified (N02-N03, N05-N07,N26) | | | | | | | | | | | | | |
| BLACK, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 90 | 1 | - | 1 | 2 | 4 | 10 | 12 | 12 | 14 | 19 | 15 | - |
| 1999..... | 94 | - | - | - | 3 | 2 | 11 | 10 | 11 | 18 | 20 | 19 | - |
| BLACK, MALE | | | | | | | | | | | | | |
| 2000..... | 44 | - | - | - | 1 | 2 | 5 | 8 | 7 | 8 | 6 | 7 | - |
| 1999..... | 47 | - | - | - | 3 | 1 | 6 | 6 | 6 | 7 | 10 | 8 | - |
| BLACK, FEMALE | | | | | | | | | | | | | |
| 2000..... | 46 | 1 | - | 1 | 1 | 2 | 5 | 4 | 5 | 6 | 13 | 8 | - |
| 1999..... | 47 | - | - | - | - | 1 | 5 | 4 | 5 | 11 | 10 | 11 | - |
| AMERICAN INDIAN 1/, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 8 | - | - | - | - | 1 | 2 | 1 | 1 | 1 | 1 | 1 | - |
| 1999..... | 4 | - | - | - | - | - | 1 | - | 2 | 1 | - | - | - |
| AMERICAN INDIAN 1/, MALE | | | | | | | | | | | | | |
| 2000..... | 6 | - | - | - | - | 1 | 2 | 1 | 1 | - | 1 | - | - |
| 1999..... | 3 | - | - | - | - | - | 1 | - | 1 | 1 | - | - | - |
| AMERICAN INDIAN 1/, FEMALE | | | | | | | | | | | | | |
| 2000..... | 2 | - | - | - | - | - | - | - | - | 1 | - | 1 | - |
| 1999..... | 1 | - | - | - | - | - | - | - | 1 | - | - | - | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN
REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AGE NOT AND OVER | STATED |
|---|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|------------------------------|--------|
| Chronic glomerulonephritis, nephritis and nephropathy not specified as acute or chronic, and renal sclerosis unspecified (N02-N03, N05-N07,N26) | | | | | | | | | | | | | |
| ASIAN OR PACIFIC ISLANDER 2/, BOTH SEX | | | | | | | | | | | | | |
| 2000..... | 19 | - | - | - | - | 1 | 2 | - | 3 | 3 | 2 | 8 | - |
| 1999..... | 24 | - | - | - | - | 2 | 1 | 2 | 4 | 4 | 7 | 4 | - |
| ASIAN OR PACIFIC ISLANDER 2/, MALE | | | | | | | | | | | | | |
| 2000..... | 8 | - | - | - | - | 1 | 1 | - | - | 1 | 1 | 4 | - |
| 1999..... | 10 | - | - | - | - | 1 | 1 | - | 1 | 2 | 3 | 2 | - |
| ASIAN OR PACIFIC ISLANDER 2/, FEMALE | | | | | | | | | | | | | |
| 2000..... | 11 | - | - | - | - | - | 1 | - | 3 | 2 | 1 | 4 | - |
| 1999..... | 14 | - | - | - | - | 1 | - | 2 | 3 | 2 | 4 | 2 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Renal failure (N17-N19) | | | | | | | | | | | | | |
| ALL RACES, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 36,471 | 152 | 11 | 19 | 78 | 221 | 701 | 1,590 | 3,023 | 6,848 | 12,223 | 11,603 | 2 |
| 1999..... | 34,719 | 163 | 12 | 25 | 63 | 230 | 673 | 1,422 | 2,784 | 6,697 | 11,652 | 10,998 | - |
| ALL RACES, MALE | | | | | | | | | | | | | |
| 2000..... | 17,416 | 100 | 5 | 14 | 40 | 115 | 407 | 941 | 1,607 | 3,492 | 6,102 | 4,591 | 2 |
| 1999..... | 16,611 | 87 | 7 | 15 | 25 | 110 | 382 | 814 | 1,492 | 3,440 | 5,888 | 4,351 | - |
| ALL RACES, FEMALE | | | | | | | | | | | | | |
| 2000..... | 19,055 | 52 | 6 | 5 | 38 | 106 | 294 | 649 | 1,416 | 3,356 | 6,121 | 7,012 | - |
| 1999..... | 18,108 | 76 | 5 | 10 | 38 | 120 | 291 | 608 | 1,292 | 3,257 | 5,764 | 6,647 | - |
| WHITE, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 28,982 | 80 | 7 | 16 | 55 | 121 | 390 | 901 | 1,949 | 5,028 | 10,265 | 10,168 | 2 |
| 1999..... | 27,407 | 99 | 10 | 17 | 37 | 122 | 362 | 784 | 1,815 | 4,972 | 9,701 | 9,488 | - |
| WHITE, MALE | | | | | | | | | | | | | |
| 2000..... | 14,070 | 55 | 4 | 12 | 31 | 64 | 229 | 534 | 1,071 | 2,709 | 5,253 | 4,106 | 2 |
| 1999..... | 13,312 | 59 | 5 | 12 | 15 | 60 | 207 | 450 | 1,016 | 2,661 | 4,996 | 3,831 | - |
| WHITE, FEMALE | | | | | | | | | | | | | |
| 2000..... | 14,912 | 25 | 3 | 4 | 24 | 57 | 161 | 367 | 878 | 2,319 | 5,012 | 6,062 | - |
| 1999..... | 14,095 | 40 | 5 | 5 | 22 | 62 | 155 | 334 | 799 | 2,311 | 4,705 | 5,657 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Renal failure (N17-N19) | | | | | | | | | | | | | |
| BLACK, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 6,782 | 68 | 3 | 3 | 22 | 94 | 293 | 644 | 979 | 1,632 | 1,764 | 1,280 | - |
| 1999..... | 6,577 | 58 | 1 | 7 | 26 | 99 | 297 | 602 | 868 | 1,547 | 1,738 | 1,334 | - |
| BLACK, MALE | | | | | | | | | | | | | |
| 2000..... | 3,015 | 42 | 1 | 2 | 9 | 47 | 170 | 382 | 482 | 706 | 757 | 417 | - |
| 1999..... | 2,943 | 25 | 1 | 3 | 10 | 44 | 166 | 346 | 421 | 690 | 799 | 438 | - |
| BLACK, FEMALE | | | | | | | | | | | | | |
| 2000..... | 3,767 | 26 | 2 | 1 | 13 | 47 | 123 | 262 | 497 | 926 | 1,007 | 863 | - |
| 1999..... | 3,634 | 33 | - | 4 | 16 | 55 | 131 | 256 | 447 | 857 | 939 | 896 | - |
| AMERICAN INDIAN 1/, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 205 | 1 | - | - | - | 2 | 10 | 21 | 37 | 64 | 45 | 25 | - |
| 1999..... | 187 | - | - | - | - | 3 | 6 | 18 | 33 | 54 | 41 | 32 | - |
| AMERICAN INDIAN 1/, MALE | | | | | | | | | | | | | |
| 2000..... | 90 | - | - | - | - | 1 | 5 | 10 | 19 | 28 | 15 | 12 | - |
| 1999..... | 74 | - | - | - | - | 3 | 5 | 9 | 15 | 22 | 12 | 8 | - |
| AMERICAN INDIAN 1/, FEMALE | | | | | | | | | | | | | |
| 2000..... | 115 | 1 | - | - | - | 1 | 5 | 11 | 18 | 36 | 30 | 13 | - |
| 1999..... | 113 | - | - | - | - | - | 1 | 9 | 18 | 32 | 29 | 24 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|

Renal failure (N17-N19)

ASIAN OR PACIFIC ISLANDER 2/, BOTH SEX

| | | | | | | | | | | | | | |
|-----------|-----|---|---|---|---|---|---|----|----|-----|-----|-----|---|
| 2000..... | 502 | 3 | 1 | - | 1 | 4 | 8 | 24 | 58 | 124 | 149 | 130 | - |
| 1999..... | 548 | 6 | 1 | 1 | - | 6 | 8 | 18 | 68 | 124 | 172 | 144 | - |

ASIAN OR PACIFIC ISLANDER 2/, MALE

| | | | | | | | | | | | | | |
|-----------|-----|---|---|---|---|---|---|----|----|----|----|----|---|
| 2000..... | 241 | 3 | - | - | - | 3 | 3 | 15 | 35 | 49 | 77 | 56 | - |
| 1999..... | 282 | 3 | 1 | - | - | 3 | 4 | 9 | 40 | 67 | 81 | 74 | - |

ASIAN OR PACIFIC ISLANDER 2/, FEMALE

| | | | | | | | | | | | | | |
|-----------|-----|---|---|---|---|---|---|---|----|----|----|----|---|
| 2000..... | 261 | - | 1 | - | 1 | 1 | 5 | 9 | 23 | 75 | 72 | 74 | - |
| 1999..... | 266 | 3 | - | 1 | - | 3 | 4 | 9 | 28 | 57 | 91 | 70 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Other disorders of kidney (N25,N27) | | | | | | | | | | | | | |
| ALL RACES, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 47 | 1 | - | - | - | 2 | 2 | 6 | 8 | 10 | 11 | 7 | - |
| 1999..... | 35 | - | - | - | - | 2 | 1 | 3 | 4 | 6 | 13 | 6 | - |
| ALL RACES, MALE | | | | | | | | | | | | | |
| 2000..... | 20 | - | - | - | - | - | 1 | 3 | 5 | 6 | 2 | 3 | - |
| 1999..... | 11 | - | - | - | - | 1 | - | 1 | - | 2 | 4 | 3 | - |
| ALL RACES, FEMALE | | | | | | | | | | | | | |
| 2000..... | 27 | 1 | - | - | - | 2 | 1 | 3 | 3 | 4 | 9 | 4 | - |
| 1999..... | 24 | - | - | - | - | 1 | 1 | 2 | 4 | 4 | 9 | 3 | - |
| WHITE, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 36 | 1 | - | - | - | 1 | 1 | 3 | 7 | 9 | 9 | 5 | - |
| 1999..... | 23 | - | - | - | - | 2 | 1 | 2 | 1 | 5 | 8 | 4 | - |
| WHITE, MALE | | | | | | | | | | | | | |
| 2000..... | 17 | - | - | - | - | - | 1 | 1 | 4 | 6 | 2 | 3 | - |
| 1999..... | 9 | - | - | - | - | 1 | - | 1 | - | 1 | 3 | 3 | - |
| WHITE, FEMALE | | | | | | | | | | | | | |
| 2000..... | 19 | 1 | - | - | - | 1 | - | 2 | 3 | 3 | 7 | 2 | - |
| 1999..... | 14 | - | - | - | - | 1 | 1 | 1 | 1 | 4 | 5 | 1 | - |

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

[illegible]

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

[illegible]

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Infections of kidney (N10-N12,N13.6,N15.1) | | | | | | | | | | | | | |
| ALL RACES, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 813 | 5 | 3 | - | 2 | 9 | 21 | 42 | 59 | 104 | 248 | 320 | - |
| 1999..... | 846 | 3 | 1 | 1 | 4 | 9 | 28 | 55 | 59 | 133 | 242 | 311 | - |
| ALL RACES, MALE | | | | | | | | | | | | | |
| 2000..... | 214 | 3 | - | - | 1 | 3 | 8 | 15 | 15 | 26 | 74 | 69 | - |
| 1999..... | 263 | 1 | - | - | 1 | - | 7 | 19 | 27 | 44 | 83 | 81 | - |
| ALL RACES, FEMALE | | | | | | | | | | | | | |
| 2000..... | 599 | 2 | 3 | - | 1 | 6 | 13 | 27 | 44 | 78 | 174 | 251 | - |
| 1999..... | 583 | 2 | 1 | 1 | 3 | 9 | 21 | 36 | 32 | 89 | 159 | 230 | - |
| WHITE, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 689 | 5 | 3 | - | 1 | 7 | 12 | 30 | 48 | 82 | 210 | 291 | - |
| 1999..... | 749 | 1 | 1 | 1 | 2 | 8 | 20 | 44 | 48 | 110 | 223 | 291 | - |
| WHITE, MALE | | | | | | | | | | | | | |
| 2000..... | 182 | 3 | - | - | - | 3 | 4 | 12 | 13 | 17 | 65 | 65 | - |
| 1999..... | 232 | 1 | - | - | 1 | - | 5 | 14 | 22 | 34 | 77 | 78 | - |
| WHITE, FEMALE | | | | | | | | | | | | | |
| 2000..... | 507 | 2 | 3 | - | 1 | 4 | 8 | 18 | 35 | 65 | 145 | 226 | - |
| 1999..... | 517 | - | 1 | 1 | 1 | 8 | 15 | 30 | 26 | 76 | 146 | 213 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|

Infections of kidney (N10-N12,N13.6,N15.1)

BLACK, BOTH SEXES

| | | | | | | | | | | | | | |
|-----------|-----|---|---|---|---|---|---|----|----|----|----|----|---|
| 2000..... | 101 | - | - | - | 1 | 2 | 7 | 11 | 8 | 19 | 28 | 25 | - |
| 1999..... | 85 | 1 | - | - | 2 | 1 | 6 | 10 | 11 | 20 | 16 | 18 | - |

BLACK, MALE

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|---|---|---|----|---|---|---|
| 2000..... | 27 | - | - | - | 1 | - | 2 | 3 | 2 | 8 | 7 | 4 | - |
| 1999..... | 29 | - | - | - | - | - | 2 | 5 | 5 | 10 | 4 | 3 | - |

BLACK, FEMALE

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|---|---|---|----|----|----|---|
| 2000..... | 74 | - | - | - | - | 2 | 5 | 8 | 6 | 11 | 21 | 21 | - |
| 1999..... | 56 | 1 | - | - | 2 | 1 | 4 | 5 | 6 | 10 | 12 | 15 | - |

AMERICAN INDIAN 1/, BOTH SEXES

| | | | | | | | | | | | | | |
|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2000..... | 5 | - | - | - | - | - | - | 1 | - | 1 | 1 | 2 | - |
| 1999..... | 3 | - | - | - | - | - | 1 | - | - | 2 | - | - | - |

AMERICAN INDIAN 1/, MALE

| | | | | | | | | | | | | | |
|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2000..... | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 1999..... | - | - | - | - | - | - | - | - | - | - | - | - | - |

AMERICAN INDIAN 1/, FEMALE

| | | | | | | | | | | | | | |
|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2000..... | 5 | - | - | - | - | - | - | 1 | - | 1 | 1 | 2 | - |
| 1999..... | 3 | - | - | - | - | - | 1 | - | - | 2 | - | - | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|

Infections of kidney (N10-N12,N13.6,N15.1)

ASIAN OR PACIFIC ISLANDER 2/, BOTH SEX

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|---|---|---|---|---|---|---|
| 2000..... | 18 | - | - | - | - | - | 2 | - | 3 | 2 | 9 | 2 | - |
| 1999..... | 9 | 1 | - | - | - | - | 1 | 1 | - | 1 | 3 | 2 | - |

ASIAN OR PACIFIC ISLANDER 2/, MALE

| | | | | | | | | | | | | | |
|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2000..... | 5 | - | - | - | - | - | 2 | - | - | 1 | 2 | - | - |
| 1999..... | 2 | - | - | - | - | - | - | - | - | - | 2 | - | - |

ASIAN OR PACIFIC ISLANDER 2/, FEMALE

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|---|---|---|---|---|---|---|
| 2000..... | 13 | - | - | - | - | - | - | - | 3 | 1 | 7 | 2 | - |
| 1999..... | 7 | 1 | - | - | - | - | 1 | 1 | - | 1 | 1 | 2 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Hyperplasia of prostate (N40) | | | | | | | | | | | | | |
| ALL RACES, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 433 | - | - | - | - | - | 1 | 1 | 11 | 38 | 159 | 222 | 1 |
| 1999..... | 430 | - | - | - | - | - | - | 1 | 13 | 47 | 160 | 209 | - |
| ALL RACES, MALE | | | | | | | | | | | | | |
| 2000..... | 433 | - | - | - | - | - | 1 | 1 | 11 | 38 | 159 | 222 | 1 |
| 1999..... | 430 | - | - | - | - | - | - | 1 | 13 | 47 | 160 | 209 | - |
| WHITE, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 389 | - | - | - | - | - | - | 1 | 7 | 35 | 145 | 201 | - |
| 1999..... | 390 | - | - | - | - | - | - | 1 | 9 | 40 | 147 | 193 | - |
| WHITE, MALE | | | | | | | | | | | | | |
| 2000..... | 389 | - | - | - | - | - | - | 1 | 7 | 35 | 145 | 201 | - |
| 1999..... | 390 | - | - | - | - | - | - | 1 | 9 | 40 | 147 | 193 | - |
| BLACK, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 37 | - | - | - | - | - | 1 | - | 4 | 2 | 14 | 15 | 1 |
| 1999..... | 38 | - | - | - | - | - | - | - | 4 | 6 | 13 | 15 | - |
| BLACK, MALE | | | | | | | | | | | | | |
| 2000..... | 37 | - | - | - | - | - | 1 | - | 4 | 2 | 14 | 15 | 1 |
| 1999..... | 38 | - | - | - | - | - | - | - | 4 | 6 | 13 | 15 | - |

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

[illegible]

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|

Inflammatory diseases of female pelvic organs (N70-N76)

ALL RACES, BOTH SEXES

| | | | | | | | | | | | | | |
|-----------|-----|---|---|---|---|---|----|---|----|----|----|----|---|
| 2000..... | 120 | 2 | - | 1 | 2 | 6 | 15 | 9 | 8 | 21 | 29 | 27 | - |
| 1999..... | 108 | 2 | 1 | - | 3 | 6 | 12 | 6 | 13 | 15 | 32 | 18 | - |

ALL RACES, FEMALE

| | | | | | | | | | | | | | |
|-----------|-----|---|---|---|---|---|----|---|----|----|----|----|---|
| 2000..... | 120 | 2 | - | 1 | 2 | 6 | 15 | 9 | 8 | 21 | 29 | 27 | - |
| 1999..... | 108 | 2 | 1 | - | 3 | 6 | 12 | 6 | 13 | 15 | 32 | 18 | - |

WHITE, BOTH SEXES

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|---|---|----|----|----|----|---|
| 2000..... | 94 | 1 | - | - | 2 | 4 | 7 | 7 | 6 | 17 | 26 | 24 | - |
| 1999..... | 80 | 1 | 1 | - | 2 | 3 | 4 | 4 | 12 | 10 | 26 | 17 | - |

WHITE, FEMALE

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|---|---|----|----|----|----|---|
| 2000..... | 94 | 1 | - | - | 2 | 4 | 7 | 7 | 6 | 17 | 26 | 24 | - |
| 1999..... | 80 | 1 | 1 | - | 2 | 3 | 4 | 4 | 12 | 10 | 26 | 17 | - |

BLACK, BOTH SEXES

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|---|---|---|---|---|---|---|
| 2000..... | 23 | 1 | - | 1 | - | 1 | 7 | 2 | 2 | 4 | 3 | 2 | - |
| 1999..... | 26 | 1 | - | - | 1 | 2 | 7 | 2 | 1 | 5 | 6 | 1 | - |

BLACK, FEMALE

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|---|---|---|---|---|---|---|
| 2000..... | 23 | 1 | - | 1 | - | 1 | 7 | 2 | 2 | 4 | 3 | 2 | - |
| 1999..... | 26 | 1 | - | - | 1 | 2 | 7 | 2 | 1 | 5 | 6 | 1 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|

Inflammatory diseases of female pelvic organs (N70-N76)

AMERICAN INDIAN 1/, BOTH SEXES

| | | | | | | | | | | | | | |
|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2000..... | 2 | - | - | - | - | 1 | - | - | - | - | - | 1 | - |
| 1999..... | - | - | - | - | - | - | - | - | - | - | - | - | - |

AMERICAN INDIAN 1/, FEMALE

| | | | | | | | | | | | | | |
|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2000..... | 2 | - | - | - | - | 1 | - | - | - | - | - | 1 | - |
| 1999..... | - | - | - | - | - | - | - | - | - | - | - | - | - |

ASIAN OR PACIFIC ISLANDER 2/, BOTH SEX

| | | | | | | | | | | | | | |
|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2000..... | 1 | - | - | - | - | - | 1 | - | - | - | - | - | - |
| 1999..... | 2 | - | - | - | - | 1 | 1 | - | - | - | - | - | - |

ASIAN OR PACIFIC ISLANDER 2/, FEMALE

| | | | | | | | | | | | | | |
|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2000..... | 1 | - | - | - | - | - | 1 | - | - | - | - | - | - |
| 1999..... | 2 | - | - | - | - | 1 | 1 | - | - | - | - | - | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|

Pregnancy, childbirth and the puerperium (000-099)

ALL RACES, BOTH SEXES

| | | | | | | | | | | | | | |
|-----------|-----|-----|-----|---|----|-----|-----|---|-----|-----|-----|-----|---|
| 2000..... | 404 | ... | ... | - | 95 | 182 | 121 | 6 | ... | ... | ... | ... | - |
| 1999..... | 406 | ... | ... | - | 97 | 181 | 121 | 7 | ... | ... | ... | ... | - |

ALL RACES, FEMALE

| | | | | | | | | | | | | | |
|-----------|-----|-----|-----|---|----|-----|-----|---|-----|-----|-----|-----|---|
| 2000..... | 404 | ... | ... | - | 95 | 182 | 121 | 6 | ... | ... | ... | ... | - |
| 1999..... | 406 | ... | ... | - | 97 | 181 | 121 | 7 | ... | ... | ... | ... | - |

WHITE, BOTH SEXES

| | | | | | | | | | | | | | |
|-----------|-----|-----|-----|---|----|-----|----|---|-----|-----|-----|-----|---|
| 2000..... | 243 | ... | ... | - | 55 | 108 | 77 | 3 | ... | ... | ... | ... | - |
| 1999..... | 220 | ... | ... | - | 45 | 100 | 71 | 4 | ... | ... | ... | ... | - |

WHITE, FEMALE

| | | | | | | | | | | | | | |
|-----------|-----|-----|-----|---|----|-----|----|---|-----|-----|-----|-----|---|
| 2000..... | 243 | ... | ... | - | 55 | 108 | 77 | 3 | ... | ... | ... | ... | - |
| 1999..... | 220 | ... | ... | - | 45 | 100 | 71 | 4 | ... | ... | ... | ... | - |

BLACK, BOTH SEXES

| | | | | | | | | | | | | | |
|-----------|-----|-----|-----|---|----|----|----|---|-----|-----|-----|-----|---|
| 2000..... | 142 | ... | ... | - | 36 | 65 | 38 | 3 | ... | ... | ... | ... | - |
| 1999..... | 162 | ... | ... | - | 47 | 71 | 42 | 2 | ... | ... | ... | ... | - |

BLACK, FEMALE

| | | | | | | | | | | | | | |
|-----------|-----|-----|-----|---|----|----|----|---|-----|-----|-----|-----|---|
| 2000..... | 142 | ... | ... | - | 36 | 65 | 38 | 3 | ... | ... | ... | ... | - |
| 1999..... | 162 | ... | ... | - | 47 | 71 | 42 | 2 | ... | ... | ... | ... | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|

Pregnancy, childbirth and the puerperium (000-099)

AMERICAN INDIAN 1/, BOTH SEXES

| | | | | | | | | | | | | | |
|-----------|---|-----|-----|---|---|---|---|---|-----|-----|-----|-----|---|
| 2000..... | 6 | ... | ... | - | 2 | 4 | - | - | ... | ... | ... | ... | - |
| 1999..... | 5 | ... | ... | - | 3 | 1 | 1 | - | ... | ... | ... | ... | - |

AMERICAN INDIAN 1/, FEMALE

| | | | | | | | | | | | | | |
|-----------|---|-----|-----|---|---|---|---|---|-----|-----|-----|-----|---|
| 2000..... | 6 | ... | ... | - | 2 | 4 | - | - | ... | ... | ... | ... | - |
| 1999..... | 5 | ... | ... | - | 3 | 1 | 1 | - | ... | ... | ... | ... | - |

ASIAN OR PACIFIC ISLANDER 2/, BOTH SEX

| | | | | | | | | | | | | | |
|-----------|----|-----|-----|---|---|---|---|---|-----|-----|-----|-----|---|
| 2000..... | 13 | ... | ... | - | 2 | 5 | 6 | - | ... | ... | ... | ... | - |
| 1999..... | 19 | ... | ... | - | 2 | 9 | 7 | 1 | ... | ... | ... | ... | - |

ASIAN OR PACIFIC ISLANDER 2/, FEMALE

| | | | | | | | | | | | | | |
|-----------|----|-----|-----|---|---|---|---|---|-----|-----|-----|-----|---|
| 2000..... | 13 | ... | ... | - | 2 | 5 | 6 | - | ... | ... | ... | ... | - |
| 1999..... | 19 | ... | ... | - | 2 | 9 | 7 | 1 | ... | ... | ... | ... | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Pregnancy with abortive outcome (000-007) | | | | | | | | | | | | | |
| ALL RACES, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 37 | ... | ... | - | 6 | 17 | 14 | - | ... | ... | ... | ... | - |
| 1999..... | 31 | ... | ... | - | 8 | 15 | 8 | - | ... | ... | ... | ... | - |
| ALL RACES, FEMALE | | | | | | | | | | | | | |
| 2000..... | 37 | ... | ... | - | 6 | 17 | 14 | - | ... | ... | ... | ... | - |
| 1999..... | 31 | ... | ... | - | 8 | 15 | 8 | - | ... | ... | ... | ... | - |
| WHITE, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 18 | ... | ... | - | 1 | 8 | 9 | - | ... | ... | ... | ... | - |
| 1999..... | 15 | ... | ... | - | 4 | 6 | 5 | - | ... | ... | ... | ... | - |
| WHITE, FEMALE | | | | | | | | | | | | | |
| 2000..... | 18 | ... | ... | - | 1 | 8 | 9 | - | ... | ... | ... | ... | - |
| 1999..... | 15 | ... | ... | - | 4 | 6 | 5 | - | ... | ... | ... | ... | - |
| BLACK, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 19 | ... | ... | - | 5 | 9 | 5 | - | ... | ... | ... | ... | - |
| 1999..... | 15 | ... | ... | - | 4 | 8 | 3 | - | ... | ... | ... | ... | - |
| BLACK, FEMALE | | | | | | | | | | | | | |
| 2000..... | 19 | ... | ... | - | 5 | 9 | 5 | - | ... | ... | ... | ... | - |
| 1999..... | 15 | ... | ... | - | 4 | 8 | 3 | - | ... | ... | ... | ... | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|

Pregnancy with abortive outcome (000-007)

AMERICAN INDIAN 1/, BOTH SEXES

| | | | | | | | | | | | | | |
|-----------|---|-----|-----|---|---|---|---|---|-----|-----|-----|-----|---|
| 2000..... | - | ... | ... | - | - | - | - | - | ... | ... | ... | ... | - |
| 1999..... | 1 | ... | ... | - | - | 1 | - | - | ... | ... | ... | ... | - |

AMERICAN INDIAN 1/, FEMALE

| | | | | | | | | | | | | | |
|-----------|---|-----|-----|---|---|---|---|---|-----|-----|-----|-----|---|
| 2000..... | - | ... | ... | - | - | - | - | - | ... | ... | ... | ... | - |
| 1999..... | 1 | ... | ... | - | - | 1 | - | - | ... | ... | ... | ... | - |

ASIAN OR PACIFIC ISLANDER 2/, BOTH SEX

| | | | | | | | | | | | | | |
|-----------|---|-----|-----|---|---|---|---|---|-----|-----|-----|-----|---|
| 2000..... | - | ... | ... | - | - | - | - | - | ... | ... | ... | ... | - |
| 1999..... | - | ... | ... | - | - | - | - | - | ... | ... | ... | ... | - |

ASIAN OR PACIFIC ISLANDER 2/, FEMALE

| | | | | | | | | | | | | | |
|-----------|---|-----|-----|---|---|---|---|---|-----|-----|-----|-----|---|
| 2000..... | - | ... | ... | - | - | - | - | - | ... | ... | ... | ... | - |
| 1999..... | - | ... | ... | - | - | - | - | - | ... | ... | ... | ... | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|

Other complications of pregnancy, childbirth and the puerperium (010-099)

ALL RACES, BOTH SEXES

| | | | | | | | | | | | | | |
|-----------|-----|-----|-----|---|----|-----|-----|---|-----|-----|-----|-----|---|
| 2000..... | 367 | ... | ... | - | 89 | 165 | 107 | 6 | ... | ... | ... | ... | - |
| 1999..... | 375 | ... | ... | - | 89 | 166 | 113 | 7 | ... | ... | ... | ... | - |

ALL RACES, FEMALE

| | | | | | | | | | | | | | |
|-----------|-----|-----|-----|---|----|-----|-----|---|-----|-----|-----|-----|---|
| 2000..... | 367 | ... | ... | - | 89 | 165 | 107 | 6 | ... | ... | ... | ... | - |
| 1999..... | 375 | ... | ... | - | 89 | 166 | 113 | 7 | ... | ... | ... | ... | - |

WHITE, BOTH SEXES

| | | | | | | | | | | | | | |
|-----------|-----|-----|-----|---|----|-----|----|---|-----|-----|-----|-----|---|
| 2000..... | 225 | ... | ... | - | 54 | 100 | 68 | 3 | ... | ... | ... | ... | - |
| 1999..... | 205 | ... | ... | - | 41 | 94 | 66 | 4 | ... | ... | ... | ... | - |

WHITE, FEMALE

| | | | | | | | | | | | | | |
|-----------|-----|-----|-----|---|----|-----|----|---|-----|-----|-----|-----|---|
| 2000..... | 225 | ... | ... | - | 54 | 100 | 68 | 3 | ... | ... | ... | ... | - |
| 1999..... | 205 | ... | ... | - | 41 | 94 | 66 | 4 | ... | ... | ... | ... | - |

BLACK, BOTH SEXES

| | | | | | | | | | | | | | |
|-----------|-----|-----|-----|---|----|----|----|---|-----|-----|-----|-----|---|
| 2000..... | 123 | ... | ... | - | 31 | 56 | 33 | 3 | ... | ... | ... | ... | - |
| 1999..... | 147 | ... | ... | - | 43 | 63 | 39 | 2 | ... | ... | ... | ... | - |

BLACK, FEMALE

| | | | | | | | | | | | | | |
|-----------|-----|-----|-----|---|----|----|----|---|-----|-----|-----|-----|---|
| 2000..... | 123 | ... | ... | - | 31 | 56 | 33 | 3 | ... | ... | ... | ... | - |
| 1999..... | 147 | ... | ... | - | 43 | 63 | 39 | 2 | ... | ... | ... | ... | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN
REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, SEX AND YEAR

| | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|

Other complications of pregnancy, childbirth and the puerperium (010-099)

AMERICAN INDIAN 1/, BOTH SEXES

| | | | | | | | | | | | | | |
|-----------|---|-----|-----|---|---|---|---|---|-----|-----|-----|-----|---|
| 2000..... | 6 | ... | ... | - | 2 | 4 | - | - | ... | ... | ... | ... | - |
| 1999..... | 4 | ... | ... | - | 3 | - | 1 | - | ... | ... | ... | ... | - |

AMERICAN INDIAN 1/, FEMALE

| | | | | | | | | | | | | | |
|-----------|---|-----|-----|---|---|---|---|---|-----|-----|-----|-----|---|
| 2000..... | 6 | ... | ... | - | 2 | 4 | - | - | ... | ... | ... | ... | - |
| 1999..... | 4 | ... | ... | - | 3 | - | 1 | - | ... | ... | ... | ... | - |

ASIAN OR PACIFIC ISLANDER 2/, BOTH SEX

| | | | | | | | | | | | | | |
|-----------|----|-----|-----|---|---|---|---|---|-----|-----|-----|-----|---|
| 2000..... | 13 | ... | ... | - | 2 | 5 | 6 | - | ... | ... | ... | ... | - |
| 1999..... | 19 | ... | ... | - | 2 | 9 | 7 | 1 | ... | ... | ... | ... | - |

ASIAN OR PACIFIC ISLANDER 2/, FEMALE

| | | | | | | | | | | | | | |
|-----------|----|-----|-----|---|---|---|---|---|-----|-----|-----|-----|---|
| 2000..... | 13 | ... | ... | - | 2 | 5 | 6 | - | ... | ... | ... | ... | - |
| 1999..... | 19 | ... | ... | - | 2 | 9 | 7 | 1 | ... | ... | ... | ... | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|

Certain conditions originating in the perinatal period (P00-P96)

ALL RACES, BOTH SEXES

| | | | | | | | | | | | | | |
|-----------|--------|--------|----|----|----|---|---|---|---|---|---|---|---|
| 2000..... | 14,069 | 13,918 | 79 | 41 | 15 | 7 | 4 | 2 | 2 | - | - | - | 1 |
| 1999..... | 14,259 | 14,084 | 92 | 43 | 16 | 7 | 3 | 2 | 3 | 2 | 1 | 1 | 5 |

ALL RACES, MALE

| | | | | | | | | | | | | | |
|-----------|-------|-------|----|----|----|---|---|---|---|---|---|---|---|
| 2000..... | 7,968 | 7,872 | 52 | 23 | 11 | 6 | 2 | 2 | - | - | - | - | - |
| 1999..... | 8,044 | 7,941 | 56 | 23 | 10 | 2 | 2 | 2 | 1 | 1 | 1 | 1 | 4 |

ALL RACES, FEMALE

| | | | | | | | | | | | | | |
|-----------|-------|-------|----|----|---|---|---|---|---|---|---|---|---|
| 2000..... | 6,101 | 6,046 | 27 | 18 | 4 | 1 | 2 | - | 2 | - | - | - | 1 |
| 1999..... | 6,215 | 6,143 | 36 | 20 | 6 | 5 | 1 | - | 2 | 1 | - | - | 1 |

WHITE, BOTH SEXES

| | | | | | | | | | | | | | |
|-----------|-------|-------|----|----|----|---|---|---|---|---|---|---|---|
| 2000..... | 8,532 | 8,431 | 46 | 30 | 13 | 3 | 4 | 2 | 2 | - | - | - | 1 |
| 1999..... | 8,648 | 8,522 | 56 | 33 | 15 | 7 | 3 | 2 | 3 | 2 | 1 | 1 | 3 |

WHITE, MALE

| | | | | | | | | | | | | | |
|-----------|-------|-------|----|----|----|---|---|---|---|---|---|---|---|
| 2000..... | 4,828 | 4,762 | 30 | 20 | 10 | 2 | 2 | 2 | - | - | - | - | - |
| 1999..... | 4,884 | 4,815 | 30 | 17 | 10 | 2 | 2 | 2 | 1 | 1 | 1 | 1 | 2 |

WHITE, FEMALE

| | | | | | | | | | | | | | |
|-----------|-------|-------|----|----|---|---|---|---|---|---|---|---|---|
| 2000..... | 3,704 | 3,669 | 16 | 10 | 3 | 1 | 2 | - | 2 | - | - | - | 1 |
| 1999..... | 3,764 | 3,707 | 26 | 16 | 5 | 5 | 1 | - | 2 | 1 | - | - | 1 |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|

Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)

ALL RACES, BOTH SEXES

| | | | | | | | | | | | | | |
|-----------|--------|-------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|---|
| 2000..... | 10,578 | 5,743 | 495 | 399 | 441 | 477 | 569 | 612 | 569 | 464 | 488 | 320 | 1 |
| 1999..... | 10,393 | 5,473 | 549 | 428 | 434 | 465 | 552 | 647 | 557 | 469 | 491 | 326 | 2 |

ALL RACES, MALE

| | | | | | | | | | | | | | |
|-----------|-------|-------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|---|
| 2000..... | 5,517 | 3,028 | 259 | 207 | 268 | 279 | 316 | 347 | 264 | 222 | 197 | 130 | - |
| 1999..... | 5,346 | 2,875 | 310 | 215 | 262 | 242 | 296 | 347 | 283 | 209 | 204 | 102 | 1 |

ALL RACES, FEMALE

| | | | | | | | | | | | | | |
|-----------|-------|-------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|---|
| 2000..... | 5,061 | 2,715 | 236 | 192 | 173 | 198 | 253 | 265 | 305 | 242 | 291 | 190 | 1 |
| 1999..... | 5,047 | 2,598 | 239 | 213 | 172 | 223 | 256 | 300 | 274 | 260 | 287 | 224 | 1 |

WHITE, BOTH SEXES

| | | | | | | | | | | | | | |
|-----------|-------|-------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|---|
| 2000..... | 8,396 | 4,371 | 347 | 292 | 332 | 391 | 459 | 539 | 496 | 410 | 457 | 301 | 1 |
| 1999..... | 8,297 | 4,211 | 385 | 301 | 332 | 386 | 461 | 557 | 500 | 416 | 445 | 301 | 2 |

WHITE, MALE

| | | | | | | | | | | | | | |
|-----------|-------|-------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|---|
| 2000..... | 4,368 | 2,316 | 180 | 147 | 201 | 229 | 259 | 300 | 237 | 188 | 188 | 123 | - |
| 1999..... | 4,269 | 2,240 | 218 | 148 | 204 | 202 | 245 | 296 | 257 | 186 | 179 | 93 | 1 |

WHITE, FEMALE

| | | | | | | | | | | | | | |
|-----------|-------|-------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|---|
| 2000..... | 4,028 | 2,055 | 167 | 145 | 131 | 162 | 200 | 239 | 259 | 222 | 269 | 178 | 1 |
| 1999..... | 4,028 | 1,971 | 167 | 153 | 128 | 184 | 216 | 261 | 243 | 230 | 266 | 208 | 1 |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|

Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)

BLACK, BOTH SEXES

| | | | | | | | | | | | | | |
|-----------|-------|-------|-----|-----|----|----|----|----|----|----|----|----|---|
| 2000..... | 1,790 | 1,102 | 126 | 91 | 91 | 77 | 93 | 67 | 59 | 43 | 25 | 16 | - |
| 1999..... | 1,720 | 1,025 | 138 | 106 | 83 | 61 | 77 | 76 | 46 | 46 | 38 | 24 | - |

BLACK, MALE

| | | | | | | | | | | | | | |
|-----------|-----|-----|----|----|----|----|----|----|----|----|----|---|---|
| 2000..... | 944 | 567 | 70 | 52 | 58 | 46 | 51 | 41 | 18 | 26 | 9 | 6 | - |
| 1999..... | 899 | 531 | 79 | 54 | 51 | 32 | 42 | 44 | 22 | 16 | 19 | 9 | - |

BLACK, FEMALE

| | | | | | | | | | | | | | |
|-----------|-----|-----|----|----|----|----|----|----|----|----|----|----|---|
| 2000..... | 846 | 535 | 56 | 39 | 33 | 31 | 42 | 26 | 41 | 17 | 16 | 10 | - |
| 1999..... | 821 | 494 | 59 | 52 | 32 | 29 | 35 | 32 | 24 | 30 | 19 | 15 | - |

AMERICAN INDIAN 1/, BOTH SEXES

| | | | | | | | | | | | | | |
|-----------|-----|----|---|---|---|---|---|---|---|---|---|---|---|
| 2000..... | 95 | 68 | 4 | 3 | 3 | - | 4 | 1 | 5 | 5 | 2 | - | - |
| 1999..... | 106 | 67 | 5 | 6 | 7 | 7 | 1 | 6 | 5 | 1 | 1 | - | - |

AMERICAN INDIAN 1/, MALE

| | | | | | | | | | | | | | |
|-----------|----|----|---|---|---|---|---|---|---|---|---|---|---|
| 2000..... | 56 | 42 | 1 | 2 | 2 | - | 1 | 1 | 4 | 3 | - | - | - |
| 1999..... | 50 | 28 | 3 | 4 | 3 | 3 | - | 5 | 2 | 1 | 1 | - | - |

AMERICAN INDIAN 1/, FEMALE

| | | | | | | | | | | | | | |
|-----------|----|----|---|---|---|---|---|---|---|---|---|---|---|
| 2000..... | 39 | 26 | 3 | 1 | 1 | - | 3 | - | 1 | 2 | 2 | - | - |
| 1999..... | 56 | 39 | 2 | 2 | 4 | 4 | 1 | 1 | 3 | - | - | - | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|

Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)

ASIAN OR PACIFIC ISLANDER 2/, BOTH SEX

| | | | | | | | | | | | | | |
|-----------|-----|-----|----|----|----|----|----|---|---|---|---|---|---|
| 2000..... | 297 | 202 | 18 | 13 | 15 | 9 | 13 | 5 | 9 | 6 | 4 | 3 | - |
| 1999..... | 270 | 170 | 21 | 15 | 12 | 11 | 13 | 8 | 6 | 6 | 7 | 1 | - |

ASIAN OR PACIFIC ISLANDER 2/, MALE

| | | | | | | | | | | | | | |
|-----------|-----|-----|----|---|---|---|---|---|---|---|---|---|---|
| 2000..... | 149 | 103 | 8 | 6 | 7 | 4 | 5 | 5 | 5 | 5 | - | 1 | - |
| 1999..... | 128 | 76 | 10 | 9 | 4 | 5 | 9 | 2 | 2 | 6 | 5 | - | - |

ASIAN OR PACIFIC ISLANDER 2/, FEMALE

| | | | | | | | | | | | | | |
|-----------|-----|----|----|---|---|---|---|---|---|---|---|---|---|
| 2000..... | 148 | 99 | 10 | 7 | 8 | 5 | 8 | - | 4 | 1 | 4 | 2 | - |
| 1999..... | 142 | 94 | 11 | 6 | 8 | 6 | 4 | 6 | 4 | - | 2 | 1 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|

Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)

ALL RACES, BOTH SEXES

| | | | | | | | | | | | | | |
|-----------|--------|-------|-----|-----|-----|-------|-------|-------|-------|-------|-------|-------|-----|
| 2000..... | 31,876 | 3,639 | 248 | 177 | 868 | 1,554 | 2,987 | 3,142 | 2,253 | 3,040 | 5,029 | 8,824 | 115 |
| 1999..... | 26,672 | 3,538 | 236 | 137 | 609 | 1,095 | 2,062 | 2,151 | 1,860 | 2,698 | 4,413 | 7,798 | 75 |

ALL RACES, MALE

| | | | | | | | | | | | | | |
|-----------|--------|-------|-----|----|-----|-------|-------|-------|-------|-------|-------|-------|----|
| 2000..... | 15,863 | 2,156 | 137 | 99 | 581 | 1,060 | 1,994 | 2,123 | 1,429 | 1,708 | 2,244 | 2,242 | 90 |
| 1999..... | 12,877 | 2,072 | 136 | 77 | 422 | 721 | 1,339 | 1,446 | 1,181 | 1,513 | 1,930 | 1,984 | 56 |

ALL RACES, FEMALE

| | | | | | | | | | | | | | |
|-----------|--------|-------|-----|----|-----|-----|-----|-------|-----|-------|-------|-------|----|
| 2000..... | 16,013 | 1,483 | 111 | 78 | 287 | 494 | 993 | 1,019 | 824 | 1,332 | 2,785 | 6,582 | 25 |
| 1999..... | 13,795 | 1,466 | 100 | 60 | 187 | 374 | 723 | 705 | 679 | 1,185 | 2,483 | 5,814 | 19 |

WHITE, BOTH SEXES

| | | | | | | | | | | | | | |
|-----------|--------|-------|-----|-----|-----|-------|-------|-------|-------|-------|-------|-------|----|
| 2000..... | 26,285 | 2,294 | 182 | 120 | 656 | 1,185 | 2,395 | 2,451 | 1,783 | 2,518 | 4,474 | 8,144 | 83 |
| 1999..... | 21,591 | 2,227 | 159 | 96 | 433 | 798 | 1,507 | 1,572 | 1,447 | 2,254 | 3,873 | 7,164 | 61 |

WHITE, MALE

| | | | | | | | | | | | | | |
|-----------|--------|-------|-----|----|-----|-----|-------|-------|-------|-------|-------|-------|----|
| 2000..... | 12,827 | 1,363 | 106 | 68 | 458 | 830 | 1,649 | 1,673 | 1,125 | 1,408 | 2,010 | 2,071 | 66 |
| 1999..... | 10,094 | 1,321 | 96 | 54 | 309 | 529 | 1,005 | 1,050 | 919 | 1,269 | 1,689 | 1,806 | 47 |

WHITE, FEMALE

| | | | | | | | | | | | | | |
|-----------|--------|-----|----|----|-----|-----|-----|-----|-----|-------|-------|-------|----|
| 2000..... | 13,458 | 931 | 76 | 52 | 198 | 355 | 746 | 778 | 658 | 1,110 | 2,464 | 6,073 | 17 |
| 1999..... | 11,497 | 906 | 63 | 42 | 124 | 269 | 502 | 522 | 528 | 985 | 2,184 | 5,358 | 14 |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|

Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)

BLACK, BOTH SEXES

| | | | | | | | | | | | | | |
|-----------|-------|-------|----|----|-----|-----|-----|-----|-----|-----|-----|-----|----|
| 2000..... | 5,004 | 1,212 | 57 | 46 | 186 | 316 | 528 | 623 | 424 | 479 | 509 | 596 | 28 |
| 1999..... | 4,591 | 1,167 | 68 | 33 | 154 | 266 | 514 | 535 | 378 | 403 | 490 | 572 | 11 |

BLACK, MALE

| | | | | | | | | | | | | | |
|-----------|-------|-----|----|----|-----|-----|-----|-----|-----|-----|-----|-----|----|
| 2000..... | 2,693 | 710 | 29 | 28 | 108 | 198 | 293 | 403 | 275 | 273 | 215 | 140 | 21 |
| 1999..... | 2,517 | 669 | 35 | 20 | 101 | 176 | 307 | 364 | 245 | 221 | 215 | 157 | 7 |

BLACK, FEMALE

| | | | | | | | | | | | | | |
|-----------|-------|-----|----|----|----|-----|-----|-----|-----|-----|-----|-----|---|
| 2000..... | 2,311 | 502 | 28 | 18 | 78 | 118 | 235 | 220 | 149 | 206 | 294 | 456 | 7 |
| 1999..... | 2,074 | 498 | 33 | 13 | 53 | 90 | 207 | 171 | 133 | 182 | 275 | 415 | 4 |

AMERICAN INDIAN 1/, BOTH SEXES

| | | | | | | | | | | | | | |
|-----------|-----|----|---|---|---|----|----|----|----|----|----|----|---|
| 2000..... | 209 | 61 | 3 | 1 | 9 | 17 | 21 | 26 | 19 | 11 | 13 | 27 | 1 |
| 1999..... | 215 | 72 | 3 | 2 | 6 | 12 | 15 | 20 | 14 | 20 | 27 | 23 | 1 |

AMERICAN INDIAN 1/, MALE

| | | | | | | | | | | | | | |
|-----------|-----|----|---|---|---|---|----|----|----|----|----|---|---|
| 2000..... | 127 | 42 | 1 | - | 6 | 7 | 14 | 21 | 13 | 7 | 6 | 9 | 1 |
| 1999..... | 117 | 39 | 1 | 1 | 5 | 5 | 9 | 17 | 7 | 10 | 15 | 7 | 1 |

AMERICAN INDIAN 1/, FEMALE

| | | | | | | | | | | | | | |
|-----------|----|----|---|---|---|----|---|---|---|----|----|----|---|
| 2000..... | 82 | 19 | 2 | 1 | 3 | 10 | 7 | 5 | 6 | 4 | 7 | 18 | - |
| 1999..... | 98 | 33 | 2 | 1 | 1 | 7 | 6 | 3 | 7 | 10 | 12 | 16 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|

Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)

ASIAN OR PACIFIC ISLANDER 2/, BOTH SEX

| | | | | | | | | | | | | | |
|-----------|-----|----|---|----|----|----|----|----|----|----|----|----|---|
| 2000..... | 378 | 72 | 6 | 10 | 17 | 36 | 43 | 42 | 27 | 32 | 33 | 57 | 3 |
| 1999..... | 275 | 72 | 6 | 6 | 16 | 19 | 26 | 24 | 21 | 21 | 23 | 39 | 2 |

ASIAN OR PACIFIC ISLANDER 2/, MALE

| | | | | | | | | | | | | | |
|-----------|-----|----|---|---|---|----|----|----|----|----|----|----|---|
| 2000..... | 216 | 41 | 1 | 3 | 9 | 25 | 38 | 26 | 16 | 20 | 13 | 22 | 2 |
| 1999..... | 149 | 43 | 4 | 2 | 7 | 11 | 18 | 15 | 10 | 13 | 11 | 14 | 1 |

ASIAN OR PACIFIC ISLANDER 2/, FEMALE

| | | | | | | | | | | | | | |
|-----------|-----|----|---|---|---|----|---|----|----|----|----|----|---|
| 2000..... | 162 | 31 | 5 | 7 | 8 | 11 | 5 | 16 | 11 | 12 | 20 | 35 | 1 |
| 1999..... | 126 | 29 | 2 | 4 | 9 | 8 | 8 | 9 | 11 | 8 | 12 | 25 | 1 |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN
REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, SEX AND YEAR

| | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|---|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| All other diseases (Residual) (D65-E07,E15-E34,E65-F99,G04-G12,G23-G25,G31-H93,K00-K22,K29-K31,K50-K66,K71-K72,K75-K76,K83-M99,N13.0-N13.5,N13.7-N13.9,N14,N15.0,N15.8-N15.9,N20-N23,N28-N39,N41-N64,N80-N98) | | | | | | | | | | | | | |
| ALL RACES, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 178,378 | 1,105 | 609 | 879 | 1,764 | 3,097 | 8,113 | 13,326 | 15,156 | 25,007 | 48,019 | 61,292 | 11 |
| 1999..... | 171,683 | 1,148 | 647 | 921 | 1,771 | 3,062 | 7,989 | 12,383 | 14,390 | 25,165 | 45,598 | 58,599 | 10 |
| ALL RACES, MALE | | | | | | | | | | | | | |
| 2000..... | 72,227 | 629 | 338 | 474 | 1,057 | 1,811 | 4,801 | 7,911 | 8,236 | 12,321 | 19,102 | 15,536 | 11 |
| 1999..... | 69,784 | 680 | 354 | 483 | 1,045 | 1,790 | 4,835 | 7,272 | 7,870 | 12,332 | 18,495 | 14,623 | 5 |
| ALL RACES, FEMALE | | | | | | | | | | | | | |
| 2000..... | 106,151 | 476 | 271 | 405 | 707 | 1,286 | 3,312 | 5,415 | 6,920 | 12,686 | 28,917 | 45,756 | - |
| 1999..... | 101,899 | 468 | 293 | 438 | 726 | 1,272 | 3,154 | 5,111 | 6,520 | 12,833 | 27,103 | 43,976 | 5 |
| WHITE, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 154,181 | 740 | 422 | 652 | 1,325 | 2,197 | 5,916 | 10,098 | 12,182 | 21,360 | 43,077 | 56,204 | 8 |
| 1999..... | 148,614 | 750 | 482 | 675 | 1,319 | 2,254 | 5,752 | 9,321 | 11,627 | 21,436 | 40,987 | 54,005 | 6 |
| WHITE, MALE | | | | | | | | | | | | | |
| 2000..... | 61,390 | 409 | 238 | 369 | 822 | 1,354 | 3,618 | 6,158 | 6,641 | 10,533 | 17,107 | 14,133 | 8 |
| 1999..... | 59,336 | 446 | 264 | 344 | 809 | 1,384 | 3,648 | 5,603 | 6,413 | 10,563 | 16,566 | 13,293 | 3 |
| WHITE, FEMALE | | | | | | | | | | | | | |
| 2000..... | 92,791 | 331 | 184 | 283 | 503 | 843 | 2,298 | 3,940 | 5,541 | 10,827 | 25,970 | 42,071 | - |
| 1999..... | 89,278 | 304 | 218 | 331 | 510 | 870 | 2,104 | 3,718 | 5,214 | 10,873 | 24,421 | 40,712 | 3 |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AGE NOT AND OVER | AGE NOT STATED |
|---|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|------------------------------|-------------------|
| All other diseases (Residual) (D65-E07,E15-E34,E65-F99,G04-G12,G23-G25,G31-H93,K00-K22,K29-K31,K50-K66,K71-K72,K75-K76,K83-M99,N13.0-N13.5,N13.7-N13.9,N14,N15.0,N15.8-N15.9,N20-N23,N28-N39,N41-N64,N80-N98) | | | | | | | | | | | | | |

BLACK, BOTH SEXES

| | | | | | | | | | | | | | |
|-----------|--------|-----|-----|-----|-----|-----|-------|-------|-------|-------|-------|-------|---|
| 2000..... | 21,272 | 305 | 148 | 189 | 383 | 816 | 1,969 | 2,930 | 2,625 | 3,176 | 4,288 | 4,440 | 3 |
| 1999..... | 20,325 | 343 | 131 | 202 | 388 | 708 | 2,018 | 2,751 | 2,465 | 3,285 | 3,996 | 4,034 | 4 |

BLACK, MALE

| | | | | | | | | | | | | | |
|-----------|-------|-----|----|-----|-----|-----|-------|-------|-------|-------|-------|-------|---|
| 2000..... | 9,455 | 187 | 78 | 87 | 204 | 404 | 1,047 | 1,586 | 1,420 | 1,561 | 1,729 | 1,149 | 3 |
| 1999..... | 9,071 | 199 | 68 | 119 | 205 | 348 | 1,052 | 1,504 | 1,291 | 1,538 | 1,643 | 1,102 | 2 |

BLACK, FEMALE

| | | | | | | | | | | | | | |
|-----------|--------|-----|----|-----|-----|-----|-----|-------|-------|-------|-------|-------|---|
| 2000..... | 11,817 | 118 | 70 | 102 | 179 | 412 | 922 | 1,344 | 1,205 | 1,615 | 2,559 | 3,291 | - |
| 1999..... | 11,254 | 144 | 63 | 83 | 183 | 360 | 966 | 1,247 | 1,174 | 1,747 | 2,353 | 2,932 | 2 |

AMERICAN INDIAN 1/, BOTH SEXES

| | | | | | | | | | | | | | |
|-----------|-----|----|----|----|----|----|-----|-----|-----|-----|-----|-----|---|
| 2000..... | 945 | 17 | 17 | 7 | 16 | 46 | 132 | 151 | 134 | 148 | 152 | 125 | - |
| 1999..... | 951 | 16 | 12 | 12 | 25 | 50 | 140 | 164 | 133 | 134 | 142 | 123 | - |

AMERICAN INDIAN 1/, MALE

| | | | | | | | | | | | | | |
|-----------|-----|----|---|---|----|----|----|----|----|----|----|----|---|
| 2000..... | 471 | 8 | 7 | 5 | 11 | 37 | 84 | 82 | 61 | 71 | 60 | 45 | - |
| 1999..... | 469 | 11 | 7 | 5 | 12 | 32 | 83 | 97 | 73 | 57 | 58 | 34 | - |

AMERICAN INDIAN 1/, FEMALE

| | | | | | | | | | | | | | |
|-----------|-----|---|----|---|----|----|----|----|----|----|----|----|---|
| 2000..... | 474 | 9 | 10 | 2 | 5 | 9 | 48 | 69 | 73 | 77 | 92 | 80 | - |
| 1999..... | 482 | 5 | 5 | 7 | 13 | 18 | 57 | 67 | 60 | 77 | 84 | 89 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN
REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|---|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| All other diseases (Residual) (D65-E07,E15-E34,E65-F99,G04-G12,G23-G25,G31-H93,K00-K22,K29-K31,K50-K66,K71-K72,K75-K76,K83-M99,N13.0-N13.5,N13.7-N13.9,N14,N15.0,N15.8-N15.9,N20-N23,N28-N39,N41-N64,N80-N98) | | | | | | | | | | | | | |
| ASIAN OR PACIFIC ISLANDER 2/, BOTH SEX | | | | | | | | | | | | | |
| 2000..... | 1,980 | 43 | 22 | 31 | 40 | 38 | 96 | 147 | 215 | 323 | 502 | 523 | - |
| 1999..... | 1,793 | 39 | 22 | 32 | 39 | 50 | 79 | 147 | 165 | 310 | 473 | 437 | - |
| ASIAN OR PACIFIC ISLANDER 2/, MALE | | | | | | | | | | | | | |
| 2000..... | 911 | 25 | 15 | 13 | 20 | 16 | 52 | 85 | 114 | 156 | 206 | 209 | - |
| 1999..... | 908 | 24 | 15 | 15 | 19 | 26 | 52 | 68 | 93 | 174 | 228 | 194 | - |
| ASIAN OR PACIFIC ISLANDER 2/, FEMALE | | | | | | | | | | | | | |
| 2000..... | 1,069 | 18 | 7 | 18 | 20 | 22 | 44 | 62 | 101 | 167 | 296 | 314 | - |
| 1999..... | 885 | 15 | 7 | 17 | 20 | 24 | 27 | 79 | 72 | 136 | 245 | 243 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Accidents (unintentional injuries) (V01-X59,Y85-Y86) | | | | | | | | | | | | | |
| ALL RACES, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 97,900 | 881 | 1,826 | 2,979 | 14,113 | 11,769 | 15,413 | 12,278 | 7,505 | 7,698 | 11,758 | 11,595 | 85 |
| 1999..... | 97,860 | 845 | 1,898 | 3,091 | 13,656 | 11,890 | 15,231 | 11,639 | 7,285 | 8,208 | 12,282 | 11,729 | 106 |
| ALL RACES, MALE | | | | | | | | | | | | | |
| 2000..... | 63,817 | 501 | 1,098 | 1,861 | 10,460 | 9,059 | 11,444 | 9,063 | 5,133 | 4,639 | 6,063 | 4,413 | 83 |
| 1999..... | 63,535 | 494 | 1,127 | 1,974 | 10,040 | 9,097 | 11,248 | 8,602 | 5,015 | 4,992 | 6,372 | 4,480 | 94 |
| ALL RACES, FEMALE | | | | | | | | | | | | | |
| 2000..... | 34,083 | 380 | 728 | 1,118 | 3,653 | 2,710 | 3,969 | 3,215 | 2,372 | 3,059 | 5,695 | 7,182 | 2 |
| 1999..... | 34,325 | 351 | 771 | 1,117 | 3,616 | 2,793 | 3,983 | 3,037 | 2,270 | 3,216 | 5,910 | 7,249 | 12 |
| WHITE, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 82,592 | 569 | 1,335 | 2,219 | 11,823 | 9,519 | 12,663 | 9,901 | 6,275 | 6,617 | 10,740 | 10,852 | 79 |
| 1999..... | 82,245 | 562 | 1,374 | 2,270 | 11,364 | 9,661 | 12,500 | 9,368 | 5,962 | 7,027 | 11,130 | 10,938 | 89 |
| WHITE, MALE | | | | | | | | | | | | | |
| 2000..... | 53,329 | 331 | 808 | 1,378 | 8,770 | 7,369 | 9,462 | 7,322 | 4,242 | 3,977 | 5,493 | 4,100 | 77 |
| 1999..... | 52,898 | 333 | 811 | 1,434 | 8,327 | 7,442 | 9,288 | 6,919 | 4,100 | 4,267 | 5,758 | 4,140 | 79 |
| WHITE, FEMALE | | | | | | | | | | | | | |
| 2000..... | 29,263 | 238 | 527 | 841 | 3,053 | 2,150 | 3,201 | 2,579 | 2,033 | 2,640 | 5,247 | 6,752 | 2 |
| 1999..... | 29,347 | 229 | 563 | 836 | 3,037 | 2,219 | 3,212 | 2,449 | 1,862 | 2,760 | 5,372 | 6,798 | 10 |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Accidents (unintentional injuries) (V01-X59,Y85-Y86) | | | | | | | | | | | | | |
| BLACK, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 12,277 | 274 | 405 | 631 | 1,695 | 1,770 | 2,287 | 1,988 | 997 | 868 | 778 | 579 | 5 |
| 1999..... | 12,728 | 252 | 441 | 707 | 1,719 | 1,765 | 2,285 | 1,939 | 1,066 | 951 | 936 | 651 | 16 |
| BLACK, MALE | | | | | | | | | | | | | |
| 2000..... | 8,531 | 149 | 239 | 414 | 1,261 | 1,340 | 1,678 | 1,475 | 750 | 543 | 438 | 239 | 5 |
| 1999..... | 8,773 | 141 | 266 | 472 | 1,301 | 1,335 | 1,660 | 1,471 | 755 | 600 | 488 | 270 | 14 |
| BLACK, FEMALE | | | | | | | | | | | | | |
| 2000..... | 3,746 | 125 | 166 | 217 | 434 | 430 | 609 | 513 | 247 | 325 | 340 | 340 | - |
| 1999..... | 3,955 | 111 | 175 | 235 | 418 | 430 | 625 | 468 | 311 | 351 | 448 | 381 | 2 |
| AMERICAN INDIAN 1/, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 1,353 | 20 | 39 | 70 | 299 | 239 | 256 | 197 | 94 | 63 | 51 | 24 | 1 |
| 1999..... | 1,327 | 13 | 37 | 51 | 289 | 250 | 252 | 163 | 105 | 82 | 59 | 26 | - |
| AMERICAN INDIAN 1/, MALE | | | | | | | | | | | | | |
| 2000..... | 900 | 11 | 25 | 37 | 202 | 172 | 166 | 150 | 56 | 36 | 32 | 12 | 1 |
| 1999..... | 890 | 8 | 24 | 28 | 214 | 163 | 167 | 121 | 75 | 51 | 29 | 10 | - |
| AMERICAN INDIAN 1/, FEMALE | | | | | | | | | | | | | |
| 2000..... | 453 | 9 | 14 | 33 | 97 | 67 | 90 | 47 | 38 | 27 | 19 | 12 | - |
| 1999..... | 437 | 5 | 13 | 23 | 75 | 87 | 85 | 42 | 30 | 31 | 30 | 16 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|

Accidents (unintentional injuries) (V01-X59,Y85-Y86)

ASIAN OR PACIFIC ISLANDER 2/, BOTH SEX

| | | | | | | | | | | | | | |
|-----------|-------|----|----|----|-----|-----|-----|-----|-----|-----|-----|-----|---|
| 2000..... | 1,678 | 18 | 47 | 59 | 296 | 241 | 207 | 192 | 139 | 150 | 189 | 140 | - |
| 1999..... | 1,560 | 18 | 46 | 63 | 284 | 214 | 194 | 169 | 152 | 148 | 157 | 114 | 1 |

ASIAN OR PACIFIC ISLANDER 2/, MALE

| | | | | | | | | | | | | | |
|-----------|-------|----|----|----|-----|-----|-----|-----|----|----|-----|----|---|
| 2000..... | 1,057 | 10 | 26 | 32 | 227 | 178 | 138 | 116 | 85 | 83 | 100 | 62 | - |
| 1999..... | 974 | 12 | 26 | 40 | 198 | 157 | 133 | 91 | 85 | 74 | 97 | 60 | 1 |

ASIAN OR PACIFIC ISLANDER 2/, FEMALE

| | | | | | | | | | | | | | |
|-----------|-----|---|----|----|----|----|----|----|----|----|----|----|---|
| 2000..... | 621 | 8 | 21 | 27 | 69 | 63 | 69 | 76 | 54 | 67 | 89 | 78 | - |
| 1999..... | 586 | 6 | 20 | 23 | 86 | 57 | 61 | 78 | 67 | 74 | 60 | 54 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Transport accidents (V01-V99,Y85) | | | | | | | | | | | | | |
| ALL RACES, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 46,749 | 174 | 691 | 1,922 | 11,028 | 7,400 | 7,661 | 5,965 | 3,883 | 3,315 | 3,342 | 1,335 | 33 |
| 1999..... | 46,423 | 189 | 712 | 1,975 | 10,689 | 7,434 | 7,553 | 5,645 | 3,812 | 3,579 | 3,468 | 1,330 | 37 |
| ALL RACES, MALE | | | | | | | | | | | | | |
| 2000..... | 32,166 | 94 | 391 | 1,138 | 7,890 | 5,570 | 5,560 | 4,260 | 2,617 | 2,021 | 1,858 | 734 | 33 |
| 1999..... | 31,642 | 101 | 400 | 1,206 | 7,558 | 5,511 | 5,376 | 4,016 | 2,561 | 2,162 | 1,959 | 758 | 34 |
| ALL RACES, FEMALE | | | | | | | | | | | | | |
| 2000..... | 14,583 | 80 | 300 | 784 | 3,138 | 1,830 | 2,101 | 1,705 | 1,266 | 1,294 | 1,484 | 601 | - |
| 1999..... | 14,781 | 88 | 312 | 769 | 3,131 | 1,923 | 2,177 | 1,629 | 1,251 | 1,417 | 1,509 | 572 | 3 |
| WHITE, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 39,088 | 121 | 513 | 1,519 | 9,279 | 5,890 | 6,318 | 4,924 | 3,319 | 2,878 | 3,060 | 1,236 | 31 |
| 1999..... | 38,767 | 137 | 497 | 1,542 | 8,953 | 6,026 | 6,199 | 4,665 | 3,214 | 3,134 | 3,154 | 1,218 | 28 |
| WHITE, MALE | | | | | | | | | | | | | |
| 2000..... | 26,815 | 68 | 290 | 896 | 6,632 | 4,441 | 4,589 | 3,543 | 2,213 | 1,744 | 1,685 | 683 | 31 |
| 1999..... | 26,385 | 80 | 273 | 936 | 6,316 | 4,477 | 4,428 | 3,331 | 2,161 | 1,896 | 1,773 | 688 | 26 |
| WHITE, FEMALE | | | | | | | | | | | | | |
| 2000..... | 12,273 | 53 | 223 | 623 | 2,647 | 1,449 | 1,729 | 1,381 | 1,106 | 1,134 | 1,375 | 553 | - |
| 1999..... | 12,382 | 57 | 224 | 606 | 2,637 | 1,549 | 1,771 | 1,334 | 1,053 | 1,238 | 1,381 | 530 | 2 |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Transport accidents (V01-V99,Y85) | | | | | | | | | | | | | |
| BLACK, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 5,839 | 40 | 141 | 317 | 1,283 | 1,169 | 1,069 | 818 | 424 | 325 | 183 | 69 | 1 |
| 1999..... | 5,901 | 44 | 177 | 364 | 1,284 | 1,089 | 1,085 | 772 | 436 | 318 | 236 | 87 | 9 |
| BLACK, MALE | | | | | | | | | | | | | |
| 2000..... | 4,199 | 21 | 79 | 197 | 928 | 890 | 804 | 579 | 321 | 220 | 120 | 39 | 1 |
| 1999..... | 4,162 | 18 | 101 | 232 | 926 | 828 | 778 | 567 | 307 | 198 | 141 | 58 | 8 |
| BLACK, FEMALE | | | | | | | | | | | | | |
| 2000..... | 1,640 | 19 | 62 | 120 | 355 | 279 | 265 | 239 | 103 | 105 | 63 | 30 | - |
| 1999..... | 1,739 | 26 | 76 | 132 | 358 | 261 | 307 | 205 | 129 | 120 | 95 | 29 | 1 |
| AMERICAN INDIAN 1/, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 829 | 7 | 16 | 46 | 241 | 167 | 146 | 96 | 50 | 34 | 19 | 6 | 1 |
| 1999..... | 816 | 4 | 15 | 35 | 233 | 163 | 148 | 91 | 59 | 44 | 23 | 1 | - |
| AMERICAN INDIAN 1/, MALE | | | | | | | | | | | | | |
| 2000..... | 537 | 2 | 10 | 23 | 162 | 117 | 92 | 70 | 25 | 19 | 13 | 3 | 1 |
| 1999..... | 547 | 2 | 12 | 21 | 168 | 100 | 96 | 66 | 42 | 26 | 14 | - | - |
| AMERICAN INDIAN 1/, FEMALE | | | | | | | | | | | | | |
| 2000..... | 292 | 5 | 6 | 23 | 79 | 50 | 54 | 26 | 25 | 15 | 6 | 3 | - |
| 1999..... | 269 | 2 | 3 | 14 | 65 | 63 | 52 | 25 | 17 | 18 | 9 | 1 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|

Transport accidents (V01-V99,Y85)

ASIAN OR PACIFIC ISLANDER 2/, BOTH SEX

| | | | | | | | | | | | | | |
|-----------|-----|---|----|----|-----|-----|-----|-----|-----|----|----|----|---|
| 2000..... | 993 | 6 | 21 | 40 | 225 | 174 | 128 | 127 | 90 | 78 | 80 | 24 | - |
| 1999..... | 939 | 4 | 23 | 34 | 219 | 156 | 121 | 117 | 103 | 83 | 55 | 24 | - |

ASIAN OR PACIFIC ISLANDER 2/, MALE

| | | | | | | | | | | | | | |
|-----------|-----|---|----|----|-----|-----|----|----|----|----|----|----|---|
| 2000..... | 615 | 3 | 12 | 22 | 168 | 122 | 75 | 68 | 58 | 38 | 40 | 9 | - |
| 1999..... | 548 | 1 | 14 | 17 | 148 | 106 | 74 | 52 | 51 | 42 | 31 | 12 | - |

ASIAN OR PACIFIC ISLANDER 2/, FEMALE

| | | | | | | | | | | | | | |
|-----------|-----|---|---|----|----|----|----|----|----|----|----|----|---|
| 2000..... | 378 | 3 | 9 | 18 | 57 | 52 | 53 | 59 | 32 | 40 | 40 | 15 | - |
| 1999..... | 391 | 3 | 9 | 17 | 71 | 50 | 47 | 65 | 52 | 41 | 24 | 12 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN
REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, SEX AND YEAR

| | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|---|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2) | | | | | | | | | | | | | |
| ALL RACES, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 43,354 | 168 | 651 | 1,772 | 10,560 | 6,884 | 6,927 | 5,361 | 3,506 | 3,038 | 3,173 | 1,288 | 26 |
| 1999..... | 42,401 | 184 | 650 | 1,771 | 10,128 | 6,778 | 6,738 | 4,972 | 3,370 | 3,276 | 3,243 | 1,261 | 30 |
| ALL RACES, MALE | | | | | | | | | | | | | |
| 2000..... | 29,451 | 90 | 368 | 1,043 | 7,516 | 5,135 | 4,940 | 3,780 | 2,306 | 1,802 | 1,739 | 706 | 26 |
| 1999..... | 28,552 | 97 | 366 | 1,062 | 7,127 | 4,993 | 4,735 | 3,473 | 2,200 | 1,931 | 1,827 | 714 | 27 |
| ALL RACES, FEMALE | | | | | | | | | | | | | |
| 2000..... | 13,903 | 78 | 283 | 729 | 3,044 | 1,749 | 1,987 | 1,581 | 1,200 | 1,236 | 1,434 | 582 | - |
| 1999..... | 13,849 | 87 | 284 | 709 | 3,001 | 1,785 | 2,003 | 1,499 | 1,170 | 1,345 | 1,416 | 547 | 3 |
| WHITE, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 36,160 | 115 | 484 | 1,389 | 8,881 | 5,448 | 5,690 | 4,410 | 2,984 | 2,636 | 2,906 | 1,193 | 24 |
| 1999..... | 35,343 | 133 | 455 | 1,377 | 8,485 | 5,469 | 5,497 | 4,091 | 2,831 | 2,868 | 2,958 | 1,157 | 22 |
| WHITE, MALE | | | | | | | | | | | | | |
| 2000..... | 24,470 | 64 | 275 | 815 | 6,317 | 4,067 | 4,057 | 3,131 | 1,937 | 1,552 | 1,575 | 656 | 24 |
| 1999..... | 23,763 | 77 | 253 | 823 | 5,959 | 4,038 | 3,879 | 2,867 | 1,849 | 1,692 | 1,655 | 651 | 20 |
| WHITE, FEMALE | | | | | | | | | | | | | |
| 2000..... | 11,690 | 51 | 209 | 574 | 2,564 | 1,381 | 1,633 | 1,279 | 1,047 | 1,084 | 1,331 | 537 | - |
| 1999..... | 11,580 | 56 | 202 | 554 | 2,526 | 1,431 | 1,618 | 1,224 | 982 | 1,176 | 1,303 | 506 | 2 |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|---|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2) | | | | | | | | | | | | | |

BLACK, BOTH SEXES

| | | | | | | | | | | | | | |
|-----------|-------|----|-----|-----|-------|-------|-----|-----|-----|-----|-----|----|---|
| 2000..... | 5,499 | 40 | 134 | 302 | 1,234 | 1,111 | 987 | 757 | 394 | 301 | 173 | 65 | 1 |
| 1999..... | 5,470 | 43 | 160 | 334 | 1,230 | 1,018 | 995 | 696 | 393 | 295 | 218 | 80 | 8 |

BLACK, MALE

| | | | | | | | | | | | | | |
|-----------|-------|----|----|-----|-----|-----|-----|-----|-----|-----|-----|----|---|
| 2000..... | 3,922 | 21 | 74 | 185 | 886 | 842 | 735 | 530 | 295 | 201 | 114 | 38 | 1 |
| 1999..... | 3,821 | 17 | 89 | 205 | 885 | 771 | 704 | 506 | 271 | 180 | 134 | 52 | 7 |

BLACK, FEMALE

| | | | | | | | | | | | | | |
|-----------|-------|----|----|-----|-----|-----|-----|-----|-----|-----|----|----|---|
| 2000..... | 1,577 | 19 | 60 | 117 | 348 | 269 | 252 | 227 | 99 | 100 | 59 | 27 | - |
| 1999..... | 1,649 | 26 | 71 | 129 | 345 | 247 | 291 | 190 | 122 | 115 | 84 | 28 | 1 |

AMERICAN INDIAN 1/, BOTH SEXES

| | | | | | | | | | | | | | |
|-----------|-----|---|----|----|-----|-----|-----|----|----|----|----|---|---|
| 2000..... | 779 | 7 | 14 | 44 | 231 | 163 | 135 | 82 | 47 | 31 | 18 | 6 | 1 |
| 1999..... | 730 | 4 | 14 | 30 | 210 | 150 | 133 | 77 | 51 | 37 | 23 | 1 | - |

AMERICAN INDIAN 1/, MALE

| | | | | | | | | | | | | | |
|-----------|-----|---|----|----|-----|-----|----|----|----|----|----|---|---|
| 2000..... | 500 | 2 | 9 | 23 | 154 | 114 | 83 | 58 | 23 | 18 | 12 | 3 | 1 |
| 1999..... | 481 | 2 | 11 | 19 | 149 | 90 | 84 | 55 | 36 | 21 | 14 | - | - |

AMERICAN INDIAN 1/, FEMALE

| | | | | | | | | | | | | | |
|-----------|-----|---|---|----|----|----|----|----|----|----|---|---|---|
| 2000..... | 279 | 5 | 5 | 21 | 77 | 49 | 52 | 24 | 24 | 13 | 6 | 3 | - |
| 1999..... | 249 | 2 | 3 | 11 | 61 | 60 | 49 | 22 | 15 | 16 | 9 | 1 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN
REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, SEX AND YEAR

| | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|---|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2) | | | | | | | | | | | | | |
| ASIAN OR PACIFIC ISLANDER 2/, BOTH SEX | | | | | | | | | | | | | |
| 2000..... | 916 | 6 | 19 | 37 | 214 | 162 | 115 | 112 | 81 | 70 | 76 | 24 | - |
| 1999..... | 858 | 4 | 21 | 30 | 203 | 141 | 113 | 108 | 95 | 76 | 44 | 23 | - |
| ASIAN OR PACIFIC ISLANDER 2/, MALE | | | | | | | | | | | | | |
| 2000..... | 559 | 3 | 10 | 20 | 159 | 112 | 65 | 61 | 51 | 31 | 38 | 9 | - |
| 1999..... | 487 | 1 | 13 | 15 | 134 | 94 | 68 | 45 | 44 | 38 | 24 | 11 | - |
| ASIAN OR PACIFIC ISLANDER 2/, FEMALE | | | | | | | | | | | | | |
| 2000..... | 357 | 3 | 9 | 17 | 55 | 50 | 50 | 51 | 30 | 39 | 38 | 15 | - |
| 1999..... | 371 | 3 | 8 | 15 | 69 | 47 | 45 | 63 | 51 | 38 | 20 | 12 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN
REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, SEX AND YEAR

| | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Other land transport accidents (V01,V05-V06,V09.1,V09.3-V09.9,V10-V11,V15-V18,V19.3,V19.8-V19.9,V80.0-V80.2,V80.6-V80.9,V81.2-V81.9,V82.2-V82.9,V87.9,V88.9,V89.1,V89.3,V89.9) | | | | | | | | | | | | | |
| ALL RACES, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 1,492 | 2 | 31 | 98 | 243 | 212 | 317 | 234 | 122 | 100 | 91 | 35 | 7 |
| 1999..... | 2,118 | 4 | 48 | 128 | 362 | 317 | 408 | 304 | 182 | 145 | 159 | 54 | 7 |
| ALL RACES, MALE | | | | | | | | | | | | | |
| 2000..... | 1,125 | 2 | 17 | 61 | 194 | 171 | 258 | 166 | 98 | 75 | 57 | 19 | 7 |
| 1999..... | 1,559 | 4 | 26 | 91 | 279 | 244 | 319 | 234 | 135 | 97 | 88 | 35 | 7 |
| ALL RACES, FEMALE | | | | | | | | | | | | | |
| 2000..... | 367 | - | 14 | 37 | 49 | 41 | 59 | 68 | 24 | 25 | 34 | 16 | - |
| 1999..... | 559 | - | 22 | 37 | 83 | 73 | 89 | 70 | 47 | 48 | 71 | 19 | - |
| WHITE, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 1,221 | 2 | 21 | 83 | 203 | 171 | 250 | 186 | 101 | 85 | 80 | 32 | 7 |
| 1999..... | 1,755 | 3 | 32 | 99 | 295 | 259 | 340 | 250 | 161 | 123 | 139 | 48 | 6 |
| WHITE, MALE | | | | | | | | | | | | | |
| 2000..... | 924 | 2 | 10 | 52 | 161 | 139 | 206 | 132 | 82 | 62 | 52 | 19 | 7 |
| 1999..... | 1,281 | 3 | 15 | 68 | 223 | 199 | 266 | 190 | 119 | 84 | 78 | 30 | 6 |
| WHITE, FEMALE | | | | | | | | | | | | | |
| 2000..... | 297 | - | 11 | 31 | 42 | 32 | 44 | 54 | 19 | 23 | 28 | 13 | - |
| 1999..... | 474 | - | 17 | 31 | 72 | 60 | 74 | 60 | 42 | 39 | 61 | 18 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Other land transport accidents (V01,V05-V06,V09.1,V09.3-V09.9,V10-V11,V15-V18,V19.3,V19.8-V19.9,V80.0-V80.2,V80.6-V80.9,V81.2-V81.9,V82.2-V82.9,V87.9,V88.9,V89.1,V89.3,V89.9) | | | | | | | | | | | | | |
| BLACK, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 206 | - | 7 | 11 | 32 | 32 | 54 | 35 | 15 | 10 | 7 | 3 | - |
| 1999..... | 253 | 1 | 13 | 21 | 34 | 42 | 52 | 42 | 17 | 14 | 11 | 5 | 1 |
| BLACK, MALE | | | | | | | | | | | | | |
| 2000..... | 158 | - | 5 | 8 | 26 | 25 | 43 | 27 | 12 | 9 | 3 | - | - |
| 1999..... | 196 | 1 | 9 | 20 | 28 | 34 | 41 | 34 | 12 | 9 | 3 | 4 | 1 |
| BLACK, FEMALE | | | | | | | | | | | | | |
| 2000..... | 48 | - | 2 | 3 | 6 | 7 | 11 | 8 | 3 | 1 | 4 | 3 | - |
| 1999..... | 57 | - | 4 | 1 | 6 | 8 | 11 | 8 | 5 | 5 | 8 | 1 | - |
| AMERICAN INDIAN 1/, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 28 | - | 1 | 2 | 5 | 3 | 8 | 6 | 2 | 1 | - | - | - |
| 1999..... | 60 | - | 1 | 4 | 20 | 8 | 12 | 10 | 1 | 4 | - | - | - |
| AMERICAN INDIAN 1/, MALE | | | | | | | | | | | | | |
| 2000..... | 19 | - | - | - | 5 | 3 | 6 | 4 | 1 | - | - | - | - |
| 1999..... | 45 | - | 1 | 1 | 17 | 5 | 9 | 8 | 1 | 3 | - | - | - |
| AMERICAN INDIAN 1/, FEMALE | | | | | | | | | | | | | |
| 2000..... | 9 | - | 1 | 2 | - | - | 2 | 2 | 1 | 1 | - | - | - |
| 1999..... | 15 | - | - | 3 | 3 | 3 | 3 | 2 | - | 1 | - | - | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN
REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Other land transport accidents (V01,V05-V06,V09.1,V09.3-V09.9,V10-V11,V15-V18,V19.3,V19.8-V19.9,V80.0-V80.2,V80.6-V80.9,V81.2-V81.9,V82.2-V82.9,V87.9,V88.9,V89.1,V89.3,V89.9) | | | | | | | | | | | | | |
| ASIAN OR PACIFIC ISLANDER 2/, BOTH SEX | | | | | | | | | | | | | |
| 2000..... | 37 | - | 2 | 2 | 3 | 6 | 5 | 7 | 4 | 4 | 4 | - | - |
| 1999..... | 50 | - | 2 | 4 | 13 | 8 | 4 | 2 | 3 | 4 | 9 | 1 | - |
| ASIAN OR PACIFIC ISLANDER 2/, MALE | | | | | | | | | | | | | |
| 2000..... | 24 | - | 2 | 1 | 2 | 4 | 3 | 3 | 3 | 4 | 2 | - | - |
| 1999..... | 37 | - | 1 | 2 | 11 | 6 | 3 | 2 | 3 | 1 | 7 | 1 | - |
| ASIAN OR PACIFIC ISLANDER 2/, FEMALE | | | | | | | | | | | | | |
| 2000..... | 13 | - | - | 1 | 1 | 2 | 2 | 4 | 1 | - | 2 | - | - |
| 1999..... | 13 | - | 1 | 2 | 2 | 2 | 1 | - | - | 3 | 2 | - | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|

Water, air and space, and other and unspecified transport accidents and their sequelae (V90-V99,Y85)

ALL RACES, BOTH SEXES

| | | | | | | | | | | | | | |
|-----------|-------|---|----|----|-----|-----|-----|-----|-----|-----|----|----|---|
| 2000..... | 1,903 | 4 | 9 | 52 | 225 | 304 | 417 | 370 | 255 | 177 | 78 | 12 | - |
| 1999..... | 1,904 | 1 | 14 | 76 | 199 | 339 | 407 | 369 | 260 | 158 | 66 | 15 | - |

ALL RACES, MALE

| | | | | | | | | | | | | | |
|-----------|-------|---|---|----|-----|-----|-----|-----|-----|-----|----|---|---|
| 2000..... | 1,590 | 2 | 6 | 34 | 180 | 264 | 362 | 314 | 213 | 144 | 62 | 9 | - |
| 1999..... | 1,531 | - | 8 | 53 | 152 | 274 | 322 | 309 | 226 | 134 | 44 | 9 | - |

ALL RACES, FEMALE

| | | | | | | | | | | | | | |
|-----------|-----|---|---|----|----|----|----|----|----|----|----|---|---|
| 2000..... | 313 | 2 | 3 | 18 | 45 | 40 | 55 | 56 | 42 | 33 | 16 | 3 | - |
| 1999..... | 373 | 1 | 6 | 23 | 47 | 65 | 85 | 60 | 34 | 24 | 22 | 6 | - |

WHITE, BOTH SEXES

| | | | | | | | | | | | | | |
|-----------|-------|---|----|----|-----|-----|-----|-----|-----|-----|----|----|---|
| 2000..... | 1,707 | 4 | 8 | 47 | 195 | 271 | 378 | 328 | 234 | 157 | 74 | 11 | - |
| 1999..... | 1,669 | 1 | 10 | 66 | 173 | 298 | 362 | 324 | 222 | 143 | 57 | 13 | - |

WHITE, MALE

| | | | | | | | | | | | | | |
|-----------|-------|---|---|----|-----|-----|-----|-----|-----|-----|----|---|---|
| 2000..... | 1,421 | 2 | 5 | 29 | 154 | 235 | 326 | 280 | 194 | 130 | 58 | 8 | - |
| 1999..... | 1,341 | - | 5 | 45 | 134 | 240 | 283 | 274 | 193 | 120 | 40 | 7 | - |

WHITE, FEMALE

| | | | | | | | | | | | | | |
|-----------|-----|---|---|----|----|----|----|----|----|----|----|---|---|
| 2000..... | 286 | 2 | 3 | 18 | 41 | 36 | 52 | 48 | 40 | 27 | 16 | 3 | - |
| 1999..... | 328 | 1 | 5 | 21 | 39 | 58 | 79 | 50 | 29 | 23 | 17 | 6 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|

Water, air and space, and other and unspecified transport accidents and their sequelae (V90-V99,Y85)

BLACK, BOTH SEXES

| | | | | | | | | | | | | | |
|-----------|-----|---|---|---|----|----|----|----|----|----|---|---|---|
| 2000..... | 134 | - | - | 4 | 17 | 26 | 28 | 26 | 15 | 14 | 3 | 1 | - |
| 1999..... | 178 | - | 4 | 9 | 20 | 29 | 38 | 34 | 26 | 9 | 7 | 2 | - |

BLACK, MALE

| | | | | | | | | | | | | | |
|-----------|-----|---|---|---|----|----|----|----|----|----|---|---|---|
| 2000..... | 119 | - | - | 4 | 16 | 23 | 26 | 22 | 14 | 10 | 3 | 1 | - |
| 1999..... | 145 | - | 3 | 7 | 13 | 23 | 33 | 27 | 24 | 9 | 4 | 2 | - |

BLACK, FEMALE

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|---|---|---|---|---|---|---|
| 2000..... | 15 | - | - | - | 1 | 3 | 2 | 4 | 1 | 4 | - | - | - |
| 1999..... | 33 | - | 1 | 2 | 7 | 6 | 5 | 7 | 2 | - | 3 | - | - |

AMERICAN INDIAN 1/, BOTH SEXES

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|---|---|---|---|---|---|---|
| 2000..... | 22 | - | 1 | - | 5 | 1 | 3 | 8 | 1 | 2 | 1 | - | - |
| 1999..... | 26 | - | - | 1 | 3 | 5 | 3 | 4 | 7 | 3 | - | - | - |

AMERICAN INDIAN 1/, MALE

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|---|---|---|---|---|---|---|
| 2000..... | 18 | - | 1 | - | 3 | - | 3 | 8 | 1 | 1 | 1 | - | - |
| 1999..... | 21 | - | - | 1 | 2 | 5 | 3 | 3 | 5 | 2 | - | - | - |

AMERICAN INDIAN 1/, FEMALE

| | | | | | | | | | | | | | |
|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2000..... | 4 | - | - | - | 2 | 1 | - | - | - | 1 | - | - | - |
| 1999..... | 5 | - | - | - | 1 | - | - | 1 | 2 | 1 | - | - | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|

Water, air and space, and other and unspecified transport accidents and their sequelae (V90-V99,Y85)

ASIAN OR PACIFIC ISLANDER 2/, BOTH SEX

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|---|---|---|---|---|---|---|
| 2000..... | 40 | - | - | 1 | 8 | 6 | 8 | 8 | 5 | 4 | - | - | - |
| 1999..... | 31 | - | - | - | 3 | 7 | 4 | 7 | 5 | 3 | 2 | - | - |

ASIAN OR PACIFIC ISLANDER 2/, MALE

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|---|---|---|---|---|---|---|
| 2000..... | 32 | - | - | 1 | 7 | 6 | 7 | 4 | 4 | 3 | - | - | - |
| 1999..... | 24 | - | - | - | 3 | 6 | 3 | 5 | 4 | 3 | - | - | - |

ASIAN OR PACIFIC ISLANDER 2/, FEMALE

| | | | | | | | | | | | | | |
|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2000..... | 8 | - | - | - | 1 | - | 1 | 4 | 1 | 1 | - | - | - |
| 1999..... | 7 | - | - | - | - | 1 | 1 | 2 | 1 | - | 2 | - | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Nontransport accidents (W00-X59,Y86) | | | | | | | | | | | | | |
| ALL RACES, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 51,151 | 707 | 1,135 | 1,057 | 3,085 | 4,369 | 7,752 | 6,313 | 3,622 | 4,383 | 8,416 | 10,260 | 52 |
| 1999..... | 51,437 | 656 | 1,186 | 1,116 | 2,967 | 4,456 | 7,678 | 5,994 | 3,473 | 4,629 | 8,814 | 10,399 | 69 |
| ALL RACES, MALE | | | | | | | | | | | | | |
| 2000..... | 31,651 | 407 | 707 | 723 | 2,570 | 3,489 | 5,884 | 4,803 | 2,516 | 2,618 | 4,205 | 3,679 | 50 |
| 1999..... | 31,893 | 393 | 727 | 768 | 2,482 | 3,586 | 5,872 | 4,586 | 2,454 | 2,830 | 4,413 | 3,722 | 60 |
| ALL RACES, FEMALE | | | | | | | | | | | | | |
| 2000..... | 19,500 | 300 | 428 | 334 | 515 | 880 | 1,868 | 1,510 | 1,106 | 1,765 | 4,211 | 6,581 | 2 |
| 1999..... | 19,544 | 263 | 459 | 348 | 485 | 870 | 1,806 | 1,408 | 1,019 | 1,799 | 4,401 | 6,677 | 9 |
| WHITE, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 43,504 | 448 | 822 | 700 | 2,544 | 3,629 | 6,345 | 4,977 | 2,956 | 3,739 | 7,680 | 9,616 | 48 |
| 1999..... | 43,478 | 425 | 877 | 728 | 2,411 | 3,635 | 6,301 | 4,703 | 2,748 | 3,893 | 7,976 | 9,720 | 61 |
| WHITE, MALE | | | | | | | | | | | | | |
| 2000..... | 26,514 | 263 | 518 | 482 | 2,138 | 2,928 | 4,873 | 3,779 | 2,029 | 2,233 | 3,808 | 3,417 | 46 |
| 1999..... | 26,513 | 253 | 538 | 498 | 2,011 | 2,965 | 4,860 | 3,588 | 1,939 | 2,371 | 3,985 | 3,452 | 53 |
| WHITE, FEMALE | | | | | | | | | | | | | |
| 2000..... | 16,990 | 185 | 304 | 218 | 406 | 701 | 1,472 | 1,198 | 927 | 1,506 | 3,872 | 6,199 | 2 |
| 1999..... | 16,965 | 172 | 339 | 230 | 400 | 670 | 1,441 | 1,115 | 809 | 1,522 | 3,991 | 6,268 | 8 |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Nontransport accidents (W00-X59,Y86) | | | | | | | | | | | | | |
| BLACK, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 6,438 | 234 | 264 | 314 | 412 | 601 | 1,218 | 1,170 | 573 | 543 | 595 | 510 | 4 |
| 1999..... | 6,827 | 208 | 264 | 343 | 435 | 676 | 1,200 | 1,167 | 630 | 633 | 700 | 564 | 7 |
| BLACK, MALE | | | | | | | | | | | | | |
| 2000..... | 4,332 | 128 | 160 | 217 | 333 | 450 | 874 | 896 | 429 | 323 | 318 | 200 | 4 |
| 1999..... | 4,611 | 123 | 165 | 240 | 375 | 507 | 882 | 904 | 448 | 402 | 347 | 212 | 6 |
| BLACK, FEMALE | | | | | | | | | | | | | |
| 2000..... | 2,106 | 106 | 104 | 97 | 79 | 151 | 344 | 274 | 144 | 220 | 277 | 310 | - |
| 1999..... | 2,216 | 85 | 99 | 103 | 60 | 169 | 318 | 263 | 182 | 231 | 353 | 352 | 1 |
| AMERICAN INDIAN 1/, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 524 | 13 | 23 | 24 | 58 | 72 | 110 | 101 | 44 | 29 | 32 | 18 | - |
| 1999..... | 511 | 9 | 22 | 16 | 56 | 87 | 104 | 72 | 46 | 38 | 36 | 25 | - |
| AMERICAN INDIAN 1/, MALE | | | | | | | | | | | | | |
| 2000..... | 363 | 9 | 15 | 14 | 40 | 55 | 74 | 80 | 31 | 17 | 19 | 9 | - |
| 1999..... | 343 | 6 | 12 | 7 | 46 | 63 | 71 | 55 | 33 | 25 | 15 | 10 | - |
| AMERICAN INDIAN 1/, FEMALE | | | | | | | | | | | | | |
| 2000..... | 161 | 4 | 8 | 10 | 18 | 17 | 36 | 21 | 13 | 12 | 13 | 9 | - |
| 1999..... | 168 | 3 | 10 | 9 | 10 | 24 | 33 | 17 | 13 | 13 | 21 | 15 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Nontransport accidents (W00-X59,Y86) | | | | | | | | | | | | | |
| ASIAN OR PACIFIC ISLANDER 2/, BOTH SEX | | | | | | | | | | | | | |
| 2000..... | 685 | 12 | 26 | 19 | 71 | 67 | 79 | 65 | 49 | 72 | 109 | 116 | - |
| 1999..... | 621 | 14 | 23 | 29 | 65 | 58 | 73 | 52 | 49 | 65 | 102 | 90 | 1 |
| ASIAN OR PACIFIC ISLANDER 2/, MALE | | | | | | | | | | | | | |
| 2000..... | 442 | 7 | 14 | 10 | 59 | 56 | 63 | 48 | 27 | 45 | 60 | 53 | - |
| 1999..... | 426 | 11 | 12 | 23 | 50 | 51 | 59 | 39 | 34 | 32 | 66 | 48 | 1 |
| ASIAN OR PACIFIC ISLANDER 2/, FEMALE | | | | | | | | | | | | | |
| 2000..... | 243 | 5 | 12 | 9 | 12 | 11 | 16 | 17 | 22 | 27 | 49 | 63 | - |
| 1999..... | 195 | 3 | 11 | 6 | 15 | 7 | 14 | 13 | 15 | 33 | 36 | 42 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Falls (W00-W19) | | | | | | | | | | | | | |
| ALL RACES, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 13,322 | 8 | 36 | 37 | 237 | 303 | 608 | 871 | 949 | 1,660 | 3,841 | 4,772 | - |
| 1999..... | 13,162 | 12 | 55 | 53 | 242 | 343 | 645 | 824 | 887 | 1,663 | 3,856 | 4,578 | 4 |
| ALL RACES, MALE | | | | | | | | | | | | | |
| 2000..... | 7,122 | 6 | 23 | 30 | 203 | 272 | 496 | 690 | 680 | 991 | 1,947 | 1,784 | - |
| 1999..... | 7,109 | 8 | 37 | 40 | 209 | 294 | 528 | 661 | 650 | 1,027 | 1,950 | 1,701 | 4 |
| ALL RACES, FEMALE | | | | | | | | | | | | | |
| 2000..... | 6,200 | 2 | 13 | 7 | 34 | 31 | 112 | 181 | 269 | 669 | 1,894 | 2,988 | - |
| 1999..... | 6,053 | 4 | 18 | 13 | 33 | 49 | 117 | 163 | 237 | 636 | 1,906 | 2,877 | - |
| WHITE, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 12,252 | 5 | 23 | 30 | 217 | 265 | 504 | 729 | 802 | 1,480 | 3,627 | 4,570 | - |
| 1999..... | 11,992 | 8 | 43 | 42 | 212 | 284 | 547 | 663 | 722 | 1,469 | 3,632 | 4,366 | 4 |
| WHITE, MALE | | | | | | | | | | | | | |
| 2000..... | 6,449 | 3 | 13 | 25 | 187 | 239 | 416 | 579 | 574 | 889 | 1,830 | 1,694 | - |
| 1999..... | 6,352 | 7 | 29 | 32 | 186 | 246 | 442 | 535 | 530 | 904 | 1,828 | 1,609 | 4 |
| WHITE, FEMALE | | | | | | | | | | | | | |
| 2000..... | 5,803 | 2 | 10 | 5 | 30 | 26 | 88 | 150 | 228 | 591 | 1,797 | 2,876 | - |
| 1999..... | 5,640 | 1 | 14 | 10 | 26 | 38 | 105 | 128 | 192 | 565 | 1,804 | 2,757 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Falls (W00-W19) | | | | | | | | | | | | | |
| BLACK, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 760 | 2 | 13 | 7 | 13 | 23 | 74 | 114 | 116 | 137 | 137 | 124 | - |
| 1999..... | 878 | 2 | 11 | 10 | 21 | 43 | 75 | 137 | 131 | 151 | 155 | 142 | - |
| BLACK, MALE | | | | | | | | | | | | | |
| 2000..... | 485 | 2 | 10 | 5 | 11 | 19 | 57 | 91 | 89 | 78 | 70 | 53 | - |
| 1999..... | 564 | 1 | 8 | 7 | 16 | 35 | 67 | 108 | 93 | 100 | 79 | 50 | - |
| BLACK, FEMALE | | | | | | | | | | | | | |
| 2000..... | 275 | - | 3 | 2 | 2 | 4 | 17 | 23 | 27 | 59 | 67 | 71 | - |
| 1999..... | 314 | 1 | 3 | 3 | 5 | 8 | 8 | 29 | 38 | 51 | 76 | 92 | - |
| AMERICAN INDIAN 1/, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 81 | 1 | - | - | 1 | 9 | 13 | 16 | 12 | 6 | 12 | 11 | - |
| 1999..... | 75 | - | 1 | - | 6 | 6 | 7 | 10 | 12 | 10 | 8 | 15 | - |
| AMERICAN INDIAN 1/, MALE | | | | | | | | | | | | | |
| 2000..... | 57 | 1 | - | - | 1 | 8 | 10 | 11 | 7 | 2 | 10 | 7 | - |
| 1999..... | 42 | - | - | - | 5 | 4 | 7 | 7 | 8 | 4 | 1 | 6 | - |
| AMERICAN INDIAN 1/, FEMALE | | | | | | | | | | | | | |
| 2000..... | 24 | - | - | - | - | 1 | 3 | 5 | 5 | 4 | 2 | 4 | - |
| 1999..... | 33 | - | 1 | - | 1 | 2 | - | 3 | 4 | 6 | 7 | 9 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|

Falls (W00-W19)

ASIAN OR PACIFIC ISLANDER 2/, BOTH SEX

| | | | | | | | | | | | | | |
|-----------|-----|---|---|---|---|----|----|----|----|----|----|----|---|
| 2000..... | 229 | - | - | - | 6 | 6 | 17 | 12 | 19 | 37 | 65 | 67 | - |
| 1999..... | 217 | 2 | - | 1 | 3 | 10 | 16 | 14 | 22 | 33 | 61 | 55 | - |

ASIAN OR PACIFIC ISLANDER 2/, MALE

| | | | | | | | | | | | | | |
|-----------|-----|---|---|---|---|---|----|----|----|----|----|----|---|
| 2000..... | 131 | - | - | - | 4 | 6 | 13 | 9 | 10 | 22 | 37 | 30 | - |
| 1999..... | 151 | - | - | 1 | 2 | 9 | 12 | 11 | 19 | 19 | 42 | 36 | - |

ASIAN OR PACIFIC ISLANDER 2/, FEMALE

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|---|---|---|----|----|----|---|
| 2000..... | 98 | - | - | - | 2 | - | 4 | 3 | 9 | 15 | 28 | 37 | - |
| 1999..... | 66 | 2 | - | - | 1 | 1 | 4 | 3 | 3 | 14 | 19 | 19 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Accidental discharge of firearms (W32-W34) | | | | | | | | | | | | | |
| ALL RACES, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 776 | 1 | 18 | 67 | 202 | 131 | 153 | 78 | 50 | 41 | 24 | 11 | - |
| 1999..... | 824 | - | 12 | 76 | 251 | 143 | 136 | 92 | 48 | 33 | 23 | 10 | - |
| ALL RACES, MALE | | | | | | | | | | | | | |
| 2000..... | 671 | - | 11 | 62 | 183 | 109 | 125 | 69 | 44 | 34 | 23 | 11 | - |
| 1999..... | 707 | - | 7 | 60 | 229 | 122 | 112 | 78 | 41 | 31 | 20 | 7 | - |
| ALL RACES, FEMALE | | | | | | | | | | | | | |
| 2000..... | 105 | 1 | 7 | 5 | 19 | 22 | 28 | 9 | 6 | 7 | 1 | - | - |
| 1999..... | 117 | - | 5 | 16 | 22 | 21 | 24 | 14 | 7 | 2 | 3 | 3 | - |
| WHITE, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 611 | 1 | 11 | 52 | 141 | 94 | 128 | 67 | 47 | 37 | 22 | 11 | - |
| 1999..... | 649 | - | 5 | 57 | 174 | 115 | 116 | 81 | 41 | 30 | 20 | 10 | - |
| WHITE, MALE | | | | | | | | | | | | | |
| 2000..... | 530 | - | 6 | 48 | 129 | 75 | 107 | 61 | 41 | 31 | 21 | 11 | - |
| 1999..... | 554 | - | 3 | 46 | 158 | 96 | 94 | 68 | 37 | 28 | 17 | 7 | - |
| WHITE, FEMALE | | | | | | | | | | | | | |
| 2000..... | 81 | 1 | 5 | 4 | 12 | 19 | 21 | 6 | 6 | 6 | 1 | - | - |
| 1999..... | 95 | - | 2 | 11 | 16 | 19 | 22 | 13 | 4 | 2 | 3 | 3 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Accidental discharge of firearms (W32-W34) | | | | | | | | | | | | | |
| BLACK, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 137 | - | 5 | 12 | 52 | 32 | 19 | 10 | 3 | 3 | 1 | - | - |
| 1999..... | 156 | - | 7 | 17 | 67 | 23 | 18 | 11 | 7 | 3 | 3 | - | - |
| BLACK, MALE | | | | | | | | | | | | | |
| 2000..... | 117 | - | 3 | 12 | 46 | 29 | 14 | 7 | 3 | 2 | 1 | - | - |
| 1999..... | 135 | - | 4 | 12 | 61 | 22 | 16 | 10 | 4 | 3 | 3 | - | - |
| BLACK, FEMALE | | | | | | | | | | | | | |
| 2000..... | 20 | - | 2 | - | 6 | 3 | 5 | 3 | - | 1 | - | - | - |
| 1999..... | 21 | - | 3 | 5 | 6 | 1 | 2 | 1 | 3 | - | - | - | - |
| AMERICAN INDIAN 1/, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 14 | - | 2 | 2 | 6 | 1 | 1 | 1 | - | 1 | - | - | - |
| 1999..... | 14 | - | - | 1 | 9 | 3 | 1 | - | - | - | - | - | - |
| AMERICAN INDIAN 1/, MALE | | | | | | | | | | | | | |
| 2000..... | 12 | - | 2 | 2 | 5 | 1 | - | 1 | - | 1 | - | - | - |
| 1999..... | 13 | - | - | 1 | 9 | 2 | 1 | - | - | - | - | - | - |
| AMERICAN INDIAN 1/, FEMALE | | | | | | | | | | | | | |
| 2000..... | 2 | - | - | - | 1 | - | 1 | - | - | - | - | - | - |
| 1999..... | 1 | - | - | - | - | 1 | - | - | - | - | - | - | - |

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

[illegible]

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Accidental drowning and submersion (W65-W74) | | | | | | | | | | | | | |
| ALL RACES, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 3,482 | 75 | 493 | 375 | 646 | 419 | 480 | 354 | 217 | 179 | 156 | 64 | 24 |
| 1999..... | 3,529 | 68 | 490 | 369 | 647 | 446 | 475 | 370 | 219 | 185 | 158 | 68 | 34 |
| ALL RACES, MALE | | | | | | | | | | | | | |
| 2000..... | 2,735 | 43 | 316 | 267 | 583 | 364 | 406 | 299 | 179 | 133 | 88 | 34 | 23 |
| 1999..... | 2,794 | 39 | 310 | 275 | 592 | 397 | 402 | 311 | 170 | 129 | 111 | 28 | 30 |
| ALL RACES, FEMALE | | | | | | | | | | | | | |
| 2000..... | 747 | 32 | 177 | 108 | 63 | 55 | 74 | 55 | 38 | 46 | 68 | 30 | 1 |
| 1999..... | 735 | 29 | 180 | 94 | 55 | 49 | 73 | 59 | 49 | 56 | 47 | 40 | 4 |
| WHITE, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 2,683 | 47 | 415 | 218 | 460 | 322 | 385 | 277 | 187 | 156 | 137 | 56 | 23 |
| 1999..... | 2,715 | 46 | 416 | 186 | 462 | 330 | 393 | 317 | 181 | 154 | 138 | 60 | 32 |
| WHITE, MALE | | | | | | | | | | | | | |
| 2000..... | 2,105 | 28 | 268 | 151 | 413 | 284 | 323 | 232 | 159 | 114 | 81 | 30 | 22 |
| 1999..... | 2,120 | 26 | 262 | 132 | 419 | 293 | 327 | 265 | 139 | 106 | 97 | 26 | 28 |
| WHITE, FEMALE | | | | | | | | | | | | | |
| 2000..... | 578 | 19 | 147 | 67 | 47 | 38 | 62 | 45 | 28 | 42 | 56 | 26 | 1 |
| 1999..... | 595 | 20 | 154 | 54 | 43 | 37 | 66 | 52 | 42 | 48 | 41 | 34 | 4 |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Accidental drowning and submersion (W65-W74) | | | | | | | | | | | | | |
| BLACK, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 593 | 26 | 56 | 136 | 134 | 58 | 79 | 52 | 17 | 15 | 12 | 7 | 1 |
| 1999..... | 634 | 21 | 60 | 159 | 138 | 88 | 60 | 37 | 29 | 21 | 15 | 5 | 1 |
| BLACK, MALE | | | | | | | | | | | | | |
| 2000..... | 478 | 14 | 35 | 102 | 126 | 52 | 69 | 45 | 13 | 13 | 4 | 4 | 1 |
| 1999..... | 530 | 12 | 40 | 125 | 129 | 80 | 55 | 35 | 23 | 17 | 11 | 2 | 1 |
| BLACK, FEMALE | | | | | | | | | | | | | |
| 2000..... | 115 | 12 | 21 | 34 | 8 | 6 | 10 | 7 | 4 | 2 | 8 | 3 | - |
| 1999..... | 104 | 9 | 20 | 34 | 9 | 8 | 5 | 2 | 6 | 4 | 4 | 3 | - |
| AMERICAN INDIAN 1/, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 79 | 2 | 10 | 11 | 18 | 14 | 7 | 11 | 4 | 2 | - | - | - |
| 1999..... | 68 | - | 7 | 5 | 11 | 15 | 13 | 9 | 4 | 3 | 1 | - | - |
| AMERICAN INDIAN 1/, MALE | | | | | | | | | | | | | |
| 2000..... | 61 | 1 | 6 | 8 | 15 | 9 | 7 | 9 | 4 | 2 | - | - | - |
| 1999..... | 55 | - | 4 | 3 | 11 | 11 | 12 | 6 | 4 | 3 | 1 | - | - |
| AMERICAN INDIAN 1/, FEMALE | | | | | | | | | | | | | |
| 2000..... | 18 | 1 | 4 | 3 | 3 | 5 | - | 2 | - | - | - | - | - |
| 1999..... | 13 | - | 3 | 2 | - | 4 | 1 | 3 | - | - | - | - | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|

Accidental drowning and submersion (W65-W74)

ASIAN OR PACIFIC ISLANDER 2/, BOTH SEX

| | | | | | | | | | | | | | |
|-----------|-----|---|----|----|----|----|---|----|---|---|---|---|---|
| 2000..... | 127 | - | 12 | 10 | 34 | 25 | 9 | 14 | 9 | 6 | 7 | 1 | - |
| 1999..... | 112 | 1 | 7 | 19 | 36 | 13 | 9 | 7 | 5 | 7 | 4 | 3 | 1 |

ASIAN OR PACIFIC ISLANDER 2/, MALE

| | | | | | | | | | | | | | |
|-----------|----|---|---|----|----|----|---|----|---|---|---|---|---|
| 2000..... | 91 | - | 7 | 6 | 29 | 19 | 7 | 13 | 3 | 4 | 3 | - | - |
| 1999..... | 89 | 1 | 4 | 15 | 33 | 13 | 8 | 5 | 4 | 3 | 2 | - | 1 |

ASIAN OR PACIFIC ISLANDER 2/, FEMALE

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|---|---|---|---|---|---|---|
| 2000..... | 36 | - | 5 | 4 | 5 | 6 | 2 | 1 | 6 | 2 | 4 | 1 | - |
| 1999..... | 23 | - | 3 | 4 | 3 | - | 1 | 2 | 1 | 4 | 2 | 3 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Accidental exposure to smoke, fire and flames (X00-X09) | | | | | | | | | | | | | |
| ALL RACES, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 3,377 | 37 | 290 | 266 | 192 | 241 | 402 | 439 | 369 | 401 | 472 | 263 | 5 |
| 1999..... | 3,348 | 41 | 302 | 262 | 201 | 282 | 421 | 368 | 319 | 416 | 487 | 245 | 4 |
| ALL RACES, MALE | | | | | | | | | | | | | |
| 2000..... | 2,025 | 20 | 174 | 145 | 121 | 157 | 268 | 303 | 241 | 232 | 244 | 115 | 5 |
| 1999..... | 2,025 | 21 | 173 | 147 | 133 | 197 | 300 | 254 | 194 | 244 | 247 | 111 | 4 |
| ALL RACES, FEMALE | | | | | | | | | | | | | |
| 2000..... | 1,352 | 17 | 116 | 121 | 71 | 84 | 134 | 136 | 128 | 169 | 228 | 148 | - |
| 1999..... | 1,323 | 20 | 129 | 115 | 68 | 85 | 121 | 114 | 125 | 172 | 240 | 134 | - |
| WHITE, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 2,376 | 23 | 160 | 158 | 141 | 169 | 291 | 330 | 260 | 297 | 345 | 197 | 5 |
| 1999..... | 2,380 | 26 | 178 | 159 | 153 | 215 | 310 | 272 | 235 | 293 | 360 | 176 | 3 |
| WHITE, MALE | | | | | | | | | | | | | |
| 2000..... | 1,435 | 11 | 98 | 85 | 90 | 113 | 195 | 228 | 169 | 169 | 181 | 91 | 5 |
| 1999..... | 1,466 | 14 | 103 | 88 | 103 | 156 | 223 | 188 | 149 | 169 | 184 | 86 | 3 |
| WHITE, FEMALE | | | | | | | | | | | | | |
| 2000..... | 941 | 12 | 62 | 73 | 51 | 56 | 96 | 102 | 91 | 128 | 164 | 106 | - |
| 1999..... | 914 | 12 | 75 | 71 | 50 | 59 | 87 | 84 | 86 | 124 | 176 | 90 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|

Accidental exposure to smoke, fire and flames (X00-X09)

BLACK, BOTH SEXES

| | | | | | | | | | | | | | |
|-----------|-----|----|-----|-----|----|----|-----|-----|-----|-----|-----|----|---|
| 2000..... | 930 | 14 | 121 | 101 | 44 | 65 | 99 | 100 | 102 | 98 | 121 | 65 | - |
| 1999..... | 892 | 15 | 111 | 102 | 40 | 53 | 102 | 87 | 80 | 113 | 120 | 68 | 1 |

BLACK, MALE

| | | | | | | | | | | | | | |
|-----------|-----|---|----|----|----|----|----|----|----|----|----|----|---|
| 2000..... | 551 | 9 | 71 | 57 | 27 | 39 | 65 | 69 | 69 | 60 | 61 | 24 | - |
| 1999..... | 510 | 7 | 63 | 58 | 24 | 30 | 71 | 59 | 44 | 69 | 59 | 25 | 1 |

BLACK, FEMALE

| | | | | | | | | | | | | | |
|-----------|-----|---|----|----|----|----|----|----|----|----|----|----|---|
| 2000..... | 379 | 5 | 50 | 44 | 17 | 26 | 34 | 31 | 33 | 38 | 60 | 41 | - |
| 1999..... | 382 | 8 | 48 | 44 | 16 | 23 | 31 | 28 | 36 | 44 | 61 | 43 | - |

AMERICAN INDIAN 1/, BOTH SEXES

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|---|---|---|---|---|---|---|
| 2000..... | 37 | - | 5 | 4 | 4 | 7 | 7 | 2 | 5 | 2 | 1 | - | - |
| 1999..... | 40 | - | 5 | - | 4 | 7 | 4 | 5 | 3 | 6 | 6 | - | - |

AMERICAN INDIAN 1/, MALE

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|---|---|---|---|---|---|---|
| 2000..... | 23 | - | 3 | 2 | 3 | 5 | 4 | 2 | 2 | 1 | 1 | - | - |
| 1999..... | 26 | - | 3 | - | 4 | 5 | 2 | 4 | - | 5 | 3 | - | - |

AMERICAN INDIAN 1/, FEMALE

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|---|---|---|---|---|---|---|
| 2000..... | 14 | - | 2 | 2 | 1 | 2 | 3 | - | 3 | 1 | - | - | - |
| 1999..... | 14 | - | 2 | - | - | 2 | 2 | 1 | 3 | 1 | 3 | - | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|

Accidental exposure to smoke, fire and flames (X00-X09)

ASIAN OR PACIFIC ISLANDER 2/, BOTH SEX

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|---|---|---|---|---|---|---|
| 2000..... | 34 | - | 4 | 3 | 3 | - | 5 | 7 | 2 | 4 | 5 | 1 | - |
| 1999..... | 36 | - | 8 | 1 | 4 | 7 | 5 | 4 | 1 | 4 | 1 | 1 | - |

ASIAN OR PACIFIC ISLANDER 2/, MALE

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|---|---|---|---|---|---|---|
| 2000..... | 16 | - | 2 | 1 | 1 | - | 4 | 4 | 1 | 2 | 1 | - | - |
| 1999..... | 23 | - | 4 | 1 | 2 | 6 | 4 | 3 | 1 | 1 | 1 | - | - |

ASIAN OR PACIFIC ISLANDER 2/, FEMALE

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|---|---|---|---|---|---|---|
| 2000..... | 18 | - | 2 | 2 | 2 | - | 1 | 3 | 1 | 2 | 4 | 1 | - |
| 1999..... | 13 | - | 4 | - | 2 | 1 | 1 | 1 | - | 3 | - | 1 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Accidental poisoning and exposure to noxious substances (X40-X49) | | | | | | | | | | | | | |
| ALL RACES, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 12,757 | 14 | 32 | 45 | 1,160 | 2,380 | 4,663 | 3,061 | 688 | 278 | 245 | 184 | 7 |
| 1999..... | 12,186 | 12 | 34 | 40 | 964 | 2,355 | 4,549 | 2,844 | 668 | 300 | 265 | 143 | 12 |
| ALL RACES, MALE | | | | | | | | | | | | | |
| 2000..... | 9,138 | 11 | 21 | 27 | 920 | 1,820 | 3,384 | 2,223 | 401 | 147 | 102 | 76 | 6 |
| 1999..... | 8,887 | 11 | 17 | 25 | 754 | 1,828 | 3,349 | 2,106 | 448 | 172 | 116 | 53 | 8 |
| ALL RACES, FEMALE | | | | | | | | | | | | | |
| 2000..... | 3,619 | 3 | 11 | 18 | 240 | 560 | 1,279 | 838 | 287 | 131 | 143 | 108 | 1 |
| 1999..... | 3,299 | 1 | 17 | 15 | 210 | 527 | 1,200 | 738 | 220 | 128 | 149 | 90 | 4 |
| WHITE, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 10,508 | 10 | 19 | 30 | 1,050 | 2,031 | 3,842 | 2,358 | 543 | 233 | 229 | 157 | 6 |
| 1999..... | 9,883 | 10 | 20 | 27 | 843 | 1,965 | 3,713 | 2,178 | 510 | 240 | 245 | 123 | 9 |
| WHITE, MALE | | | | | | | | | | | | | |
| 2000..... | 7,558 | 8 | 11 | 18 | 852 | 1,568 | 2,828 | 1,701 | 292 | 115 | 95 | 65 | 5 |
| 1999..... | 7,240 | 9 | 9 | 17 | 662 | 1,551 | 2,777 | 1,594 | 321 | 138 | 107 | 49 | 6 |
| WHITE, FEMALE | | | | | | | | | | | | | |
| 2000..... | 2,950 | 2 | 8 | 12 | 198 | 463 | 1,014 | 657 | 251 | 118 | 134 | 92 | 1 |
| 1999..... | 2,643 | 1 | 11 | 10 | 181 | 414 | 936 | 584 | 189 | 102 | 138 | 74 | 3 |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Accidental poisoning and exposure to noxious substances (X40-X49) | | | | | | | | | | | | | |
| BLACK, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 2,028 | 4 | 12 | 9 | 79 | 303 | 746 | 655 | 135 | 43 | 15 | 26 | 1 |
| 1999..... | 2,062 | 1 | 12 | 8 | 94 | 336 | 750 | 628 | 144 | 50 | 18 | 18 | 3 |
| BLACK, MALE | | | | | | | | | | | | | |
| 2000..... | 1,433 | 3 | 9 | 7 | 50 | 216 | 507 | 487 | 104 | 31 | 7 | 11 | 1 |
| 1999..... | 1,494 | 1 | 7 | 6 | 77 | 237 | 519 | 485 | 117 | 30 | 9 | 4 | 2 |
| BLACK, FEMALE | | | | | | | | | | | | | |
| 2000..... | 595 | 1 | 3 | 2 | 29 | 87 | 239 | 168 | 31 | 12 | 8 | 15 | - |
| 1999..... | 568 | - | 5 | 2 | 17 | 99 | 231 | 143 | 27 | 20 | 9 | 14 | 1 |
| AMERICAN INDIAN 1/, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 137 | - | - | 4 | 18 | 30 | 49 | 31 | 3 | 1 | - | 1 | - |
| 1999..... | 149 | 1 | 2 | 4 | 15 | 37 | 56 | 23 | 6 | 4 | - | 1 | - |
| AMERICAN INDIAN 1/, MALE | | | | | | | | | | | | | |
| 2000..... | 84 | - | - | - | 7 | 24 | 27 | 24 | 2 | - | - | - | - |
| 1999..... | 91 | 1 | 1 | 1 | 10 | 26 | 29 | 15 | 6 | 2 | - | - | - |
| AMERICAN INDIAN 1/, FEMALE | | | | | | | | | | | | | |
| 2000..... | 53 | - | - | 4 | 11 | 6 | 22 | 7 | 1 | 1 | - | 1 | - |
| 1999..... | 58 | - | 1 | 3 | 5 | 11 | 27 | 8 | - | 2 | - | 1 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|

Accidental poisoning and exposure to noxious substances (X40-X49)

ASIAN OR PACIFIC ISLANDER 2/, BOTH SEX

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|----|----|----|----|---|---|---|---|---|
| 2000..... | 84 | - | 1 | 2 | 13 | 16 | 26 | 17 | 7 | 1 | 1 | - | - |
| 1999..... | 92 | - | - | 1 | 12 | 17 | 30 | 15 | 8 | 6 | 2 | 1 | - |

ASIAN OR PACIFIC ISLANDER 2/, MALE

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|----|----|----|----|---|---|---|---|---|
| 2000..... | 63 | - | 1 | 2 | 11 | 12 | 22 | 11 | 3 | 1 | - | - | - |
| 1999..... | 62 | - | - | 1 | 5 | 14 | 24 | 12 | 4 | 2 | - | - | - |

ASIAN OR PACIFIC ISLANDER 2/, FEMALE

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|---|---|---|---|---|---|---|
| 2000..... | 21 | - | - | - | 2 | 4 | 4 | 6 | 4 | - | 1 | - | - |
| 1999..... | 30 | - | - | - | 7 | 3 | 6 | 3 | 4 | 4 | 2 | 1 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|---|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Other and unspecified nontransport accidents and their sequelae (W20-W31,W35-W64,W75-W99,X10-X39,X50-X59,Y86) | | | | | | | | | | | | | |
| ALL RACES, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 17,437 | 572 | 266 | 267 | 648 | 895 | 1,446 | 1,510 | 1,349 | 1,824 | 3,678 | 4,966 | 16 |
| 1999..... | 18,388 | 523 | 293 | 316 | 662 | 887 | 1,452 | 1,496 | 1,332 | 2,032 | 4,025 | 5,355 | 15 |
| ALL RACES, MALE | | | | | | | | | | | | | |
| 2000..... | 9,960 | 327 | 162 | 192 | 560 | 767 | 1,205 | 1,219 | 971 | 1,081 | 1,801 | 1,659 | 16 |
| 1999..... | 10,371 | 314 | 183 | 221 | 565 | 748 | 1,181 | 1,176 | 951 | 1,227 | 1,969 | 1,822 | 14 |
| ALL RACES, FEMALE | | | | | | | | | | | | | |
| 2000..... | 7,477 | 245 | 104 | 75 | 88 | 128 | 241 | 291 | 378 | 743 | 1,877 | 3,307 | - |
| 1999..... | 8,017 | 209 | 110 | 95 | 97 | 139 | 271 | 320 | 381 | 805 | 2,056 | 3,533 | 1 |
| WHITE, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 15,074 | 362 | 194 | 212 | 535 | 748 | 1,195 | 1,216 | 1,117 | 1,536 | 3,320 | 4,625 | 14 |
| 1999..... | 15,859 | 335 | 215 | 257 | 567 | 726 | 1,222 | 1,192 | 1,059 | 1,707 | 3,581 | 4,985 | 13 |
| WHITE, MALE | | | | | | | | | | | | | |
| 2000..... | 8,437 | 213 | 122 | 155 | 467 | 649 | 1,004 | 978 | 794 | 915 | 1,600 | 1,526 | 14 |
| 1999..... | 8,781 | 197 | 132 | 183 | 483 | 623 | 997 | 938 | 763 | 1,026 | 1,752 | 1,675 | 12 |
| WHITE, FEMALE | | | | | | | | | | | | | |
| 2000..... | 6,637 | 149 | 72 | 57 | 68 | 99 | 191 | 238 | 323 | 621 | 1,720 | 3,099 | - |
| 1999..... | 7,078 | 138 | 83 | 74 | 84 | 103 | 225 | 254 | 296 | 681 | 1,829 | 3,310 | 1 |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|

Other and unspecified nontransport accidents and their sequelae (W20-W31,W35-W64,W75-W99,X10-X39,X50-X59,Y86)

BLACK, BOTH SEXES

| | | | | | | | | | | | | | |
|-----------|-------|-----|----|----|----|-----|-----|-----|-----|-----|-----|-----|---|
| 2000..... | 1,990 | 188 | 57 | 49 | 90 | 120 | 201 | 239 | 200 | 247 | 309 | 288 | 2 |
| 1999..... | 2,205 | 169 | 63 | 47 | 75 | 133 | 195 | 267 | 239 | 295 | 389 | 331 | 2 |

BLACK, MALE

| | | | | | | | | | | | | | |
|-----------|-------|-----|----|----|----|-----|-----|-----|-----|-----|-----|-----|---|
| 2000..... | 1,268 | 100 | 32 | 34 | 73 | 95 | 162 | 197 | 151 | 139 | 175 | 108 | 2 |
| 1999..... | 1,378 | 102 | 43 | 32 | 68 | 103 | 154 | 207 | 167 | 183 | 186 | 131 | 2 |

BLACK, FEMALE

| | | | | | | | | | | | | | |
|-----------|-----|----|----|----|----|----|----|----|----|-----|-----|-----|---|
| 2000..... | 722 | 88 | 25 | 15 | 17 | 25 | 39 | 42 | 49 | 108 | 134 | 180 | - |
| 1999..... | 827 | 67 | 20 | 15 | 7 | 30 | 41 | 60 | 72 | 112 | 203 | 200 | - |

AMERICAN INDIAN 1/, BOTH SEXES

| | | | | | | | | | | | | | |
|-----------|-----|----|---|---|----|----|----|----|----|----|----|---|---|
| 2000..... | 176 | 10 | 6 | 3 | 11 | 11 | 33 | 40 | 20 | 17 | 19 | 6 | - |
| 1999..... | 165 | 8 | 7 | 6 | 11 | 19 | 23 | 25 | 21 | 15 | 21 | 9 | - |

AMERICAN INDIAN 1/, MALE

| | | | | | | | | | | | | | |
|-----------|-----|---|---|---|---|----|----|----|----|----|----|---|---|
| 2000..... | 126 | 7 | 4 | 2 | 9 | 8 | 26 | 33 | 16 | 11 | 8 | 2 | - |
| 1999..... | 116 | 5 | 4 | 2 | 7 | 15 | 20 | 23 | 15 | 11 | 10 | 4 | - |

AMERICAN INDIAN 1/, FEMALE

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|---|---|---|---|----|---|---|
| 2000..... | 50 | 3 | 2 | 1 | 2 | 3 | 7 | 7 | 4 | 6 | 11 | 4 | - |
| 1999..... | 49 | 3 | 3 | 4 | 4 | 4 | 3 | 2 | 6 | 4 | 11 | 5 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|

Other and unspecified nontransport accidents and their sequelae (W20-W31,W35-W64,W75-W99,X10-X39,X50-X59,Y86)

ASIAN OR PACIFIC ISLANDER 2/, BOTH SEX

| | | | | | | | | | | | | | |
|-----------|-----|----|---|---|----|----|----|----|----|----|----|----|---|
| 2000..... | 197 | 12 | 9 | 3 | 12 | 16 | 17 | 15 | 12 | 24 | 30 | 47 | - |
| 1999..... | 159 | 11 | 8 | 6 | 9 | 9 | 12 | 12 | 13 | 15 | 34 | 30 | - |

ASIAN OR PACIFIC ISLANDER 2/, MALE

| | | | | | | | | | | | | | |
|-----------|-----|----|---|---|----|----|----|----|----|----|----|----|---|
| 2000..... | 129 | 7 | 4 | 1 | 11 | 15 | 13 | 11 | 10 | 16 | 18 | 23 | - |
| 1999..... | 96 | 10 | 4 | 4 | 7 | 7 | 10 | 8 | 6 | 7 | 21 | 12 | - |

ASIAN OR PACIFIC ISLANDER 2/, FEMALE

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|---|---|---|---|----|----|---|
| 2000..... | 68 | 5 | 5 | 2 | 1 | 1 | 4 | 4 | 2 | 8 | 12 | 24 | - |
| 1999..... | 63 | 1 | 4 | 2 | 2 | 2 | 2 | 4 | 7 | 8 | 13 | 18 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Intentional self-harm (suicide) (X60-X84,Y87.0) | | | | | | | | | | | | | |
| ALL RACES, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 29,350 | ... | ... | 307 | 3,994 | 4,792 | 6,562 | 5,437 | 2,945 | 2,292 | 2,181 | 833 | 7 |
| 1999..... | 29,199 | ... | ... | 244 | 3,901 | 5,106 | 6,466 | 5,081 | 2,896 | 2,471 | 2,217 | 801 | 16 |
| ALL RACES, MALE | | | | | | | | | | | | | |
| 2000..... | 23,618 | ... | ... | 244 | 3,424 | 3,938 | 5,114 | 4,149 | 2,265 | 1,888 | 1,884 | 705 | 7 |
| 1999..... | 23,458 | ... | ... | 194 | 3,326 | 4,194 | 5,019 | 3,854 | 2,255 | 2,051 | 1,868 | 681 | 16 |
| ALL RACES, FEMALE | | | | | | | | | | | | | |
| 2000..... | 5,732 | ... | ... | 63 | 570 | 854 | 1,448 | 1,288 | 680 | 404 | 297 | 128 | - |
| 1999..... | 5,741 | ... | ... | 50 | 575 | 912 | 1,447 | 1,227 | 641 | 420 | 349 | 120 | - |
| WHITE, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 26,475 | ... | ... | 254 | 3,315 | 4,084 | 5,942 | 5,035 | 2,775 | 2,168 | 2,090 | 806 | 6 |
| 1999..... | 26,300 | ... | ... | 206 | 3,219 | 4,346 | 5,860 | 4,720 | 2,698 | 2,330 | 2,129 | 779 | 13 |
| WHITE, MALE | | | | | | | | | | | | | |
| 2000..... | 21,293 | ... | ... | 200 | 2,853 | 3,363 | 4,620 | 3,834 | 2,133 | 1,784 | 1,817 | 683 | 6 |
| 1999..... | 21,107 | ... | ... | 164 | 2,751 | 3,567 | 4,535 | 3,573 | 2,099 | 1,940 | 1,801 | 664 | 13 |
| WHITE, FEMALE | | | | | | | | | | | | | |
| 2000..... | 5,182 | ... | ... | 54 | 462 | 721 | 1,322 | 1,201 | 642 | 384 | 273 | 123 | - |
| 1999..... | 5,193 | ... | ... | 42 | 468 | 779 | 1,325 | 1,147 | 599 | 390 | 328 | 115 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Intentional self-harm (suicide) (X60-X84,Y87.0) | | | | | | | | | | | | | |
| BLACK, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 1,962 | ... | ... | 40 | 480 | 476 | 438 | 275 | 103 | 85 | 53 | 12 | - |
| 1999..... | 1,950 | ... | ... | 29 | 470 | 503 | 435 | 230 | 118 | 96 | 52 | 15 | 2 |
| BLACK, MALE | | | | | | | | | | | | | |
| 2000..... | 1,636 | ... | ... | 35 | 415 | 402 | 356 | 219 | 82 | 76 | 40 | 11 | - |
| 1999..... | 1,651 | ... | ... | 22 | 414 | 436 | 356 | 187 | 97 | 80 | 45 | 12 | 2 |
| BLACK, FEMALE | | | | | | | | | | | | | |
| 2000..... | 326 | ... | ... | 5 | 65 | 74 | 82 | 56 | 21 | 9 | 13 | 1 | - |
| 1999..... | 299 | ... | ... | 7 | 56 | 67 | 79 | 43 | 21 | 16 | 7 | 3 | - |
| AMERICAN INDIAN 1/, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 297 | ... | ... | 7 | 89 | 78 | 67 | 31 | 16 | 8 | 1 | - | - |
| 1999..... | 291 | ... | ... | 2 | 95 | 91 | 49 | 31 | 12 | 9 | 2 | - | - |
| AMERICAN INDIAN 1/, MALE | | | | | | | | | | | | | |
| 2000..... | 237 | ... | ... | 6 | 71 | 59 | 53 | 24 | 15 | 8 | 1 | - | - |
| 1999..... | 233 | ... | ... | 2 | 79 | 72 | 38 | 24 | 7 | 9 | 2 | - | - |
| AMERICAN INDIAN 1/, FEMALE | | | | | | | | | | | | | |
| 2000..... | 60 | ... | ... | 1 | 18 | 19 | 14 | 7 | 1 | - | - | - | - |
| 1999..... | 58 | ... | ... | - | 16 | 19 | 11 | 7 | 5 | - | - | - | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|

Intentional self-harm (suicide) (X60-X84,Y87.0)

ASIAN OR PACIFIC ISLANDER 2/, BOTH SEX

| | | | | | | | | | | | | | |
|-----------|-----|-----|-----|---|-----|-----|-----|-----|----|----|----|----|---|
| 2000..... | 616 | ... | ... | 6 | 110 | 154 | 115 | 96 | 51 | 31 | 37 | 15 | 1 |
| 1999..... | 658 | ... | ... | 7 | 117 | 166 | 122 | 100 | 68 | 36 | 34 | 7 | 1 |

ASIAN OR PACIFIC ISLANDER 2/, MALE

| | | | | | | | | | | | | | |
|-----------|-----|-----|-----|---|----|-----|----|----|----|----|----|----|---|
| 2000..... | 452 | ... | ... | 3 | 85 | 114 | 85 | 72 | 35 | 20 | 26 | 11 | 1 |
| 1999..... | 467 | ... | ... | 6 | 82 | 119 | 90 | 70 | 52 | 22 | 20 | 5 | 1 |

ASIAN OR PACIFIC ISLANDER 2/, FEMALE

| | | | | | | | | | | | | | |
|-----------|-----|-----|-----|---|----|----|----|----|----|----|----|---|---|
| 2000..... | 164 | ... | ... | 3 | 25 | 40 | 30 | 24 | 16 | 11 | 11 | 4 | - |
| 1999..... | 191 | ... | ... | 1 | 35 | 47 | 32 | 30 | 16 | 14 | 14 | 2 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Intentional self-harm (suicide) by discharge of firearms (X72-X74) | | | | | | | | | | | | | |
| ALL RACES, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 16,586 | ... | ... | 110 | 2,267 | 2,453 | 3,191 | 2,858 | 1,833 | 1,700 | 1,611 | 558 | 5 |
| 1999..... | 16,599 | ... | ... | 103 | 2,315 | 2,621 | 3,097 | 2,677 | 1,860 | 1,791 | 1,606 | 524 | 5 |
| ALL RACES, MALE | | | | | | | | | | | | | |
| 2000..... | 14,454 | ... | ... | 90 | 2,043 | 2,123 | 2,657 | 2,409 | 1,568 | 1,528 | 1,505 | 526 | 5 |
| 1999..... | 14,479 | ... | ... | 80 | 2,083 | 2,270 | 2,586 | 2,251 | 1,594 | 1,615 | 1,499 | 496 | 5 |
| ALL RACES, FEMALE | | | | | | | | | | | | | |
| 2000..... | 2,132 | ... | ... | 20 | 224 | 330 | 534 | 449 | 265 | 172 | 106 | 32 | - |
| 1999..... | 2,120 | ... | ... | 23 | 232 | 351 | 511 | 426 | 266 | 176 | 107 | 28 | - |
| WHITE, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 15,174 | ... | ... | 103 | 1,878 | 2,098 | 2,933 | 2,680 | 1,732 | 1,626 | 1,573 | 547 | 4 |
| 1999..... | 15,135 | ... | ... | 94 | 1,899 | 2,253 | 2,833 | 2,514 | 1,754 | 1,714 | 1,557 | 512 | 5 |
| WHITE, MALE | | | | | | | | | | | | | |
| 2000..... | 13,214 | ... | ... | 86 | 1,693 | 1,815 | 2,431 | 2,261 | 1,479 | 1,457 | 1,473 | 515 | 4 |
| 1999..... | 13,167 | ... | ... | 72 | 1,707 | 1,938 | 2,349 | 2,113 | 1,499 | 1,545 | 1,454 | 485 | 5 |
| WHITE, FEMALE | | | | | | | | | | | | | |
| 2000..... | 1,960 | ... | ... | 17 | 185 | 283 | 502 | 419 | 253 | 169 | 100 | 32 | - |
| 1999..... | 1,968 | ... | ... | 22 | 192 | 315 | 484 | 401 | 255 | 169 | 103 | 27 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|

Intentional self-harm (suicide) by discharge of firearms (X72-X74)

BLACK, BOTH SEXES

| | | | | | | | | | | | | | |
|-----------|-------|-----|-----|---|-----|-----|-----|-----|----|----|----|----|---|
| 2000..... | 1,090 | ... | ... | 4 | 308 | 272 | 194 | 138 | 72 | 62 | 32 | 8 | - |
| 1999..... | 1,125 | ... | ... | 5 | 327 | 272 | 199 | 120 | 82 | 65 | 43 | 12 | - |

BLACK, MALE

| | | | | | | | | | | | | | |
|-----------|-------|-----|-----|---|-----|-----|-----|-----|----|----|----|----|---|
| 2000..... | 965 | ... | ... | 4 | 281 | 240 | 169 | 114 | 62 | 60 | 27 | 8 | - |
| 1999..... | 1,018 | ... | ... | 4 | 298 | 250 | 179 | 104 | 74 | 59 | 39 | 11 | - |

BLACK, FEMALE

| | | | | | | | | | | | | | |
|-----------|-----|-----|-----|---|----|----|----|----|----|---|---|---|---|
| 2000..... | 125 | ... | ... | - | 27 | 32 | 25 | 24 | 10 | 2 | 5 | - | - |
| 1999..... | 107 | ... | ... | 1 | 29 | 22 | 20 | 16 | 8 | 6 | 4 | 1 | - |

AMERICAN INDIAN 1/, BOTH SEXES

| | | | | | | | | | | | | | |
|-----------|-----|-----|-----|---|----|----|----|----|----|---|---|---|---|
| 2000..... | 133 | ... | ... | 1 | 43 | 27 | 25 | 18 | 11 | 7 | 1 | - | - |
| 1999..... | 136 | ... | ... | 1 | 49 | 37 | 22 | 15 | 4 | 6 | 2 | - | - |

AMERICAN INDIAN 1/, MALE

| | | | | | | | | | | | | | |
|-----------|-----|-----|-----|---|----|----|----|----|----|---|---|---|---|
| 2000..... | 109 | ... | ... | - | 37 | 20 | 20 | 13 | 11 | 7 | 1 | - | - |
| 1999..... | 120 | ... | ... | 1 | 43 | 32 | 20 | 13 | 3 | 6 | 2 | - | - |

AMERICAN INDIAN 1/, FEMALE

| | | | | | | | | | | | | | |
|-----------|----|-----|-----|---|---|---|---|---|---|---|---|---|---|
| 2000..... | 24 | ... | ... | 1 | 6 | 7 | 5 | 5 | - | - | - | - | - |
| 1999..... | 16 | ... | ... | - | 6 | 5 | 2 | 2 | 1 | - | - | - | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|

Intentional self-harm (suicide) by discharge of firearms (X72-X74)

ASIAN OR PACIFIC ISLANDER 2/, BOTH SEX

| | | | | | | | | | | | | | |
|-----------|-----|-----|-----|---|----|----|----|----|----|---|---|---|---|
| 2000..... | 189 | ... | ... | 2 | 38 | 56 | 39 | 22 | 18 | 5 | 5 | 3 | 1 |
| 1999..... | 203 | ... | ... | 3 | 40 | 59 | 43 | 28 | 20 | 6 | 4 | - | - |

ASIAN OR PACIFIC ISLANDER 2/, MALE

| | | | | | | | | | | | | | |
|-----------|-----|-----|-----|---|----|----|----|----|----|---|---|---|---|
| 2000..... | 166 | ... | ... | - | 32 | 48 | 37 | 21 | 16 | 4 | 4 | 3 | 1 |
| 1999..... | 174 | ... | ... | 3 | 35 | 50 | 38 | 21 | 18 | 5 | 4 | - | - |

ASIAN OR PACIFIC ISLANDER 2/, FEMALE

| | | | | | | | | | | | | | |
|-----------|----|-----|-----|---|---|---|---|---|---|---|---|---|---|
| 2000..... | 23 | ... | ... | 2 | 6 | 8 | 2 | 1 | 2 | 1 | 1 | - | - |
| 1999..... | 29 | ... | ... | - | 5 | 9 | 5 | 7 | 2 | 1 | - | - | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|---|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|---|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Intentional self-harm (suicide) by other and unspecified means and their sequelae (X60-X71,X75-X84,Y87.0)

ALL RACES, BOTH SEXES

| | | | | | | | | | | | | | |
|-----------|--------|-----|-----|-----|-------|-------|-------|-------|-------|-----|-----|-----|----|
| 2000..... | 12,764 | ... | ... | 197 | 1,727 | 2,339 | 3,371 | 2,579 | 1,112 | 592 | 570 | 275 | 2 |
| 1999..... | 12,600 | ... | ... | 141 | 1,586 | 2,485 | 3,369 | 2,404 | 1,036 | 680 | 611 | 277 | 11 |

ALL RACES, MALE

| | | | | | | | | | | | | | |
|-----------|-------|-----|-----|-----|-------|-------|-------|-------|-----|-----|-----|-----|----|
| 2000..... | 9,164 | ... | ... | 154 | 1,381 | 1,815 | 2,457 | 1,740 | 697 | 360 | 379 | 179 | 2 |
| 1999..... | 8,979 | ... | ... | 114 | 1,243 | 1,924 | 2,433 | 1,603 | 661 | 436 | 369 | 185 | 11 |

ALL RACES, FEMALE

| | | | | | | | | | | | | | |
|-----------|-------|-----|-----|----|-----|-----|-----|-----|-----|-----|-----|----|---|
| 2000..... | 3,600 | ... | ... | 43 | 346 | 524 | 914 | 839 | 415 | 232 | 191 | 96 | - |
| 1999..... | 3,621 | ... | ... | 27 | 343 | 561 | 936 | 801 | 375 | 244 | 242 | 92 | - |

WHITE, BOTH SEXES

| | | | | | | | | | | | | | |
|-----------|--------|-----|-----|-----|-------|-------|-------|-------|-------|-----|-----|-----|---|
| 2000..... | 11,301 | ... | ... | 151 | 1,437 | 1,986 | 3,009 | 2,355 | 1,043 | 542 | 517 | 259 | 2 |
| 1999..... | 11,165 | ... | ... | 112 | 1,320 | 2,093 | 3,027 | 2,206 | 944 | 616 | 572 | 267 | 8 |

WHITE, MALE

| | | | | | | | | | | | | | |
|-----------|-------|-----|-----|-----|-------|-------|-------|-------|-----|-----|-----|-----|---|
| 2000..... | 8,079 | ... | ... | 114 | 1,160 | 1,548 | 2,189 | 1,573 | 654 | 327 | 344 | 168 | 2 |
| 1999..... | 7,940 | ... | ... | 92 | 1,044 | 1,629 | 2,186 | 1,460 | 600 | 395 | 347 | 179 | 8 |

WHITE, FEMALE

| | | | | | | | | | | | | | |
|-----------|-------|-----|-----|----|-----|-----|-----|-----|-----|-----|-----|----|---|
| 2000..... | 3,222 | ... | ... | 37 | 277 | 438 | 820 | 782 | 389 | 215 | 173 | 91 | - |
| 1999..... | 3,225 | ... | ... | 20 | 276 | 464 | 841 | 746 | 344 | 221 | 225 | 88 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|

Intentional self-harm (suicide) by other and unspecified means and their sequelae (X60-X71,X75-X84,Y87.0)

BLACK, BOTH SEXES

| | | | | | | | | | | | | | |
|-----------|-----|-----|-----|----|-----|-----|-----|-----|----|----|----|---|---|
| 2000..... | 872 | ... | ... | 36 | 172 | 204 | 244 | 137 | 31 | 23 | 21 | 4 | - |
| 1999..... | 825 | ... | ... | 24 | 143 | 231 | 236 | 110 | 36 | 31 | 9 | 3 | 2 |

BLACK, MALE

| | | | | | | | | | | | | | |
|-----------|-----|-----|-----|----|-----|-----|-----|-----|----|----|----|---|---|
| 2000..... | 671 | ... | ... | 31 | 134 | 162 | 187 | 105 | 20 | 16 | 13 | 3 | - |
| 1999..... | 633 | ... | ... | 18 | 116 | 186 | 177 | 83 | 23 | 21 | 6 | 1 | 2 |

BLACK, FEMALE

| | | | | | | | | | | | | | |
|-----------|-----|-----|-----|---|----|----|----|----|----|----|---|---|---|
| 2000..... | 201 | ... | ... | 5 | 38 | 42 | 57 | 32 | 11 | 7 | 8 | 1 | - |
| 1999..... | 192 | ... | ... | 6 | 27 | 45 | 59 | 27 | 13 | 10 | 3 | 2 | - |

AMERICAN INDIAN 1/, BOTH SEXES

| | | | | | | | | | | | | | |
|-----------|-----|-----|-----|---|----|----|----|----|---|---|---|---|---|
| 2000..... | 164 | ... | ... | 6 | 46 | 51 | 42 | 13 | 5 | 1 | - | - | - |
| 1999..... | 155 | ... | ... | 1 | 46 | 54 | 27 | 16 | 8 | 3 | - | - | - |

AMERICAN INDIAN 1/, MALE

| | | | | | | | | | | | | | |
|-----------|-----|-----|-----|---|----|----|----|----|---|---|---|---|---|
| 2000..... | 128 | ... | ... | 6 | 34 | 39 | 33 | 11 | 4 | 1 | - | - | - |
| 1999..... | 113 | ... | ... | 1 | 36 | 40 | 18 | 11 | 4 | 3 | - | - | - |

AMERICAN INDIAN 1/, FEMALE

| | | | | | | | | | | | | | |
|-----------|----|-----|-----|---|----|----|---|---|---|---|---|---|---|
| 2000..... | 36 | ... | ... | - | 12 | 12 | 9 | 2 | 1 | - | - | - | - |
| 1999..... | 42 | ... | ... | - | 10 | 14 | 9 | 5 | 4 | - | - | - | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|

Intentional self-harm (suicide) by other and unspecified means and their sequelae (X60-X71,X75-X84,Y87.0)

ASIAN OR PACIFIC ISLANDER 2/, BOTH SEX

| | | | | | | | | | | | | | |
|-----------|-----|-----|-----|---|----|-----|----|----|----|----|----|----|---|
| 2000..... | 427 | ... | ... | 4 | 72 | 98 | 76 | 74 | 33 | 26 | 32 | 12 | - |
| 1999..... | 455 | ... | ... | 4 | 77 | 107 | 79 | 72 | 48 | 30 | 30 | 7 | 1 |

ASIAN OR PACIFIC ISLANDER 2/, MALE

| | | | | | | | | | | | | | |
|-----------|-----|-----|-----|---|----|----|----|----|----|----|----|---|---|
| 2000..... | 286 | ... | ... | 3 | 53 | 66 | 48 | 51 | 19 | 16 | 22 | 8 | - |
| 1999..... | 293 | ... | ... | 3 | 47 | 69 | 52 | 49 | 34 | 17 | 16 | 5 | 1 |

ASIAN OR PACIFIC ISLANDER 2/, FEMALE

| | | | | | | | | | | | | | |
|-----------|-----|-----|-----|---|----|----|----|----|----|----|----|---|---|
| 2000..... | 141 | ... | ... | 1 | 19 | 32 | 28 | 23 | 14 | 10 | 10 | 4 | - |
| 1999..... | 162 | ... | ... | 1 | 30 | 38 | 27 | 23 | 14 | 13 | 14 | 2 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Assault (homicide) (X85-Y09,Y87.1) | | | | | | | | | | | | | |
| ALL RACES, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 16,765 | 349 | 356 | 371 | 4,939 | 4,164 | 3,219 | 1,755 | 738 | 443 | 301 | 100 | 30 |
| 1999..... | 16,889 | 331 | 376 | 432 | 4,998 | 4,231 | 3,206 | 1,668 | 722 | 473 | 304 | 99 | 49 |
| ALL RACES, MALE | | | | | | | | | | | | | |
| 2000..... | 12,820 | 203 | 198 | 227 | 4,203 | 3,361 | 2,319 | 1,284 | 537 | 279 | 154 | 40 | 15 |
| 1999..... | 12,785 | 187 | 194 | 250 | 4,191 | 3,346 | 2,307 | 1,229 | 541 | 304 | 162 | 41 | 33 |
| ALL RACES, FEMALE | | | | | | | | | | | | | |
| 2000..... | 3,945 | 146 | 158 | 144 | 736 | 803 | 900 | 471 | 201 | 164 | 147 | 60 | 15 |
| 1999..... | 4,104 | 144 | 182 | 182 | 807 | 885 | 899 | 439 | 181 | 169 | 142 | 58 | 16 |
| WHITE, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 8,339 | 197 | 199 | 240 | 1,981 | 1,814 | 1,725 | 1,048 | 497 | 303 | 227 | 83 | 25 |
| 1999..... | 8,628 | 200 | 208 | 261 | 2,064 | 1,926 | 1,766 | 1,016 | 496 | 353 | 225 | 79 | 34 |
| WHITE, MALE | | | | | | | | | | | | | |
| 2000..... | 5,925 | 125 | 114 | 148 | 1,583 | 1,356 | 1,202 | 718 | 350 | 176 | 109 | 31 | 13 |
| 1999..... | 6,162 | 121 | 108 | 148 | 1,622 | 1,445 | 1,240 | 737 | 356 | 216 | 117 | 29 | 23 |
| WHITE, FEMALE | | | | | | | | | | | | | |
| 2000..... | 2,414 | 72 | 85 | 92 | 398 | 458 | 523 | 330 | 147 | 127 | 118 | 52 | 12 |
| 1999..... | 2,466 | 79 | 100 | 113 | 442 | 481 | 526 | 279 | 140 | 137 | 108 | 50 | 11 |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Assault (homicide) (X85-Y09,Y87.1) | | | | | | | | | | | | | |
| BLACK, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 7,867 | 140 | 145 | 124 | 2,819 | 2,224 | 1,376 | 628 | 204 | 125 | 64 | 14 | 4 |
| 1999..... | 7,648 | 118 | 152 | 147 | 2,781 | 2,157 | 1,325 | 569 | 195 | 104 | 67 | 19 | 14 |
| BLACK, MALE | | | | | | | | | | | | | |
| 2000..... | 6,482 | 73 | 75 | 72 | 2,501 | 1,911 | 1,040 | 508 | 160 | 95 | 39 | 7 | 1 |
| 1999..... | 6,214 | 60 | 75 | 91 | 2,453 | 1,800 | 996 | 439 | 160 | 80 | 39 | 11 | 10 |
| BLACK, FEMALE | | | | | | | | | | | | | |
| 2000..... | 1,385 | 67 | 70 | 52 | 318 | 313 | 336 | 120 | 44 | 30 | 25 | 7 | 3 |
| 1999..... | 1,434 | 58 | 77 | 56 | 328 | 357 | 329 | 130 | 35 | 24 | 28 | 8 | 4 |
| AMERICAN INDIAN 1/, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 203 | 5 | 8 | 1 | 51 | 59 | 46 | 18 | 6 | 4 | 2 | 2 | 1 |
| 1999..... | 253 | 5 | 6 | 9 | 60 | 73 | 44 | 33 | 11 | 7 | 5 | - | - |
| AMERICAN INDIAN 1/, MALE | | | | | | | | | | | | | |
| 2000..... | 159 | 3 | 6 | 1 | 46 | 46 | 32 | 14 | 4 | 3 | 1 | 2 | 1 |
| 1999..... | 179 | 3 | 4 | 4 | 45 | 50 | 30 | 24 | 9 | 6 | 4 | - | - |
| AMERICAN INDIAN 1/, FEMALE | | | | | | | | | | | | | |
| 2000..... | 44 | 2 | 2 | - | 5 | 13 | 14 | 4 | 2 | 1 | 1 | - | - |
| 1999..... | 74 | 2 | 2 | 5 | 15 | 23 | 14 | 9 | 2 | 1 | 1 | - | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Assault (homicide) (X85-Y09,Y87.1) | | | | | | | | | | | | | |

ASIAN OR PACIFIC ISLANDER 2/, BOTH SEX

| | | | | | | | | | | | | | |
|-----------|-----|---|----|----|----|----|----|----|----|----|---|---|---|
| 2000..... | 356 | 7 | 4 | 6 | 88 | 67 | 72 | 61 | 31 | 11 | 8 | 1 | - |
| 1999..... | 360 | 8 | 10 | 15 | 93 | 75 | 71 | 50 | 20 | 9 | 7 | 1 | 1 |

ASIAN OR PACIFIC ISLANDER 2/, MALE

| | | | | | | | | | | | | | |
|-----------|-----|---|---|---|----|----|----|----|----|---|---|---|---|
| 2000..... | 254 | 2 | 3 | 6 | 73 | 48 | 45 | 44 | 23 | 5 | 5 | - | - |
| 1999..... | 230 | 3 | 7 | 7 | 71 | 51 | 41 | 29 | 16 | 2 | 2 | 1 | - |

ASIAN OR PACIFIC ISLANDER 2/, FEMALE

| | | | | | | | | | | | | | |
|-----------|-----|---|---|---|----|----|----|----|---|---|---|---|---|
| 2000..... | 102 | 5 | 1 | - | 15 | 19 | 27 | 17 | 8 | 6 | 3 | 1 | - |
| 1999..... | 130 | 5 | 3 | 8 | 22 | 24 | 30 | 21 | 4 | 7 | 5 | - | 1 |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Assault (homicide) by discharge of firearms (X93-X95) | | | | | | | | | | | | | |
| ALL RACES, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 10,801 | 12 | 28 | 187 | 3,963 | 3,074 | 1,906 | 959 | 367 | 184 | 81 | 28 | 12 |
| 1999..... | 10,828 | 8 | 50 | 224 | 4,038 | 3,048 | 1,868 | 893 | 373 | 193 | 95 | 23 | 15 |
| ALL RACES, MALE | | | | | | | | | | | | | |
| 2000..... | 9,006 | 9 | 17 | 138 | 3,548 | 2,650 | 1,487 | 730 | 266 | 108 | 37 | 9 | 7 |
| 1999..... | 8,944 | 5 | 26 | 155 | 3,569 | 2,609 | 1,414 | 676 | 294 | 124 | 48 | 10 | 14 |
| ALL RACES, FEMALE | | | | | | | | | | | | | |
| 2000..... | 1,795 | 3 | 11 | 49 | 415 | 424 | 419 | 229 | 101 | 76 | 44 | 19 | 5 |
| 1999..... | 1,884 | 3 | 24 | 69 | 469 | 439 | 454 | 217 | 79 | 69 | 47 | 13 | 1 |
| WHITE, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 4,806 | 5 | 17 | 114 | 1,434 | 1,192 | 985 | 567 | 260 | 134 | 64 | 24 | 10 |
| 1999..... | 4,918 | 4 | 26 | 127 | 1,484 | 1,237 | 1,011 | 526 | 252 | 148 | 72 | 21 | 10 |
| WHITE, MALE | | | | | | | | | | | | | |
| 2000..... | 3,686 | 2 | 9 | 81 | 1,224 | 955 | 724 | 406 | 177 | 70 | 25 | 8 | 5 |
| 1999..... | 3,820 | 4 | 14 | 86 | 1,255 | 1,008 | 736 | 392 | 186 | 90 | 31 | 9 | 9 |
| WHITE, FEMALE | | | | | | | | | | | | | |
| 2000..... | 1,120 | 3 | 8 | 33 | 210 | 237 | 261 | 161 | 83 | 64 | 39 | 16 | 5 |
| 1999..... | 1,098 | - | 12 | 41 | 229 | 229 | 275 | 134 | 66 | 58 | 41 | 12 | 1 |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Assault (homicide) by discharge of firearms (X93-X95) | | | | | | | | | | | | | |
| BLACK, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 5,699 | 7 | 8 | 69 | 2,434 | 1,812 | 863 | 354 | 85 | 45 | 17 | 4 | 1 |
| 1999..... | 5,577 | 2 | 18 | 82 | 2,450 | 1,724 | 804 | 326 | 104 | 39 | 21 | 2 | 5 |
| BLACK, MALE | | | | | | | | | | | | | |
| 2000..... | 5,084 | 7 | 5 | 53 | 2,243 | 1,637 | 723 | 296 | 69 | 37 | 12 | 1 | 1 |
| 1999..... | 4,883 | 1 | 7 | 61 | 2,227 | 1,537 | 643 | 260 | 94 | 31 | 16 | 1 | 5 |
| BLACK, FEMALE | | | | | | | | | | | | | |
| 2000..... | 615 | - | 3 | 16 | 191 | 175 | 140 | 58 | 16 | 8 | 5 | 3 | - |
| 1999..... | 694 | 1 | 11 | 21 | 223 | 187 | 161 | 66 | 10 | 8 | 5 | 1 | - |
| AMERICAN INDIAN 1/, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 86 | - | 2 | - | 32 | 27 | 17 | 4 | 2 | 1 | - | - | 1 |
| 1999..... | 104 | 2 | 2 | 6 | 33 | 30 | 11 | 12 | 4 | 3 | 1 | - | - |
| AMERICAN INDIAN 1/, MALE | | | | | | | | | | | | | |
| 2000..... | 70 | - | 2 | - | 29 | 22 | 11 | 3 | 2 | - | - | - | 1 |
| 1999..... | 82 | - | 2 | 4 | 29 | 24 | 7 | 8 | 4 | 3 | 1 | - | - |
| AMERICAN INDIAN 1/, FEMALE | | | | | | | | | | | | | |
| 2000..... | 16 | - | - | - | 3 | 5 | 6 | 1 | - | 1 | - | - | - |
| 1999..... | 22 | 2 | - | 2 | 4 | 6 | 4 | 4 | - | - | - | - | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|

Assault (homicide) by discharge of firearms (X93-X95)

ASIAN OR PACIFIC ISLANDER 2/, BOTH SEX

| | | | | | | | | | | | | | |
|-----------|-----|---|---|---|----|----|----|----|----|---|---|---|---|
| 2000..... | 210 | - | 1 | 4 | 63 | 43 | 41 | 34 | 20 | 4 | - | - | - |
| 1999..... | 229 | - | 4 | 9 | 71 | 57 | 42 | 29 | 13 | 3 | 1 | - | - |

ASIAN OR PACIFIC ISLANDER 2/, MALE

| | | | | | | | | | | | | | |
|-----------|-----|---|---|---|----|----|----|----|----|---|---|---|---|
| 2000..... | 166 | - | 1 | 4 | 52 | 36 | 29 | 25 | 18 | 1 | - | - | - |
| 1999..... | 159 | - | 3 | 4 | 58 | 40 | 28 | 16 | 10 | - | - | - | - |

ASIAN OR PACIFIC ISLANDER 2/, FEMALE

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|----|----|----|----|---|---|---|---|---|
| 2000..... | 44 | - | - | - | 11 | 7 | 12 | 9 | 2 | 3 | - | - | - |
| 1999..... | 70 | - | 1 | 5 | 13 | 17 | 14 | 13 | 3 | 3 | 1 | - | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Assault (homicide) by other and unspecified means and their sequelae (X85-X92,X96-Y09,Y87.1) | | | | | | | | | | | | | |
| ALL RACES, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 5,964 | 337 | 328 | 184 | 976 | 1,090 | 1,313 | 796 | 371 | 259 | 220 | 72 | 18 |
| 1999..... | 6,061 | 323 | 326 | 208 | 960 | 1,183 | 1,338 | 775 | 349 | 280 | 209 | 76 | 34 |
| ALL RACES, MALE | | | | | | | | | | | | | |
| 2000..... | 3,814 | 194 | 181 | 89 | 655 | 711 | 832 | 554 | 271 | 171 | 117 | 31 | 8 |
| 1999..... | 3,841 | 182 | 168 | 95 | 622 | 737 | 893 | 553 | 247 | 180 | 114 | 31 | 19 |
| ALL RACES, FEMALE | | | | | | | | | | | | | |
| 2000..... | 2,150 | 143 | 147 | 95 | 321 | 379 | 481 | 242 | 100 | 88 | 103 | 41 | 10 |
| 1999..... | 2,220 | 141 | 158 | 113 | 338 | 446 | 445 | 222 | 102 | 100 | 95 | 45 | 15 |
| WHITE, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 3,533 | 192 | 182 | 126 | 547 | 622 | 740 | 481 | 237 | 169 | 163 | 59 | 15 |
| 1999..... | 3,710 | 196 | 182 | 134 | 580 | 689 | 755 | 490 | 244 | 205 | 153 | 58 | 24 |
| WHITE, MALE | | | | | | | | | | | | | |
| 2000..... | 2,239 | 123 | 105 | 67 | 359 | 401 | 478 | 312 | 173 | 106 | 84 | 23 | 8 |
| 1999..... | 2,342 | 117 | 94 | 62 | 367 | 437 | 504 | 345 | 170 | 126 | 86 | 20 | 14 |
| WHITE, FEMALE | | | | | | | | | | | | | |
| 2000..... | 1,294 | 69 | 77 | 59 | 188 | 221 | 262 | 169 | 64 | 63 | 79 | 36 | 7 |
| 1999..... | 1,368 | 79 | 88 | 72 | 213 | 252 | 251 | 145 | 74 | 79 | 67 | 38 | 10 |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|

Assault (homicide) by other and unspecified means and their sequelae (X85-X92,X96-Y09,Y87.1)

BLACK, BOTH SEXES

| | | | | | | | | | | | | | |
|-----------|-------|-----|-----|----|-----|-----|-----|-----|-----|----|----|----|---|
| 2000..... | 2,168 | 133 | 137 | 55 | 385 | 412 | 513 | 274 | 119 | 80 | 47 | 10 | 3 |
| 1999..... | 2,071 | 116 | 134 | 65 | 331 | 433 | 521 | 243 | 91 | 65 | 46 | 17 | 9 |

BLACK, MALE

| | | | | | | | | | | | | | |
|-----------|-------|----|----|----|-----|-----|-----|-----|----|----|----|----|---|
| 2000..... | 1,398 | 66 | 70 | 19 | 258 | 274 | 317 | 212 | 91 | 58 | 27 | 6 | - |
| 1999..... | 1,331 | 59 | 68 | 30 | 226 | 263 | 353 | 179 | 66 | 49 | 23 | 10 | 5 |

BLACK, FEMALE

| | | | | | | | | | | | | | |
|-----------|-----|----|----|----|-----|-----|-----|----|----|----|----|---|---|
| 2000..... | 770 | 67 | 67 | 36 | 127 | 138 | 196 | 62 | 28 | 22 | 20 | 4 | 3 |
| 1999..... | 740 | 57 | 66 | 35 | 105 | 170 | 168 | 64 | 25 | 16 | 23 | 7 | 4 |

AMERICAN INDIAN 1/, BOTH SEXES

| | | | | | | | | | | | | | |
|-----------|-----|---|---|---|----|----|----|----|---|---|---|---|---|
| 2000..... | 117 | 5 | 6 | 1 | 19 | 32 | 29 | 14 | 4 | 3 | 2 | 2 | - |
| 1999..... | 149 | 3 | 4 | 3 | 27 | 43 | 33 | 21 | 7 | 4 | 4 | - | - |

AMERICAN INDIAN 1/, MALE

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|----|----|----|----|---|---|---|---|---|
| 2000..... | 89 | 3 | 4 | 1 | 17 | 24 | 21 | 11 | 2 | 3 | 1 | 2 | - |
| 1999..... | 97 | 3 | 2 | - | 16 | 26 | 23 | 16 | 5 | 3 | 3 | - | - |

AMERICAN INDIAN 1/, FEMALE

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|----|----|----|---|---|---|---|---|---|
| 2000..... | 28 | 2 | 2 | - | 2 | 8 | 8 | 3 | 2 | - | 1 | - | - |
| 1999..... | 52 | - | 2 | 3 | 11 | 17 | 10 | 5 | 2 | 1 | 1 | - | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|

Assault (homicide) by other and unspecified means and their sequelae (X85-X92,X96-Y09,Y87.1)

ASIAN OR PACIFIC ISLANDER 2/, BOTH SEX

| | | | | | | | | | | | | | |
|-----------|-----|---|---|---|----|----|----|----|----|---|---|---|---|
| 2000..... | 146 | 7 | 3 | 2 | 25 | 24 | 31 | 27 | 11 | 7 | 8 | 1 | - |
| 1999..... | 131 | 8 | 6 | 6 | 22 | 18 | 29 | 21 | 7 | 6 | 6 | 1 | 1 |

ASIAN OR PACIFIC ISLANDER 2/, MALE

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|----|----|----|----|---|---|---|---|---|
| 2000..... | 88 | 2 | 2 | 2 | 21 | 12 | 16 | 19 | 5 | 4 | 5 | - | - |
| 1999..... | 71 | 3 | 4 | 3 | 13 | 11 | 13 | 13 | 6 | 2 | 2 | 1 | - |

ASIAN OR PACIFIC ISLANDER 2/, FEMALE

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|----|----|---|---|---|---|---|---|
| 2000..... | 58 | 5 | 1 | - | 4 | 12 | 15 | 8 | 6 | 3 | 3 | 1 | - |
| 1999..... | 60 | 5 | 2 | 3 | 9 | 7 | 16 | 8 | 1 | 4 | 4 | - | 1 |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|

Legal intervention (Y35,Y89.0)

ALL RACES, BOTH SEXES

| | | | | | | | | | | | | | |
|-----------|-----|---|---|---|----|-----|-----|----|----|---|---|---|---|
| 2000..... | 359 | - | - | 3 | 73 | 110 | 101 | 55 | 10 | 5 | 1 | 1 | - |
| 1999..... | 398 | - | - | 1 | 67 | 136 | 121 | 50 | 20 | 2 | 1 | - | - |

ALL RACES, MALE

| | | | | | | | | | | | | | |
|-----------|-----|---|---|---|----|-----|-----|----|----|---|---|---|---|
| 2000..... | 348 | - | - | 3 | 71 | 108 | 96 | 54 | 9 | 5 | 1 | 1 | - |
| 1999..... | 392 | - | - | 1 | 67 | 135 | 117 | 49 | 20 | 2 | 1 | - | - |

ALL RACES, FEMALE

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|---|---|---|---|---|---|---|
| 2000..... | 11 | - | - | - | 2 | 2 | 5 | 1 | 1 | - | - | - | - |
| 1999..... | 6 | - | - | - | - | 1 | 4 | 1 | - | - | - | - | - |

WHITE, BOTH SEXES

| | | | | | | | | | | | | | |
|-----------|-----|---|---|---|----|----|----|----|----|---|---|---|---|
| 2000..... | 237 | - | - | 1 | 44 | 72 | 63 | 43 | 9 | 3 | 1 | 1 | - |
| 1999..... | 255 | - | - | - | 31 | 86 | 80 | 40 | 15 | 2 | 1 | - | - |

WHITE, MALE

| | | | | | | | | | | | | | |
|-----------|-----|---|---|---|----|----|----|----|----|---|---|---|---|
| 2000..... | 231 | - | - | 1 | 42 | 70 | 62 | 43 | 8 | 3 | 1 | 1 | - |
| 1999..... | 250 | - | - | - | 31 | 86 | 76 | 39 | 15 | 2 | 1 | - | - |

WHITE, FEMALE

| | | | | | | | | | | | | | |
|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2000..... | 6 | - | - | - | 2 | 2 | 1 | - | 1 | - | - | - | - |
| 1999..... | 5 | - | - | - | - | - | 4 | 1 | - | - | - | - | - |

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

[illegible]

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

[illegible]

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|

Events of undetermined intent (Y10-Y34,Y87.2,Y89.9)

ALL RACES, BOTH SEXES

| | | | | | | | | | | | | | |
|-----------|-------|----|----|----|-----|-----|-------|-----|-----|-----|----|----|----|
| 2000..... | 3,819 | 65 | 39 | 60 | 370 | 679 | 1,286 | 841 | 228 | 104 | 79 | 57 | 11 |
| 1999..... | 3,917 | 55 | 43 | 49 | 430 | 743 | 1,295 | 793 | 222 | 114 | 96 | 58 | 19 |

ALL RACES, MALE

| | | | | | | | | | | | | | |
|-----------|-------|----|----|----|-----|-----|-----|-----|-----|----|----|----|----|
| 2000..... | 2,635 | 27 | 26 | 50 | 285 | 489 | 885 | 570 | 152 | 70 | 49 | 21 | 11 |
| 1999..... | 2,692 | 33 | 21 | 38 | 345 | 523 | 887 | 532 | 148 | 72 | 55 | 25 | 13 |

ALL RACES, FEMALE

| | | | | | | | | | | | | | |
|-----------|-------|----|----|----|----|-----|-----|-----|----|----|----|----|---|
| 2000..... | 1,184 | 38 | 13 | 10 | 85 | 190 | 401 | 271 | 76 | 34 | 30 | 36 | - |
| 1999..... | 1,225 | 22 | 22 | 11 | 85 | 220 | 408 | 261 | 74 | 42 | 41 | 33 | 6 |

WHITE, BOTH SEXES

| | | | | | | | | | | | | | |
|-----------|-------|----|----|----|-----|-----|-------|-----|-----|----|----|----|----|
| 2000..... | 3,053 | 41 | 27 | 38 | 302 | 553 | 1,031 | 672 | 177 | 84 | 72 | 48 | 8 |
| 1999..... | 3,122 | 36 | 23 | 42 | 342 | 606 | 1,023 | 612 | 186 | 97 | 89 | 52 | 14 |

WHITE, MALE

| | | | | | | | | | | | | | |
|-----------|-------|----|----|----|-----|-----|-----|-----|-----|----|----|----|---|
| 2000..... | 2,078 | 18 | 17 | 32 | 228 | 392 | 710 | 446 | 112 | 53 | 45 | 17 | 8 |
| 1999..... | 2,105 | 22 | 13 | 33 | 278 | 416 | 698 | 390 | 113 | 61 | 49 | 23 | 9 |

WHITE, FEMALE

| | | | | | | | | | | | | | |
|-----------|-------|----|----|---|----|-----|-----|-----|----|----|----|----|---|
| 2000..... | 975 | 23 | 10 | 6 | 74 | 161 | 321 | 226 | 65 | 31 | 27 | 31 | - |
| 1999..... | 1,017 | 14 | 10 | 9 | 64 | 190 | 325 | 222 | 73 | 36 | 40 | 29 | 5 |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|

Events of undetermined intent (Y10-Y34,Y87.2,Y89.9)

BLACK, BOTH SEXES

| | | | | | | | | | | | | | |
|-----------|-----|----|----|----|----|-----|-----|-----|----|----|---|---|---|
| 2000..... | 668 | 15 | 11 | 21 | 52 | 105 | 234 | 156 | 43 | 15 | 6 | 7 | 3 |
| 1999..... | 696 | 18 | 16 | 7 | 71 | 121 | 240 | 168 | 28 | 14 | 5 | 3 | 5 |

BLACK, MALE

| | | | | | | | | | | | | | |
|-----------|-----|----|---|----|----|----|-----|-----|----|----|---|---|---|
| 2000..... | 488 | 3 | 8 | 17 | 47 | 80 | 162 | 115 | 33 | 13 | 4 | 3 | 3 |
| 1999..... | 523 | 10 | 8 | 5 | 56 | 93 | 171 | 134 | 27 | 10 | 4 | 1 | 4 |

BLACK, FEMALE

| | | | | | | | | | | | | | |
|-----------|-----|----|---|---|----|----|----|----|----|---|---|---|---|
| 2000..... | 180 | 12 | 3 | 4 | 5 | 25 | 72 | 41 | 10 | 2 | 2 | 4 | - |
| 1999..... | 173 | 8 | 8 | 2 | 15 | 28 | 69 | 34 | 1 | 4 | 1 | 2 | 1 |

AMERICAN INDIAN 1/, BOTH SEXES

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|----|----|---|---|---|---|---|---|
| 2000..... | 46 | 4 | 1 | 1 | 5 | 9 | 12 | 7 | 6 | 1 | - | - | - |
| 1999..... | 54 | 1 | 2 | - | 9 | 11 | 18 | 6 | 3 | 2 | 1 | 1 | - |

AMERICAN INDIAN 1/, MALE

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|----|----|---|---|---|---|---|---|
| 2000..... | 36 | 3 | 1 | 1 | 3 | 8 | 9 | 5 | 6 | - | - | - | - |
| 1999..... | 37 | 1 | - | - | 7 | 10 | 10 | 4 | 3 | 1 | 1 | - | - |

AMERICAN INDIAN 1/, FEMALE

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|---|---|---|---|---|---|---|
| 2000..... | 10 | 1 | - | - | 2 | 1 | 3 | 2 | - | 1 | - | - | - |
| 1999..... | 17 | - | 2 | - | 2 | 1 | 8 | 2 | - | 1 | - | 1 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|

Events of undetermined intent (Y10-Y34,Y87.2,Y89.9)

ASIAN OR PACIFIC ISLANDER 2/, BOTH SEX

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|----|----|----|---|---|---|---|---|---|
| 2000..... | 52 | 5 | - | - | 11 | 12 | 9 | 6 | 2 | 4 | 1 | 2 | - |
| 1999..... | 45 | - | 2 | - | 8 | 5 | 14 | 7 | 5 | 1 | 1 | 2 | - |

ASIAN OR PACIFIC ISLANDER 2/, MALE

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|---|---|---|---|---|---|---|
| 2000..... | 33 | 3 | - | - | 7 | 9 | 4 | 4 | 1 | 4 | - | 1 | - |
| 1999..... | 27 | - | - | - | 4 | 4 | 8 | 4 | 5 | - | 1 | 1 | - |

ASIAN OR PACIFIC ISLANDER 2/, FEMALE

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|---|---|---|---|---|---|---|
| 2000..... | 19 | 2 | - | - | 4 | 3 | 5 | 2 | 1 | - | 1 | 1 | - |
| 1999..... | 18 | - | 2 | - | 4 | 1 | 6 | 3 | - | 1 | - | 1 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Discharge of firearms, undetermined intent (Y22-Y24) | | | | | | | | | | | | | |
| ALL RACES, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 230 | - | - | 10 | 71 | 52 | 39 | 23 | 15 | 11 | 6 | 2 | 1 |
| 1999..... | 324 | - | 3 | 12 | 127 | 51 | 57 | 28 | 14 | 15 | 13 | 4 | - |
| ALL RACES, MALE | | | | | | | | | | | | | |
| 2000..... | 190 | - | - | 9 | 62 | 43 | 30 | 18 | 11 | 9 | 5 | 2 | 1 |
| 1999..... | 277 | - | 3 | 12 | 111 | 44 | 45 | 21 | 11 | 14 | 12 | 4 | - |
| ALL RACES, FEMALE | | | | | | | | | | | | | |
| 2000..... | 40 | - | - | 1 | 9 | 9 | 9 | 5 | 4 | 2 | 1 | - | - |
| 1999..... | 47 | - | - | - | 16 | 7 | 12 | 7 | 3 | 1 | 1 | - | - |
| WHITE, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 167 | - | - | 5 | 48 | 34 | 31 | 20 | 11 | 9 | 6 | 2 | 1 |
| 1999..... | 247 | - | 1 | 11 | 85 | 36 | 50 | 23 | 12 | 13 | 12 | 4 | - |
| WHITE, MALE | | | | | | | | | | | | | |
| 2000..... | 137 | - | - | 5 | 42 | 28 | 25 | 15 | 7 | 7 | 5 | 2 | 1 |
| 1999..... | 212 | - | 1 | 11 | 76 | 31 | 41 | 16 | 9 | 12 | 11 | 4 | - |
| WHITE, FEMALE | | | | | | | | | | | | | |
| 2000..... | 30 | - | - | - | 6 | 6 | 6 | 5 | 4 | 2 | 1 | - | - |
| 1999..... | 35 | - | - | - | 9 | 5 | 9 | 7 | 3 | 1 | 1 | - | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
| Discharge of firearms, undetermined intent (Y22-Y24) | | | | | | | | | | | | | |
| BLACK, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 54 | - | - | 5 | 20 | 15 | 7 | 2 | 3 | 2 | - | - | - |
| 1999..... | 66 | - | 2 | 1 | 35 | 14 | 6 | 4 | 1 | 2 | 1 | - | - |
| BLACK, MALE | | | | | | | | | | | | | |
| 2000..... | 47 | - | - | 4 | 19 | 12 | 5 | 2 | 3 | 2 | - | - | - |
| 1999..... | 56 | - | 2 | 1 | 29 | 12 | 4 | 4 | 1 | 2 | 1 | - | - |
| BLACK, FEMALE | | | | | | | | | | | | | |
| 2000..... | 7 | - | - | 1 | 1 | 3 | 2 | - | - | - | - | - | - |
| 1999..... | 10 | - | - | - | 6 | 2 | 2 | - | - | - | - | - | - |
| AMERICAN INDIAN 1/, BOTH SEXES | | | | | | | | | | | | | |
| 2000..... | 4 | - | - | - | 2 | 1 | - | - | 1 | - | - | - | - |
| 1999..... | 6 | - | - | - | 4 | 1 | 1 | - | - | - | - | - | - |
| AMERICAN INDIAN 1/, MALE | | | | | | | | | | | | | |
| 2000..... | 3 | - | - | - | 1 | 1 | - | - | 1 | - | - | - | - |
| 1999..... | 5 | - | - | - | 4 | 1 | - | - | - | - | - | - | - |
| AMERICAN INDIAN 1/, FEMALE | | | | | | | | | | | | | |
| 2000..... | 1 | - | - | - | 1 | - | - | - | - | - | - | - | - |
| 1999..... | 1 | - | - | - | - | - | 1 | - | - | - | - | - | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|

Other and unspecified events of undetermined intent and their sequelae (Y10-Y21,Y25-Y34,Y87.2,Y89.9)

ALL RACES, BOTH SEXES

| | | | | | | | | | | | | | |
|-----------|-------|----|----|----|-----|-----|-------|-----|-----|----|----|----|----|
| 2000..... | 3,589 | 65 | 39 | 50 | 299 | 627 | 1,247 | 818 | 213 | 93 | 73 | 55 | 10 |
| 1999..... | 3,593 | 55 | 40 | 37 | 303 | 692 | 1,238 | 765 | 208 | 99 | 83 | 54 | 19 |

ALL RACES, MALE

| | | | | | | | | | | | | | |
|-----------|-------|----|----|----|-----|-----|-----|-----|-----|----|----|----|----|
| 2000..... | 2,445 | 27 | 26 | 41 | 223 | 446 | 855 | 552 | 141 | 61 | 44 | 19 | 10 |
| 1999..... | 2,415 | 33 | 18 | 26 | 234 | 479 | 842 | 511 | 137 | 58 | 43 | 21 | 13 |

ALL RACES, FEMALE

| | | | | | | | | | | | | | |
|-----------|-------|----|----|----|----|-----|-----|-----|----|----|----|----|---|
| 2000..... | 1,144 | 38 | 13 | 9 | 76 | 181 | 392 | 266 | 72 | 32 | 29 | 36 | - |
| 1999..... | 1,178 | 22 | 22 | 11 | 69 | 213 | 396 | 254 | 71 | 41 | 40 | 33 | 6 |

WHITE, BOTH SEXES

| | | | | | | | | | | | | | |
|-----------|-------|----|----|----|-----|-----|-------|-----|-----|----|----|----|----|
| 2000..... | 2,886 | 41 | 27 | 33 | 254 | 519 | 1,000 | 652 | 166 | 75 | 66 | 46 | 7 |
| 1999..... | 2,875 | 36 | 22 | 31 | 257 | 570 | 973 | 589 | 174 | 84 | 77 | 48 | 14 |

WHITE, MALE

| | | | | | | | | | | | | | |
|-----------|-------|----|----|----|-----|-----|-----|-----|-----|----|----|----|---|
| 2000..... | 1,941 | 18 | 17 | 27 | 186 | 364 | 685 | 431 | 105 | 46 | 40 | 15 | 7 |
| 1999..... | 1,893 | 22 | 12 | 22 | 202 | 385 | 657 | 374 | 104 | 49 | 38 | 19 | 9 |

WHITE, FEMALE

| | | | | | | | | | | | | | |
|-----------|-----|----|----|---|----|-----|-----|-----|----|----|----|----|---|
| 2000..... | 945 | 23 | 10 | 6 | 68 | 155 | 315 | 221 | 61 | 29 | 26 | 31 | - |
| 1999..... | 982 | 14 | 10 | 9 | 55 | 185 | 316 | 215 | 70 | 35 | 39 | 29 | 5 |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|

Other and unspecified events of undetermined intent and their sequelae (Y10-Y21,Y25-Y34,Y87.2,Y89.9)

BLACK, BOTH SEXES

| | | | | | | | | | | | | | |
|-----------|-----|----|----|----|----|-----|-----|-----|----|----|---|---|---|
| 2000..... | 614 | 15 | 11 | 16 | 32 | 90 | 227 | 154 | 40 | 13 | 6 | 7 | 3 |
| 1999..... | 630 | 18 | 14 | 6 | 36 | 107 | 234 | 164 | 27 | 12 | 4 | 3 | 5 |

BLACK, MALE

| | | | | | | | | | | | | | |
|-----------|-----|----|---|----|----|----|-----|-----|----|----|---|---|---|
| 2000..... | 441 | 3 | 8 | 13 | 28 | 68 | 157 | 113 | 30 | 11 | 4 | 3 | 3 |
| 1999..... | 467 | 10 | 6 | 4 | 27 | 81 | 167 | 130 | 26 | 8 | 3 | 1 | 4 |

BLACK, FEMALE

| | | | | | | | | | | | | | |
|-----------|-----|----|---|---|---|----|----|----|----|---|---|---|---|
| 2000..... | 173 | 12 | 3 | 3 | 4 | 22 | 70 | 41 | 10 | 2 | 2 | 4 | - |
| 1999..... | 163 | 8 | 8 | 2 | 9 | 26 | 67 | 34 | 1 | 4 | 1 | 2 | 1 |

AMERICAN INDIAN 1/, BOTH SEXES

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|----|----|---|---|---|---|---|---|
| 2000..... | 42 | 4 | 1 | 1 | 3 | 8 | 12 | 7 | 5 | 1 | - | - | - |
| 1999..... | 48 | 1 | 2 | - | 5 | 10 | 17 | 6 | 3 | 2 | 1 | 1 | - |

AMERICAN INDIAN 1/, MALE

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|----|---|---|---|---|---|---|
| 2000..... | 33 | 3 | 1 | 1 | 2 | 7 | 9 | 5 | 5 | - | - | - | - |
| 1999..... | 32 | 1 | - | - | 3 | 9 | 10 | 4 | 3 | 1 | 1 | - | - |

AMERICAN INDIAN 1/, FEMALE

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|---|---|---|---|---|---|---|
| 2000..... | 9 | 1 | - | - | 1 | 1 | 3 | 2 | - | 1 | - | - | - |
| 1999..... | 16 | - | 2 | - | 2 | 1 | 7 | 2 | - | 1 | - | 1 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|

Other and unspecified events of undetermined intent and their sequelae (Y10-Y21,Y25-Y34,Y87.2,Y89.9)

ASIAN OR PACIFIC ISLANDER 2/, BOTH SEX

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|----|----|----|---|---|---|---|---|---|
| 2000..... | 47 | 5 | - | - | 10 | 10 | 8 | 5 | 2 | 4 | 1 | 2 | - |
| 1999..... | 40 | - | 2 | - | 5 | 5 | 14 | 6 | 4 | 1 | 1 | 2 | - |

ASIAN OR PACIFIC ISLANDER 2/, MALE

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|---|---|---|---|---|---|---|
| 2000..... | 30 | 3 | - | - | 7 | 7 | 4 | 3 | 1 | 4 | - | 1 | - |
| 1999..... | 23 | - | - | - | 2 | 4 | 8 | 3 | 4 | - | 1 | 1 | - |

ASIAN OR PACIFIC ISLANDER 2/, FEMALE

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|---|---|---|---|---|---|---|
| 2000..... | 17 | 2 | - | - | 3 | 3 | 4 | 2 | 1 | - | 1 | 1 | - |
| 1999..... | 17 | - | 2 | - | 3 | 1 | 6 | 3 | - | 1 | - | 1 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|

Operations of war and their sequelae (Y36,Y89.1)

ALL RACES, BOTH SEXES

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|---|---|---|---|---|---|---|
| 2000..... | 16 | - | - | - | - | - | - | 2 | 1 | 3 | 9 | 1 | - |
| 1999..... | 23 | - | - | - | - | - | 1 | 2 | 1 | 8 | 8 | 3 | - |

ALL RACES, MALE

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|---|---|---|---|---|---|---|
| 2000..... | 16 | - | - | - | - | - | - | 2 | 1 | 3 | 9 | 1 | - |
| 1999..... | 22 | - | - | - | - | - | 1 | 2 | 1 | 8 | 7 | 3 | - |

ALL RACES, FEMALE

| | | | | | | | | | | | | | |
|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2000..... | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 1999..... | 1 | - | - | - | - | - | - | - | - | - | 1 | - | - |

WHITE, BOTH SEXES

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|---|---|---|---|---|---|---|
| 2000..... | 15 | - | - | - | - | - | - | 1 | 1 | 3 | 9 | 1 | - |
| 1999..... | 22 | - | - | - | - | - | 1 | 2 | 1 | 7 | 8 | 3 | - |

WHITE, MALE

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|---|---|---|---|---|---|---|
| 2000..... | 15 | - | - | - | - | - | - | 1 | 1 | 3 | 9 | 1 | - |
| 1999..... | 21 | - | - | - | - | - | 1 | 2 | 1 | 7 | 7 | 3 | - |

WHITE, FEMALE

| | | | | | | | | | | | | | |
|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2000..... | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 1999..... | 1 | - | - | - | - | - | - | - | - | - | 1 | - | - |

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

[illegible]

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | | | | | | | | | | | | | | | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Operations of war and their sequelae (Y36,Y89.1) | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ASIAN OR PACIFIC ISLANDER 2/, BOTH SEX | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2000..... | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | | | | | | | | | | |
| 1999..... | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | | | | | | | | | | |
| ASIAN OR PACIFIC ISLANDER 2/, MALE | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2000..... | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | | | | | | | | | | |
| 1999..... | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | | | | | | | | | | |
| ASIAN OR PACIFIC ISLANDER 2/, FEMALE | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2000..... | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | | | | | | | | | | |
| 1999..... | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | | | | | | | | | | |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|

Complications of medical and surgical care (Y40-Y84,Y88)

ALL RACES, BOTH SEXES

| | | | | | | | | | | | | | |
|-----------|-------|----|----|----|----|----|-----|-----|-----|-----|-----|-----|---|
| 2000..... | 3,059 | 19 | 22 | 31 | 32 | 85 | 149 | 295 | 376 | 647 | 825 | 578 | - |
| 1999..... | 2,823 | 54 | 30 | 18 | 36 | 78 | 152 | 214 | 315 | 586 | 811 | 529 | - |

ALL RACES, MALE

| | | | | | | | | | | | | | |
|-----------|-------|----|----|----|----|----|----|-----|-----|-----|-----|-----|---|
| 2000..... | 1,430 | 12 | 11 | 15 | 16 | 47 | 76 | 143 | 181 | 331 | 402 | 196 | - |
| 1999..... | 1,308 | 31 | 12 | 9 | 21 | 43 | 78 | 98 | 165 | 279 | 375 | 197 | - |

ALL RACES, FEMALE

| | | | | | | | | | | | | | |
|-----------|-------|----|----|----|----|----|----|-----|-----|-----|-----|-----|---|
| 2000..... | 1,629 | 7 | 11 | 16 | 16 | 38 | 73 | 152 | 195 | 316 | 423 | 382 | - |
| 1999..... | 1,515 | 23 | 18 | 9 | 15 | 35 | 74 | 116 | 150 | 307 | 436 | 332 | - |

WHITE, BOTH SEXES

| | | | | | | | | | | | | | |
|-----------|-------|----|----|----|----|----|-----|-----|-----|-----|-----|-----|---|
| 2000..... | 2,520 | 14 | 12 | 23 | 24 | 60 | 115 | 231 | 285 | 535 | 718 | 503 | - |
| 1999..... | 2,314 | 35 | 21 | 14 | 30 | 55 | 114 | 159 | 240 | 492 | 699 | 455 | - |

WHITE, MALE

| | | | | | | | | | | | | | |
|-----------|-------|----|----|----|----|----|----|-----|-----|-----|-----|-----|---|
| 2000..... | 1,210 | 11 | 8 | 11 | 13 | 33 | 64 | 115 | 144 | 273 | 363 | 175 | - |
| 1999..... | 1,078 | 22 | 11 | 7 | 17 | 32 | 60 | 72 | 126 | 235 | 328 | 168 | - |

WHITE, FEMALE

| | | | | | | | | | | | | | |
|-----------|-------|----|----|----|----|----|----|-----|-----|-----|-----|-----|---|
| 2000..... | 1,310 | 3 | 4 | 12 | 11 | 27 | 51 | 116 | 141 | 262 | 355 | 328 | - |
| 1999..... | 1,236 | 13 | 10 | 7 | 13 | 23 | 54 | 87 | 114 | 257 | 371 | 287 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|

Complications of medical and surgical care (Y40-Y84,Y88)

BLACK, BOTH SEXES

| | | | | | | | | | | | | | |
|-----------|-----|----|---|---|---|----|----|----|----|-----|----|----|---|
| 2000..... | 487 | 5 | 8 | 5 | 7 | 23 | 31 | 58 | 86 | 101 | 96 | 67 | - |
| 1999..... | 449 | 18 | 9 | 4 | 6 | 18 | 35 | 52 | 62 | 86 | 96 | 63 | - |

BLACK, MALE

| | | | | | | | | | | | | | |
|-----------|-----|---|---|---|---|----|----|----|----|----|----|----|---|
| 2000..... | 193 | 1 | 2 | 2 | 2 | 13 | 12 | 25 | 34 | 52 | 34 | 16 | - |
| 1999..... | 197 | 8 | 1 | 2 | 4 | 10 | 16 | 26 | 30 | 40 | 40 | 20 | - |

BLACK, FEMALE

| | | | | | | | | | | | | | |
|-----------|-----|----|---|---|---|----|----|----|----|----|----|----|---|
| 2000..... | 294 | 4 | 6 | 3 | 5 | 10 | 19 | 33 | 52 | 49 | 62 | 51 | - |
| 1999..... | 252 | 10 | 8 | 2 | 2 | 8 | 19 | 26 | 32 | 46 | 56 | 43 | - |

AMERICAN INDIAN 1/, BOTH SEXES

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|---|---|---|---|---|---|---|
| 2000..... | 14 | - | - | 1 | - | - | 1 | 1 | - | 5 | 3 | 3 | - |
| 1999..... | 20 | - | - | - | - | 3 | 1 | 1 | 3 | 3 | 5 | 4 | - |

AMERICAN INDIAN 1/, MALE

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|---|---|---|---|---|---|---|
| 2000..... | 5 | - | - | - | - | - | - | 1 | - | 1 | 2 | 1 | - |
| 1999..... | 13 | - | - | - | - | 1 | 1 | - | 3 | 2 | 4 | 2 | - |

AMERICAN INDIAN 1/, FEMALE

| | | | | | | | | | | | | | |
|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2000..... | 9 | - | - | 1 | - | - | 1 | - | - | 4 | 1 | 2 | - |
| 1999..... | 7 | - | - | - | - | 2 | - | 1 | - | 1 | 1 | 2 | - |

TABLE 290A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, SPECIFIED RACE, AND SEX: UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN

REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),

| CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEAR | ALL AGES | UNDER 1 YEAR | 1-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-34 YEARS | 35-44 YEARS | 45-54 YEARS | 55-64 YEARS | 65-74 YEARS | 75-84 YEARS | 85 YEARS AND OVER | AGE NOT STATED |
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|
|--|-------------|-----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|-------------------|

Complications of medical and surgical care (Y40-Y84,Y88)

ASIAN OR PACIFIC ISLANDER 2/, BOTH SEX

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|---|---|----|---|----|---|---|
| 2000..... | 38 | - | 2 | 2 | 1 | 2 | 2 | 5 | 5 | 6 | 8 | 5 | - |
| 1999..... | 40 | 1 | - | - | - | 2 | 2 | 2 | 10 | 5 | 11 | 7 | - |

ASIAN OR PACIFIC ISLANDER 2/, MALE

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|---|---|---|---|---|---|---|
| 2000..... | 22 | - | 1 | 2 | 1 | 1 | - | 2 | 3 | 5 | 3 | 4 | - |
| 1999..... | 20 | 1 | - | - | - | - | 1 | - | 6 | 2 | 3 | 7 | - |

ASIAN OR PACIFIC ISLANDER 2/, FEMALE

| | | | | | | | | | | | | | |
|-----------|----|---|---|---|---|---|---|---|---|---|---|---|---|
| 2000..... | 16 | - | 1 | - | - | 1 | 2 | 3 | 2 | 1 | 5 | 1 | - |
| 1999..... | 20 | - | - | - | - | 2 | 1 | 2 | 4 | 3 | 8 | - | - |

- QUANTITY ZERO.

... CATEGORY NOT APPLICABLE.

1/ INCLUDES ALEUTS AND ESKIMOS.

2/ INCLUDES CHINESE, FILIPINO, HAWAIIAN, JAPANESE, AND OTHER ASIAN OR PACIFIC ISLANDER.

SOURCE: CDC/NCHS, NATIONAL VITAL STATISTICS SYSTEM, MORTALITY.